www.gsace.com

PIPE RACKING SYSTEM



ISO 9001/ ISO 14001/ ISO 45001 Certified







G.S.ACE 금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

발행 2024. 02

[PIPE RACKING SYSTEM의 최고의 가치]

FAST
- 개선 아이디어의 즉시 적용을 위한 신속한 개발
- 최단 납기

BEST
- 세계 최고의 품질
- 최고의 가격 경쟁력

FAST / BEST를 위해 더욱 매진하겠습니다.

[회사연혁]

1993년 10월 금성에이스산업 설립

2001년 6월 수출 유망 중소기업 선정 (중소기업청)

2002년 5월 중국 법인 설립 (중국상해)

2003년 8월 경기도 유망중소기업 선정 (경기도)

2004년 12월 ISO 14001 인증 획득

2005년 11월 한국 이노비즈 기업 선정

2006년 10월 ECCO PIPE 세계최초 개발 및 시설 준공 (특허)

2007년 1월 전제품의 도금을 Cro3로 전환
3월 곡선용 조인트 (G-90S) 세계 최초 개발 (특허출원)
3월 부설기술연구소 설립

2008년 10월 ROHS 인증 (한국화학연구소)
12월 1,000만불 수출의 탑 수상

2009년 4월 KOTRA 보증 브랜드 선정
6월 D-COAT PIPE 개발 판매 개시

2010년 3월 창원공장 설립 및 가동
10월 2공장 완공 (대지 10,557㎡, 건평 4,998㎡)

2011년 5월 Universal Roller 개발 (40Type, 60Type/특허출원)

2012년 12월 수출 2000만불 달성

2013년 10월 글로벌 전문 후보기업 선정 (산업통상자원부)

2014년 7월 Aluminum Racking System 개발 (특허출원) 및 판매

2015년 3월 Aluminum 압출라인 설치 및 가동
10월 Aluminum 다이캐스팅 공장 설립 및 가동

2016년 2월 베트남 법인 설립
5월 선행개발 연구소 설립

2017년 5월 본사 공장 ECCO PIPE 생산라인 설치 및 가동

2018년 6월 E-PIPE Red Dot Design Award (레드 닷 디자인 어워드) 수상

2019년 2월 CE 인증 획득

Contents

METAL RACKING SYSTEM
- PIPES (D-COATED / STS / ECCO) 5
- METAL JOINTS 11
- PLASTIC JOINTS 30

ALUMINUM RACKING SYSTEM
- Φ28 ALUMINUM RACKING SYSTEM 50
- Φ19 ALUMINUM RACKING SYSTEM 102
- Φ33 ALUMINUM RACKING SYSTEM 111
- Φ43 ALUMINUM RACKING SYSTEM 114
- 28X28 ALUMINUM SQUARE RACKING SYSTEM 127
- 40X40 ALUMINUM PROFILE RACKING SYSTEM 135
- 45X45 ALUMINUM PROFILE RACKING SYSTEM 148
- QUICK JOINT RACKING SYSTEM 153
- LIFTING DEVICE 162
- ALUMINUM GUIDE RAIL SYSTEM 170

ROLLER TRACK SYSTEM
- ROLLER TRACKS 173
  (STANDARD / SILENT / STS COVERED / UNIVERSAL)
- ROLLER TRACK CAP 190
- ROLLER MOUNTING BRACKETS 193
- SLIDE PIPE MOUNTING BRACKETS 217
- BOX GUIDE 221
- BOX GUIDE CAP 228
- BOX STOPPER 229

CASTERS
- METAL CASTERS 235
- AL CASTERS 240
- FLOOR LOCK 242

ACCESSORIES
- PIPE REST & PLUG 244
- CASTER MOUNT & MOUNT CORNER UNIT 247
- FORK GUIDE & ASS'Y HAUL 255
- METAL CLAMP 260
- HOOK & HANGER & HANDLE 262
- METAL JOINT COVER 266
- TOOL HOLDER 268
- ASS'Y PULLEY 269
- NAME PLATE & LABEL CASE 272
- LEVELING FOOT 276
- THREADED INSERT & CAP 278
- PLASTIC CHANNEL 283
- FRAME GUIDE 284
- FASTENERS 286
- HAND CUTTER 288
- LIFT TABLE 289
- OTHERS 291

TECHNICAL SPECIFICATIONS 303
EXAMPLES 342
INDEX 387

금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

METAL RACKING SYSTEM



- PIPE
  - D-COATED PIPE
  - STS PIPE
  - ECCO PIPE
- METAL JOINT
- PLASTIC JOINT

PIPES

COLOR : ● BK ○ WZ ● NI ○ PI

Unit : mm

파이프
품번 표시법



Example : Case of coated Pipe Ivory Ø28×t0.9 is DP2809-i

PIPES

파이프 종류

Unit : mm

Classification	Item	Part No		Thickness	Weight (g)/M	Type
		Normal Pipe	ESD Pipe			
Coated Pipe	D-Coated Pipe	DP2807-X	EP2807-X	Ø28×t0.7	505	
		DP2809-X	EP2809-X	Ø28×t0.9	630	
		DP2814-X	EP2814-X	Ø28×t1.4	830	
		DP2820-X	EP2820-X	Ø28×t2.0	1,130	
		DP3210-X	-	Ø32×t1.0	810	
	STS-D-Coated Pipe	SD2805-X	-	Ø28×t0.5	395	
	Slide Pipe	CS2807-X	ES2807-X	Ø28×t0.7	582	
		CS2809-X	ES2809-X	Ø28×t0.9	650	
		CS2820-X	ES2820-X	Ø28×t2.0	690	
	Full Slide Pipe	FS2807-X	FS2807-E	Ø28×t0.7	505	
		FS2809-X	FS2809-E	Ø28×t0.9	630	
	L-Slide Pipe	LS2809-X	LS2809-E	Ø28×t0.9	690	
	Flat Pipe	CF2807-X	EF2807-X	Ø28×t0.7	606	
		CF2809-X	EF2809-X	Ø28×t0.9	720	
	Black Stripe Pipe	-	CL2807-X	Ø28×t0.7	505	
	W-Pipe	RC2809 (Roller Conveyor)		Ø28×t0.9	570	
	Spiral Pipe	SP2809		Ø28×t0.9	630	
ECCO-Pipe	Powder Pipe	G2807-X	EG2807-X	Ø28×t0.7	475	
		G2809-X	EG2809-X	Ø28 x t0.9	600	
		G2812-X	EG2812-X	Ø28×t1.2	800	
		G2820-X	EG2820-X	Ø28×t2.0	1100	
		Z2808		Ø28×t0.8	550	
STS Pipe	Polished Pipe	S2807A		Ø28×t0.7	448	
		S2809A		Ø28×t0.9	581	
		S2812A		Ø28×t1.2	760	

※ Standard Length - 4,000

PIPES

색상표

Unit : mm

Classification / Standard / Color		표준길이 : 4000							
		ECCO Pipe				Coated Pipe			
		Ø28 xT0.7	Ø28 xT0.9	Ø28 xT1.2	Ø28 xT2.0	Ø28 xT0.7	Ø28 xT0.9	Ø28 xT1.4	Ø28 xT2.0
Ivory		●	●	●	●	●	●	●	●
Green		●	●	●	●	●	●	●	●
Blue		-	-	-	-	●	●	●	●
Sky Blue		-	-	-	-	●	●	●	●
Dark Blue		●	●	●	●	●	●	●	●
Gray		●	●	●	●	●	●	●	●
Rock Gray		-	-	-	-	●	●	●	●
Dark Gray		-	-	-	-	●	●	●	●
Metallic Gray		●	●	●	●	-	-	-	-
Metallic Silver		●	●	●	●	-	-	-	-
Black		-	-	-	-	●	●	●	●
White		●	●	●	●	●	●	●	●

PIPES

Unit : mm

Classification / Standard / Color		표준길이 : 4000							
		ECCO Pipe				Coated Pipe			
		Ø28 xT0.7	Ø28 xT0.9	Ø28 xT1.2	Ø28 xT2.0	Ø28 xT0.7	Ø28 xT0.9	Ø28 xT1.4	Ø28 xT2.0
Red		–	–	–	–	●	●	●	●
Orange		–	–	–	–	●	●	●	●
Brown		–	–	–	–	●	●	●	●
Yellow		●	●	●	●	●	●	●	●
Pink		–	–	–	–	●	●	●	●
Spiral		–	–	–	–	–	●	–	–
ESD Ivory (대전성)		–	–	–	–	●	–	–	–
ESD Gray (대전성)		●	●	●	●	●	●	●	●
ESD GI (도전성)		●	●	●	●	–	–	–	–
ESD Metallic Silver (도전성)		●	●	●	●	–	–	–	–
ESD Black (도전성)		●	●	●	●	●	●	●	●
ESD Black Stripe (도전성)		–	–	–	–	●	–	–	●

※ 대전성 : $10^7\Omega$~$10^{10}\Omega$ ※ 도전성 : $10^3\Omega$~$10^6\Omega$

PIPES ECCO / STS PIPE


ECCO PIPE - Environment Conservation Improvement of Cost

CO : Cost Down (비용 절감)

E : Environment (환경)

C : Conservation (보호)





1. 친환경제품
- 100% 재활용이 가능한 친환경 제품
- 강관 내·외경에 분체도장한 제품

2. 기술혁신을 통한 저렴한 가격
- 코팅파이프 대비 20%저렴
- 도전성 코팅파이프 대비 35%저렴
- 스테인레스 파이프 대비 30% 저렴

3. 다양한 색상 선택이 가능함
- 코팅파이프 보다 천연색에 가까운 다양한 색상
- 반사율이 작아 눈의 피로를 줄여줌

4. 내유성, 영구적 색상유지 가능
- 자외선에 의한 탈색을 방지할 수 있음
- 유류 사용이 많은 현장에 적합함

5. 난연, 방염특성을 가진 열경화성 도료사용
- 화재시 연소되지 않음

6. 갈바닉 현상이 발생하지 않음
- JOINT와 동일한 재질을 사용함으로서 이종재질의 접촉시 발생하는 갈바닉 부식이 발생하지 않음

STAINLESS PIPE

1. 친환경제품
- 100% 재활용이 가능한 스테인레스 파이프


2. 고강도 내구성 제품
- 고강도 스테인레스 소재를 사용했으며, 코팅 파이프에 비해서 중량이 가볍고 강도가 우수함

3. 내유성, 내약품성
- 스테인레스 소재 특성상 화학약품에 강하며 기름때와 먼지가 잘 끼지 않음

4. 내화성
- 화재시 연소되지 않음

5. 정전기 방지 제품
- 도전성이므로 정전기가 발생하지 않음


STS PIPE 굽힘 강도 비교




(중량-581g/M) (중량-630g/M)

(Pipe 길이 L = 1000mm)





D-COATED PIPE





1. STEEL PIPE에 ABS를 1차 COATING한 후 표면에는 당사가 개발한 신소재를 2차 COATING 한 제품임.
2. 기존의 ABS COATING PIPE에 비해 내유성, 내화학성이 뛰어나며, 특히, 염분, 방청유, 절삭유 등에 크랙이 발생하거나 변색되지 않음.
3. 다양한 칼라를 구비하고 있으며 회사이미지나 품목별로 구분이 필요할 때 용이함.
4. 내구성이 뛰어나고 가공이 용이하며 파이프 내부에 방청 도장이 되어있어 내식성이 좋음.

※ D-COAT PIPE에는 "D-COAT G.S.ACE"의 표시가 인쇄되어 있습니다.

COATING PIPE의 내약품성

약품명	시험 방법	결과	
		D-COAT	ABS COAT
방청유	도포	○	△
염화나트륨(땀)	도포	○	×
브레이크오일	도포	×	×
자외선	투광	○	△
절삭유	도포	○	×
식기용 세제	도포	○	△
세탁용 세제	도포	○	○
화장실용 세제	도포	○	○
메틸에틸케톤	침적	×	×
에틸렌글리콜	침적	○	○

약품명	시험 방법	결과	
		D-COAT	ABS COAT
미션 오일	도포	○	×
헤어 스프레이	도포	○	○
파마액	도포	○	○
살충제	도포	○	○
살균제	도포	○	○
액체비료	도포	○	○
콩기름	도포	○	×
표백제	도포	○	○
에탄올	침적	×	○
톨루엔	침적	×	×

1. 시험 조건 - 30일간 지정 약품에 침적하거나 도포하여 시험한 결과 자료임
2. 범 례 - ○ : 변화 없음
   △ : 변화는 있으나 사용 가능함
   × : 수지가 녹거나 크랙이 발생함


METAL JOINTS FOR ∅28 (S-SERIES)

COLOR : ● BK ○ WZ ● NI ○ PI

Unit : mm

G-1S






- Weight : 0.068kg
- Q'ty/Box : 240pcs

G-1BS






- Weight : 0.061kg
- Q'ty/Box : 240pcs

G-2S






- Weight : 0.095kg
- Q'ty/Box : 150pcs

G-3S






- Weight : 0.120kg
- Q'ty/Box : 70pcs

G-4S






- Weight : 0.105kg
- Q'ty/Box : 180pcs

G-6S






- Weight : 0.048kg
- Q'ty/Box : 180pcs

G-6BS






- Weight : 0.042kg
- Q'ty/Box : 240pcs

G-6B-33






- Weight : 0.046kg
- Q'ty/Box : 180pcs

G-7AS






- Weight : 0.044kg
- Q'ty/Box : 300pcs

G-7BS





- Weight : 0.052kg
- Q'ty/Box : 300pcs

METAL JOINTS FOR Ø28 (S-SERIES)


COLOR : ● BK ○ WZ ● NI ○ PI

Unit : mm

G-7CS


실용신안등록






- Weight : 0.062kg
- Q'ty/Box : 210pcs


G-8S






- Weight : 0.049kg
- Q'ty/Box : 300pcs

G-9S






- Weight : 0.120kg
- Q'ty/Box : 100pcs

G-12S






- Weight : 0.060kg
- Q'ty/Box : 210pcs

G-13AS






- Weight : 0.063kg
- Q'ty/Box : 160pcs

G-13BS






- Weight : 0.062kg
- Q'ty/Box : 160pcs

G-14S






- Weight : 0.052kg
- Q'ty/Box : 270pcs

G-15AS






- Weight : 0.040kg
- Q'ty/Box : 480pcs

G-15BS






- Weight : 0.037kg
- Q'ty/Box : 480pcs

G-15AH





- Weight : 0.046kg
- Q'ty/Box : 480pcs


METAL JOINTS FOR ∅28 (S-SERIES)

COLOR : ● BK ○ WZ ● NI ○ PI

Unit : mm

G-15BL






- Weight : 0.056kg
- Q'ty/Box : 240pcs

G-15D






- Weight : 0.048kg
- Q'ty/Box : 300pcs

G-15DL






- Weight : 0.047kg
- Q'ty/Box : 300pcs

G-15G






- Weight : 0.048kg
- Q'ty/Box : 300pcs

G-16S






- Weight : 0.049kg
- Q'ty/Box : 300pcs


G-16D






- Weight : 0.044kg
- Q'ty/Box : 300pcs


G-16E






- Weight : 0.042kg
- Q'ty/Box : 300pcs

G-17S






- Weight : 0.057kg
- Q'ty/Box : 200pcs

G-17BS






- Weight : 0.052kg
- Q'ty/Box : 200pcs

G-18S





- Weight : 0.057kg
- Q'ty/Box : 180pcs


METAL JOINTS FOR Ø28 (S-SERIES)

COLOR : ● BK ○ WZ ● NI ○ PI

Unit : mm


G-20S






- Weight : 0.064kg
- Q'ty/Box : 200pcs

G-22S






- Weight : 0.085kg
- Q'ty/Box : 150pcs


G-23S






- Weight : 0.099kg
- Q'ty/Box : 130pcs


G-24S






- Weight : 0.092kg
- Q'ty/Box : 150pcs

G-25AS






- Weight : 0.050kg
- Q'ty/Box : 360pcs


G-25BS






- Weight : 0.043kg
- Q'ty/Box : 360pcs

G-25C






- Weight : 0.042kg
- Q'ty/Box : 300pcs

G-28






- Weight : 0.050kg
- Q'ty/Box : 240pcs


G-30S






- Weight : 0.060kg
- Q'ty/Box : 240pcs

G-34S





- Weight : 0.105kg
- Q'ty/Box : 180pcs


METAL JOINTS FOR Ø28 (S-SERIES)

COLOR : ● BK ○ WZ ● NI ○ PI

Unit : mm


G-35AS






- Weight : 0.080kg
- Q'ty/Box : 240pcs


G-35BS






- Weight : 0.075kg
- Q'ty/Box : 240pcs

G-38S






- Weight : 0.057kg
- Q'ty/Box : 300pcs

G-44

디자인등록






- Weight : 0.070kg
- Q'ty/Box : 270pcs

G-45S






- Weight : 0.071kg
- Q'ty/Box : 200pcs

G-54S






- Weight : 0.099kg
- Q'ty/Box : 120pcs

G-60S






- Weight : 0.076kg
- Q'ty/Box : 200pcs

G-65S Ø5 용






- Weight : 0.038kg
- Q'ty/Box : 480pcs

G-65S-10 Ø10 용






- Weight : 0.0380kg
- Q'ty/Box : 480pcs

G-66 재질 : Aluminum





- Weight : 0.026kg
- Q'ty/Box : 120pcs


METAL JOINTS FOR Ø28 (S-SERIES)

COLOR : ● BK ○ WZ ● NI ○ PI

Unit : mm

G-66BS 재질 : Aluminum






- Weight : 0.026kg
- Q'ty/Box : 120pcs

G-75A






- Weight : 0.016kg
- Q'ty/Box : 400pcs

G-75B






- Weight : 0.016kg
- Q'ty/Box : 400pcs

G-90S

실용신안등록






- Weight : 0.096kg
- Q'ty/Box : 100pcs

G-101



* Ø29 대응




- Weight : 0.074kg
- Q'ty/Box : 180pcs

G-102



* Ø29 대응




- Weight : 0.074kg
- Q'ty/Box : 200pcs

G-103




* Joint 위에 체결용 제품



- Weight : 0.07kg
- Q'ty/Box : 240pcs

G-104






- Weight : 0.070kg
- Q'ty/Box : 240pcs

G-105






- Weight : 0.080kg
- Q'ty/Box : 200pcs

G-106





- Weight : 0.078kg
- Q'ty/Box : 200pcs


METAL JOINTS FOR Ø28 (S-SERIES)

COLOR : ● BK ○ WZ ● NI ○ PI

Unit : mm

G-301






- Weight : 0.077kg
- Q'ty/Box : 180pcs

G-110S

디자인등록






- Weight : 0.103kg
- Q'ty/Box : 100pcs

G-135S






- Weight : 0.102kg
- Q'ty/Box : 100pcs

G-160S

디자인등록






- Weight : 0.105kg
- Q'ty/Box : 100pcs

G-16WP






- Weight : 0.128kg
- Q'ty/Box : 50pcs

조인트의 혁신!
실용신안 :
제0380550호

S-Series Joint



메탈조인트 (S-SERIES)의 특징

- 스테인레스 스틸 파이프를 조립하기위해 특별히 개발된 조인트이며, 실용신안등록.
- 조인트 내부의 파이프접촉부에 피라미드 형태의 수많은 돌기를 형성시켜, 파이프의 결합력을 대폭 향상시킨 제품임.
- 코팅파이프에 적용하면, 기존 조인트에 비해 발거력이 30% 증가함

도금 색상별 표시 기호


Code		Surface Treatment	Remarks
■	BK	Black Coating	Non Chrome
□	WZ	Zinc Plating (White)	Cro3
■	Ni	Nickel Plating	Non Chrome
■	PI	Powder Coating (Ivory)	

METAL JOINT ASSEMBLY FOR ∅28 (S-SERIES)


COLOR : ● BK ○ WZ ● NI ○ PI


Unit : mm

GA-1S



Material	Metal
G-1S	2pcs
M0625/TN06	1set







GA-1BS



Material	Metal
G-1BS	2pcs
M0625/TN06	1set







GA-2S



Material	Metal
G-2S	1pcs
G-3S	1pcs
M0625/TN06	2set







GA-3S



Material	Metal
G-2S	2pcs
G-4S	1pcs
M0625/TN06	3set







GA-4S



Material	Metal
G-4S	2pcs
M0625/TN06	2set





METAL JOINT ASSEMBLY FOR ∅28 (S-SERIES)


COLOR : ● BK ○ WZ ● NI ○ PI


Unit : mm

GA-5S



Material	Metal
G-2S	4pcs
M0625/TN06	4set







GA-6S



Material	Metal
G-6S	2pcs
M0625/TN06	1set







GA-6BS



Material	Metal
G-6BS	2pcs
M0625/TN06	1set







GA-6B-33



Material	Metal
G-6B-33	2pcs
M0625/TN06	1set







GA-7S



Material	Metal
G-7AS	2pcs
G-7BS	2pcs
M0625/TN06	2set





METAL JOINT ASSEMBLY FOR ∅28 (S-SERIES)


COLOR : ● BK ○ WZ ● NI ○ PI


Unit : mm

GA-8S




Material	Metal
G-8S	2pcs
M0625/TN06	1set







GA-9S




Material	Metal
G-9S	2pcs
M0625/TN06	1set







GA-12S



Material	Metal
G-12S	2pcs
GAP-12	1pcs
M0625/TN06	1set







GA-13S



Material	Metal
G-13AS	1pcs
G-13BS	1pcs
M0625/TN06	1set







GA-14S



Material	Metal
G-14S	2pcs
G-7BS	4pcs
M0625/TN06	4set





METAL JOINT ASSEMBLY FOR ∅28 (S-SERIES)


COLOR : ● BK ○ WZ ● NI ○ PI


Unit : mm

GA-15S



Material	Metal
G-15AS	1pcs
G-15BS	1pcs
M0610	1pcs







GA-15D



Material	Metal
G-15D	1pcs
G-15BS	1pcs
M0610	1pcs







GA-15H



Material	Metal
G-15AH	1pcs
G-15BS	1pcs
M0610	1pcs







GA-15L



Material	Metal
G-15BL	1pcs
G-15DL	1pcs
M0615	1pcs
N06W-55	1pcs
PW06	1pcs







GA-15G



Material	Metal
G-15G	1pcs
G-15BS	1pcs
M0610	1pcs






METAL JOINT ASSEMBLY FOR ∅28 (S-SERIES)


COLOR : ● BK ○ WZ ● NI ○ PI


Unit : mm

GA-16S



Material	Metal
G-16S	2pcs
PW8x25	2pcs







GA-16D 5T Panel 용



Material	Metal
G-16D	2pcs
M0615/N06	1set







GA-16E 10T Panel 용



Material	Metal
G-16E	2pcs
M0620/N06	1set







GA-17S



Material	Metal
G-17S	2pcs
GAP-12	1pcs
M0625/TN06	1set







GA-17BS



Material	Metal
G-17BS	2pcs
GAP-12	1pcs
M0625/TN06	1set





METAL JOINT ASSEMBLY FOR ∅28 (S-SERIES)


COLOR : ● BK ○ WZ ● NI ○ PI


Unit : mm

GA-18S



Material	Metal
G-18S	2pcs
GAP-12	2pcs
M0625/TN06	1set







GA-20S




Material	Metal
G-20S	1pcs
G-1S	1pcs
M0625/TN06	1set







GA-23S



Material	Metal
G-23S	2pcs
M0625/TN06	2set







GA-24S



Material	Metal
G-24S	2pcs
GAP-12	1pcs
M0625/TN06	2 set







GA-25S



Material	Metal
G-25AS	1pcs
G-25BS	1pcs
GAP-12	1pcs
M0610	1pcs





METAL JOINT ASSEMBLY FOR Ø28 (S-SERIES)


COLOR : ● BK ○ WZ ● NI ○ PI


Unit : mm

GA-25C



Material	Metal
G-25C	2pcs
GAP-12	1pcs
M0825/N06	2set







GA-27S

실용신안등록



Material	Metal
G-7CS	2pcs
G-7BS	2pcs
M0625/TN06	3set







GA-28



Material	Metal
G-28	2pcs
M0625/TN06	1set







GA-30S




Material	Metal
G-30S	2pcs
M0625/TN06	1set







GA-34S



Material	Metal
G-34S	2pcs
M0625/TN06	2set

조인트 위에 체결할수 있는 조인트






METAL JOINT ASSEMBLY FOR ∅28 (S-SERIES)


COLOR : ● BK ○ WZ ● NI ○ PI


Unit : mm

GA-35S



Material	Metal
G-35AS	1pcs
G-35BS	1pcs
GAP-56	1pcs
M0610	1pcs







GA-38S



Material	Metal
G-38S	2pcs
M0625/TN06	1set







GA-44



Material	Metal
G-44	2pcs
M0625/TN06	1set







GA-45S



Material	Metal
G-45S	2pcs
M0625/TN06	1set







GA-54S



Material	Metal
G-54S	1pcs
G-4S	1pcs
M0625/TN06	2set





METAL JOINT ASSEMBLY FOR Ø28 (S-SERIES)


COLOR : ● BK ○ WZ ● NI ○ PI


Unit : mm

GA-55S



Material	Metal
G-22S	4pcs
GAP-12	1pcs
M0625/TN06	4set







GA-60S



Material	Metal
G-60S	2pcs
M0625/TN06	1set







GA-65S Ø5용




Material	Metal
G-65S	2pcs
M0615/TN06	1set







GA-65S-10 Ø10용



Material	Metal
G-65S-10	2pcs
M0615/TN06	1set







GA-66 재질 : Aluminium



Material	Aluminum
G-66	2pcs
M0625/TN06	1set





METAL JOINT ASSEMBLY FOR Ø28 (S-SERIES)


COLOR : ● BK ○ WZ ● NI ○ PI


Unit : mm

GA-66BS 재질 : Aluminium



Material	Aluminum
GA-66BS	2pcs
M0625/TN06	1set







GA-75 Joint Stopper



Material	Metal
G-75A	1pcs
G-75B	1pcs
M0610	1pcs







GA-90S

실용신안등록



Material	Metal
G-90S	2pcs
M0625/TN06	1set







GA-101



Material	Metal
G-101	2pcs
M0625/TN06	1set







GA-102



Material	Metal
G-102	2pcs
M0625/TN06	1set





METAL JOINT ASSEMBLY FOR Ø28 (S-SERIES)

COLOR : ● BK ○ WZ ● NI ○ PI


Unit : mm


GA-103



Material	Metal
G-103	2pcs
M0625/TN06	1set

조인트 위에 체결할수 있는 조인트







GA-104



Material	Metal
G-104	2pcs
M0625/TN06	1set







GA-105



Material	Metal
G-105	2pcs
M0625/TN06	1set







GA-106



Material	Metal
G-106	2pcs
M0625/TN06	1set







GA-110S

디자인등록



Material	Metal
G-110S	2pcs
M0625/TN06	2set





METAL JOINT ASSEMBLY FOR ∅28 (S-SERIES)


COLOR : ● BK ○ WZ ● NI ○ PI

Unit : mm

GA-135S



Material	Metal
G-135S	2pcs
M0625/TN06	2set




GA-160S

디자인등록




Material	Metal
G-160S	2pcs
M0625/TN06	2 set



GA-301



Material	Steel
G-301	2pcs
M0625/TN06	1 set




PLASTIC JOINTS


COLOR : Ivory (i) Gray G Green N Esd E

Unit : mm

GAP-1 Plastic Joint




Material	ABS
Weight	0.030kg
Q'ty/Box	150pcs



GAP-2A Plastic Joint




Material	ABS
Weight	0.045kg
Q'ty/Box	75pcs




GAP-2B Plastic Joint (관통형)




Material	ABS
Weight	0.048kg
Q'ty/Box	75pcs



GAP-2C Plastic Joint (관통형)




Material	ABS
Weight	0.036kg
Q'ty/Box	150pcs



GAP-3 Outer Cap



Material	ABS
Weight	0.009kg
Q'ty/Box	900pcs



PLASTIC JOINTS


COLOR : Ivory (I) Gray (G) Green (N) Esd (E)


Unit : mm

GAP-4P Inner Cap



Material	LDPE
Weight	0.003kg
Q'ty/Box	1500pcs







GAP-4C/4S Inner Cap



Material	LDPE
Weight	0.003kg
Q'ty/Box	1500pcs







GAP-4R Rubber Cap



Material	TPU
Weight	0.009kg
Q'ty/Box	900pcs

* Color : BK







GAP-5 Plastic Joint Corner




Material	ABS
Weight	0.032kg
Q'ty/Box	150pcs







GAP-6 Label Holder



Material	ABS
Weight	0.005kg
Q'ty/Box	1200pcs






PLASTIC JOINTS


COLOR : Ivory (i) Gray G Green N Esd E


Unit : mm

GAP-6B Label Holder



Material	ABS
Weight	0.005kg
Q'ty/Box	1200pcs







GAP-7 Plastic Joint



Material	ABS
Weight	0.011kg
Q'ty/Box	450pcs







GAP-8 Horizontal Holder



Material	ABS
Weight	0.005kg
Q'ty/Box	1200pcs







GAP-8FN Horizontal Holder (Flat Type)



Material	ABS
Weight	0.005kg
Q'ty/Box	1200pcs







GAP-9C-07 Grip Bushing (Coating Pipe:Ø28×T0.7)



Material	NYLON66
Weight	0.016kg
Q'ty/Box	450pcs

* Color : BK






PLASTIC JOINTS

COLOR : Ivory (i) Gray G Green N Esd E


Unit : mm


GAP-9C-09 Grip Bushing (Coating Pipe:Ø28×T0.9)




Material	NYLON66
Weight	0.016kg
Q'ty/Box	450pcs

* Color : BK







GAP-9S-07 Grip Bushing (STS Pipe:Ø28×T0.7)




Material	NYLON66
Weight	0.016kg
Q'ty/Box	450pcs

* Color : BK





GAP-10R Plastic Joint (손잡이 우측)





Material	ABS
Weight	0.042kg
Q'ty/Box	120pcs

GAP-10L Plastic Joint (손잡이 좌측)



Material	ABS
Weight	0.042kg
Q'ty/Box	120pcs






GAP-11/11L Taper Edge




Model	GAP-11
Material	ABS
Weight	0.002kg
Q'ty/Box	2500pcs

Model	GAP-11L
Material	ABS
Weight	0.004kg
Q'ty/Box	1200pcs

Box 등 이동시 Joint 에 걸림을 방지하기 위한 제품임





PLASTIC JOINTS

COLOR : Ivory (I) Gray (G) Green (N) Esd (E)


Unit : mm


GAP-12 Sleeve (For GA-12S/17S/18S/24S/25S)



Material	PE
Weight	0.007kg
Q'ty/Box	600pcs

* Color : White







GAP-13 Plastic Joint Corner



Material	ABS
Weight	0.059kg
Q'ty/Box	75pcs







GAP-14 Plastic Joint Corner Cushion Type



Material	ABS
Weight	0.082kg
Q'ty/Box	75pcs







GAP-15 Sheet Holder




Material	ABS
Weight	0.003kg
Q'ty/Box	1500pcs







GAP-16 Plastic Joint



Material	ABS
Weight	0.018kg
Q'ty/Box	300pcs





PLASTIC JOINTS


COLOR : Ivory (i) Gray G Green N Esd E


Unit : mm

GAP-17 Plastic Joint



Material	ABS
Weight	0.014kg
Q'ty/Box	400pcs







GAP-18A Plastic Joint (한쪽 막힘)




Material	ABS
Weight	0.023kg
Q'ty/Box	240pcs







GAP-18B Plastic Joint



Material	ABS
Weight	0.022kg
Q'ty/Box	240pcs







GAP-19 Plastic Joint




Material	ABS
Weight	0.009kg
Q'ty/Box	750pcs







GAP-20 Name Plate Holder (NP-B 및 NP-M과 조립하여 사용)



Material	ABS
Weight	0.006kg
Q'ty/Box	1200pcs






PLASTIC JOINTS


COLOR : Ivory (i) Gray G Green N Esd E

Unit : mm

GAP-20C Name Plate Holder (NP-B 및 NP-M과 조립하여 사용)




Material	ABS
Weight	0.006kg
Q'ty/Box	900pcs




GAP-20D Name Plate Holder (NP-B 및 NP-M과 조립하여 사용)

Ø28 AL Pipe용



Material	ABS
Weight	0.006kg
Q'ty/Box	1200pcs




GAP-23 Plastic Joint

Bolt & Nut 포함




Material	PE
Weight	0.020kg
Q'ty/Box	1500pcs


Bolt : M3x20
Nut : M3



GAP-24A Plastic Joint




Material	ABS
Weight	0.060kg
Q'ty/Box	75pcs



GAP-24B Plastic Joint (관통형)



Material	ABS
Weight	0.057kg
Q'ty/Box	75pcs



PLASTIC JOINTS


COLOR : Ivory (i) Gray G Green N Esd E


Unit : mm

GAP-25A Plastic Joint



Material	ABS
Weight	0.075kg
Q'ty/Box	45pcs







GAP-25B Plastic Joint (관통형)



Material	ABS
Weight	0.072kg
Q'ty/Box	45pcs







GAP-26A Plastic Joint



Material	ABS
Weight	0.055kg
Q'ty/Box	75pcs







GAP-26B Plastic Joint (관통형)



Material	ABS
Weight	0.054kg
Q'ty/Box	75pcs







GAP-27A Plastic Joint



Material	ABS
Weight	0.035kg
Q'ty/Box	150pcs





PLASTIC JOINTS


COLOR : Ivory (i) Gray G Green N Esd E


Unit : mm

GAP-27B Plastic Joint (관통형)



Material	ABS
Weight	0.033kg
Q'ty/Box	150pcs







GAP-28A Plastic Joint



Material	ABS
Weight	0.046kg
Q'ty/Box	90pcs







GAP-28B Plastic Joint (관통형)



Material	ABS
Weight	0.044kg
Q'ty/Box	90pcs







GAP-29A Plastic Joint



Material	ABS
Weight	0.045kg
Q'ty/Box	90pcs







GAP-29B Plastic Joint (관통형)



Material	ABS
Weight	0.043kg
Q'ty/Box	90pcs





PLASTIC JOINTS


COLOR : Ivory (I) Gray (G) Green (N) Esd (E)


Unit : mm

GAP-30A Plastic Joint




Material	ABS
Weight	0.026kg
Q'ty/Box	210pcs







GAP-30B Plastic Joint



Material	ABS
Weight	0.025kg
Q'ty/Box	210pcs







GAP-31 Plastic Joint



Material	ABS
Weight	0.020kg
Q'ty/Box	210pcs







GAP-34 Plastic Joint




Material	ABS
Weight	0.014kg
Q'ty/Box	400pcs







GAP-35 Plastic Joint



Material	NYLON66
Weight	0.015kg
Q'ty/Box	300pcs





PLASTIC JOINTS

COLOR : Ivory (i) Gray G Green N Esd E


Unit : mm


GAP-37A Plastic Joint



Material	PE
Weight	0.011kg
Q'ty/Box	600pcs

* Bolt : M4x20
* Nut : M4






GAP-37B Plastic Joint



Material	PE
Weight	0.019kg
Q'ty/Box	300pcs


* Bolt : M4x20
* Nut : M4




GAP-39 Plastic Joint



Material	PP
Weight	0.047kg
Q'ty/Box	120pcs







GAP-40 Plastic Joint



Material	NYLON66
Weight	0.034kg
Q'ty/Box	150pcs







GAP-41 Plastic Joint



Material	ABS
Weight	0.030kg
Q'ty/Box	150pcs





PLASTIC JOINTS


COLOR : Ivory (i) Gray G Green N Esd E


Unit : mm

GAP-42 Plastic Joint



Material	ABS
Weight	0.045kg
Q'ty/Box	90pcs







GAP-43 Plastic Joint



Material	NYLON6
Weight	0.028kg
Q'ty/Box	150pcs







GAP-44 Sleeve (For GA-12S/17S/18S/24S/25S)



Material	PE
Weight	0.020kg
Q'ty/Box	200pcs

* Color : White







GAP-45A Plastic Joint



Material	ABS
Weight	0.060kg
Q'ty/Box	75pcs







GAP-45B Plastic Joint (관통형)



Material	ABS
Weight	0.060kg
Q'ty/Box	75pcs





PLASTIC JOINTS


COLOR : Ivory (i) Gray (G) Green (N) Esd (E)


Unit : mm

GAP-46 Plastic Joint



Material	ABS
Weight	0.013kg
Q'ty/Box	450pcs







GAP-47 Plastic Joint (길이 조정)



Material	ABS
Weight	0.030kg
Q'ty/Box	180pcs







GAP-48 Roller Conveyor Holder (Single)



Material	ABS
Weight	0.013kg
Q'ty/Box	500pcs







GAP-49 Roller Conveyor Holder (Double)



Material	ABS
Weight	0.017kg
Q'ty/Box	400pcs







GAP-50 Roller Conveyor Cap (Without Bearing)



Material	POM
Weight	0.008kg
Q'ty/Box	1200pcs





PLASTIC JOINTS


COLOR : Ivory (i) Gray G Green N Esd E

Unit : mm

GAP-51 Roller Conveyor Support




Material	POM
Weight	0.007kg
Q'ty/Box	1200pcs



GAP-52A Roller Conveyor Cap (With Bearing)




Material	ABS
Weight	0.013kg
Q'ty/Box	1500pcs



GAP-53 Plastic Joint




Material	ABS
Weight	0.014kg
Q'ty/Box	450pcs



GAP-54 Plastic Joint




Material	ABS
Weight	0.025kg
Q'ty/Box	150pcs




GAP-55 Name Plate Holder (NP-B 및 NP-M과 조립하여 사용)

Bolt & Nut 별매



Material	ABS
Weight	0.009kg
Q'ty/Box	750pcs

* Bolt : M4x20
* Nut : M4



PLASTIC JOINTS

COLOR : Ivory (i) Gray G Green N Esd E


Unit : mm


GAP-56 Sleeve(For GA-35S)



Material	PE
Weight	0.010kg
Q'ty/Box	300pcs

* Color : White







GAP-58 Name Plate Holder (NP-F와 조립하여 사용)

*Name Plate 회전방지



Material	PVC
Weight	0.008kg
Q'ty/Box	900pcs







GAP-61 Plastic Joint



Material	ABS
Weight	0.015kg
Q'ty/Box	400pcs







GAP-64 Corner Support Joint

특허등록



Material	ABS
Weight	0.165kg
Q'ty/Box	38pcs






GAP-65 Corner Support Cap

특허등록



Material	ABS
Weight	0.015kg
Q'ty/Box	400pcs



PLASTIC JOINTS


COLOR : Ivory (i) Gray G Green N Esd E


Unit : mm

GAP-66 Plastic Joint



Material	ABS
Weight	0.022kg
Q'ty/Box	200pcs







GAP-71 Plastic Joint



Material	ABS
Weight	0.029kg
Q'ty/Box	150pcs






GAP-72 Plastic Joint



Material	ABS
Weight	0.014kg
Q'ty/Box	300pcs

GAP-71번을 Pipe에 고정후 GAP-72번을 해제후 회전하여 사용하면 90도 고정이 됨



PLASTIC JOINTS

COLOR : Ivory (i) Gray G Green N Esd E


Unit : mm


GAP-73 Plastic Latch




Material	TPU
Weight	0.033kg
Q'ty/Box	300pcs

* Color : Yellow







GAP-74A Plastic Latch




Material	TPU
Weight	0.028kg
Q'ty/Box	300pcs

* Color : Yellow







GAP-74B Plastic Latch



Material	TPU
Weight	0.028kg
Q'ty/Box	300pcs

* Color : Yellow






GAP-75 Plastic Latch


Bolt & Nut 별매



Material	ABS
Weight	0.012kg
Q'ty/Box	400pcs

* Bolt : M3x20
* Nut : M3







GAPA-76A Swivel Plastic Joint Ass'y



Material	ABS
Weight	0.053kg
Q'ty/Box	100pcs






PLASTIC JOINTS


COLOR : Ivory (i) Gray G Green N Esd E

Unit : mm


GAP-79 Plastic Latch




Material	TPU(우레탄)
Weight	0.047kg
Q'ty/Box	150pcs




GAP-80A Plastic Latch




Material	TPU(우레탄)
Weight	0.024kg
Q'ty/Box	300pcs



GAP-80B Plastic Latch




Material	TPU(우레탄)
Weight	0.016kg
Q'ty/Box	450pcs




GAP-81 Plastic Latch




Material	TPU(우레탄)
Weight	0.027kg
Q'ty/Box	300pcs



GAP-82 Plastic Latch



Material	TPU(우레탄)
Weight	0.026kg
Q'ty/Box	300pcs



PLASTIC JOINTS


COLOR : Ivory (i) Gray G Green N Esd E


Unit : mm


GAP-83 Plastic Joint



Material	ABS
Weight	0.044kg
Q'ty/Box	90pcs










GAP-84 Plastic Joint



Material	ABS
Weight	0.048kg
Q'ty/Box	90pcs









GAP-85 Plastic Joint




Material	ABS
Weight	0.019kg
Q'ty/Box	300pcs





금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

Φ28 AL RACKING SYSTEM




- Φ28 ALUMINUM PIPES
- Φ28 ALUMINUM JOINTS
- Φ28 ALUMINUM ACCESSORIES

ALUMINUM PIPE 의 특징


기존 파이프 랙 시스템(Pipe Racking System)의 모든 부품을 활용할 수 있는
알루미늄 랙 시스템(Aluminum Racking System)을 제공합니다

- 기존 ∅28 Pipe Rack 에서 사용하는 Metal Joint, Roller Track 및 지지금구 등을 공용으로 사용할 수 있습니다.
- Pipe와 Joint를 평면으로 구성 할 수 있습니다. (Inner Joint를 사용시 그림1과 같습니다)
- 외관이 미려하고 눈부심을 방지 할 수 있습니다.
- 가볍습니다. (철재랙 대비 1/3 수준)
- Clean Room에서 사용이 가능합니다.
- 친환경 제품으로 재활용이 가능합니다.



(그림1)

그림1. AL Pipe/AL Joint 활용 예





(그림 2)

그림2. Metal Pipe/Metal Joint 활용 예

∅28 ALUMINUM PIPES


AP2812 표준형 파이프






- Weight: 0.380kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet


AP2820 중경량용 파이프







- Weight: 0.450kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet

AP2829 중량용 파이프







- Weight: 0.500kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet



AP2812H 고하중 파이프






- Weight: 0.741kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet

AP2810B 판넬 가이드 파이프







- Weight : 0.297kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet


Φ28 AL RACKING SYSTEM

AP2812R 롤러 레일 파이프




- Weight: 0.608kg/m, 외경 Ø28
- 5pcs/Bag, 100Bag/Pallet







AQ2812 핸드 레일 파이프




- Weight : 0.374kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet




AL2812 원형 파이프 (메탈 조인트 체결용)




- Weight : 0.327kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet







AL2813 원형 파이프 (메탈 조인트 체결용)




- Weight: 0.335kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet






AL2818 원형 파이프 (메탈 조인트 체결용)





- Weight: 0.401kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet



Φ28 AL RACKING SYSTEM


AR2812 원형 파이프 (표준형), 알루미늄,메탈 조인트 체결용






- Weight: 0.379kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet


AR2820 원형 파이프 (중경량용), 알루미늄,메탈 조인트 체결용







- Weight: 0.446kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet

AR2829 원형 파이프 (중량용), 알루미늄,메탈 조인트 체결용)






- Weight: 0.496kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet




Φ28 AL RACKING SYSTEM


AD2812 중하중용 더블 파이프




- Weight: 0.761kg/m, 외경 Ø28
- 5pcs/Bag, 100Bag/Pallet



AD2829 고하중용 더블 파이프




- Weight: 1.138kg/m, 외경 Ø28
- 5pcs/Bag, 100Bag/Pallet




AD2812H 고하중용 더블 파이프



- Weight: 1.372kg/m, 외경 Ø28
- 5pcs/Bag, 70Bag/Pallet







Φ28 AL RACKING SYSTEM

ALS2812 L형 슬라이드 파이프



- Weight: 0.372kg/m, 외경 Ø28
- 6pcs/Bag, 150Bag/Pallet







AFS2810 슬라이드 파이프 (경량형)




- Weight : 0.375kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet







AFS2812 슬라이드 파이프 (표준형)




- Weight: 0.408kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet






VIEW



VIEW





Φ28 AL RACKING SYSTEM

AT2829 T-Slot형 파이프




- Weight: 0.595kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet







ACF2812 평면형 파이프




- Weight : 0.358kg/m, 외경 Ø28
- 6pcs/Bag, 150Bag/Pallet







ASGP-08 판넬가이드형 파이프




- Weight : 0.445kg/m
- 8pcs/Bag, 90Bag/Pallet







Φ28 AL RACKING SYSTEM

AGP-28A Panel Frame Guide AL Pipe




- Weight: 0.479kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet







AGP-28B Panel Frame Guide AL Pipe (Joint Type)




- Weight: 0.498kg/m, 외경 Ø28
- 10pcs/Bag, 100Bag/Pallet







AGP-28C Panel Frame Guide AL Pipe (이물질 유입 방지용)



- Weight : 0.378kg/m
- 10pcs/Bag, 100Bag/Pallet








Φ28 AL RACKING SYSTEM

PGC-28A

Groove cover(AGP-28A/B/C용)









- Weight: 0.038kg/m

PGC-28B

Groove cover(AGP-28A/B/C용)










- Weight: 0.102kg/m

PGT-28B

Groove cover(AGP-28A/B/C용)










- Weight: 0.102kg/m

ASJ2848A 판넬 가이드 파이프




- Weight : 0.700kg/m
- 4pcs/Bag







ASJ28100 판넬 가이드 파이프(캐스터 체결용)




- Weight : 1.247kg/m, 외경 Ø28
- 4pcs/Bag







ASJ2929A 판넬 가이드 파이프




- Weight : 0.628kg/m
- 6pcs/Bag






Φ28 AL RACKING SYSTEM


ATF2812B T형 평면 파이프







- Weight : 1.080kg/m
- 2pcs/Bag

ATF2812 T형 평면 파이프










- Weight : 0.685kg/m, 외경 Ø28
- 6pcs/Bag, 115Bag/Pallet

ALF2812 L형 평면 파이프









- Weight : 0.655kg/m, 외경 Ø28
- 6pcs/Bag, 115Bag/Pallet

ALF2812B L형 평면 파이프(Safety Cap 체결형)








- Weight : 0.614kg/m, 외경 Ø28
- 6pcs/Bag, 115Bag/Pallet


∅28 ALUMINUM JOINTS


◈ Outer Joints

A-001 일자형 조인트










- Weight : 0.023kg
- Q'ty/Box : 200pcs


- A-001: 2pcs
- M0625/N06W-55: 1set
- Weight : 0.055kg
- Q'ty/Box : 100set

A-001C 일자형 조인트 (원형 파이프 사용가능)










- Weight : 0.025kg
- Q'ty/Box : 200pcs


- A-001C : 2pcs
- M0625/N06W-55: 1set
- Weight : 0.060kg
- Q'ty/Box : 100set

A-003 엘보 조인트 (구조물 강도보강용)











- Weight : 0.068kg
- Q'ty/Box : 60pcs


- A-003:1pcs, A-001:2pcs
- M0625/N06W-55: 2set
- Weight : 0.123kg
- Q'ty/Box : 30set

A-004 십자형 조인트 (구조물 강도보강용)









- Weight : 0.064kg
- Q'ty/Box : 80pcs


- A-004: 2pcs
- M0625/N06W-55: 2set
- Weight : 0.126kg
- Q'ty/Box : 40set


Φ28 AL RACKING SYSTEM


◈ Outer Joints

B-007A 가변형 조인트 (회전, 각도 조절 후 고정)












- Weight : 0.017kg
- Q'ty/Box : 400pcs


- A-007B: 2pcs, B-007A: 2pcs
- M0625/N06W-55: 1set, M0620/N06W-55: 1set
- Weight : 0.112kg
- Q'ty/Box : 50set

A-007B 가변형 조인트 (각도 조절 후 고정)










- Weight : 0.031kg
- Q'ty/Box : 200pcs


- A-007B: 2pcs, A-007C: 2pcs
- M0625/N06W-55: 2set
- Weight : 0.134kg
- Q'ty/Box : 50set

A-007C 가변형 조인트 (각도 조절 가능)










- Weight : 0.027kg
- Q'ty/Box : 200pcs


- A-007C: 2pcs, A-007D: 2pcs
- M0625/N06W-55 : 2set
- Weight : 0.133kg
- Q'ty/Box : 50set

A-007D 가변형 조인트 (회전, 각도 조절 가능)










- Weight : 0.031kg
- Q'ty/Box : 200pcs


- A-007D : 2pcs B-007A : 2pcs
- M0620/N06W-55 : 1set
- M0625/N06W-55 : 1set
- Weight : 0.112kg/m
- Q'ty/Box : 50set


◈ Outer Joints

A-009 더블 조인트











- Weight : 0.050kg
- Q'ty/Box : 100pcs


- A-009: 2pcs
- M0625/N06W-55: 1set
- Weight : 0.109kg
- Q'ty/Box : 50set

A-013L, A-013R 45° 각도 조인트










- Weight : 0.023kg
- Q'ty/Box : 200pcs


- A-013L: 1pcs, A-013R: 1pcs
- M0625/N06W-55: 1set
- Weight : 0.054kg
- Q'ty/Box : 100set

A-021 일자형 조인트 (구조물 강도보강용)










- Weight : 0.033kg
- Q'ty/Box : 120pcs


- A-021 : 2pcs
- M0625/N06W-55 : 1set
- Weight : 0.074kg
- Q'ty/Box : 60set

A-023 멈춤 조인트










- Weight : 0.017kg
- Q'ty/Box : 300pcs

- A-023: 2pcs
- M0620/N06W-55: 1set
- Weight : 0.037kg
- Q'ty/Box : 150set


Φ28 AL RACKING SYSTEM


◈ Outer Joints

A-028 더블 조인트










- Weight : 0.026kg
- Q'ty/Box : 150pcs


- A-028: 2pcs
- M0625/N06W-55: 1set
- Weight : 0.060kg
- Q'ty/Box : 75set

A-090 90° 엘보 조인트










- Weight : 0.050kg
- Q'ty/Box : 80pcs


- A-090: 2pcs
- M0625/N06W-55: 1set
- Weight : 0.110kg
- Q'ty/Box : 40set


A-101 일자형 조인트

디자인등록









- Weight : 0.026kg
- Q'ty/Box : 200pcs


- A-101 : 2pcs
- M0625/M06W-55 : 1set
- Weight : 0.062kg
- Q'ty/Box : 100set


A-201 일자형 조인트

디자인등록









- Weight : 0.026kg
- Q'ty/Box : 200pcs

- A-201 : 2pcs
- M0625/N06W-55 : 1set
- Weight : 0.060kg
- Q'ty/Box : 100set

Φ28 AL RACKING SYSTEM

◈ Outer Joints


A-120 120° 각도 조인트






- Weight : 0.032kg
- Q'ty/Box : 80pcs

- A-120 : 2pcs
- M0625/N06W-55 : 1set
- Weight : 0.075kg
- Q'ty/Box : 40set






A-135 135° 각도 조인트






- Weight : 0.032kg
- Q'ty/Box : 80pcs


- A-135 : 2pcs
- M0625/N06W-55 : 1set
- Weight : 0.075kg
- Q'ty/Box : 40set






A-150 150° 각도 조인트






- Weight : 0.032kg
- Q'ty/Box : 80pcs

- A-150 : 2pcs
- M0625/N06W-55 : 1set
- Weight : 0.075kg
- Q'ty/Box : 40set






A-204 Ø28 기둥용 지지대






- Weight : 0.126kg
- Q'ty/Box : 20pcs

- A-204 : 2pcs
- M0615/N06W-55 : 2pcs
- Weight : 0.268kg
- Q'ty/Box : 10set







◈ Outer Joints


NEW

A-304 Ø28 기둥용 지지대 (원형 파이프 사용 가능)









- Weight : 0.035kg
- Q'ty/Box : 80pcs


- A-304 : 2pcs
- M0625/M06W-55 : 1pcs
- Weight : 0.079kg
- Q'ty/Box : 40set


◈ Inner Joints

B-001H 고강도 일자형 조인트










- Weight : 0.020kg
- Q'ty/Box : 240pcs


- B-001H : 2pcs
- M0620/N06-55 : 1set
- Weight : 0.048kg
- Q'ty/Box : 120set

B-001C 일자형 조인트 (Pipe 방향 설정 후 고정)









- Weight : 0.018kg
- Q'ty/Box : 300pcs


- B-001C : 2pcs
- M0620/N06W-55 : 1set
- Weight : 0.044kg
- Q'ty/Box : 150set


B-001T T-Slot Pipe 조립용 조인트

B-001TA









- Weight : 0.013kg
- Q'ty/Box : 400pcs

B-001TB




- B-001TA/B : 1set
- M0615/M06W-55 : 1set
- Weight : 0.033kg
- Q'ty/Box : 200set


- Weight : 0.013kg
- Q'ty/Box : 400pcs

B-006 교차형 조인트









- Weight : 0.012kg
- Q'ty/Box : 400pcs

- B-006: 2pcs
- M0625/N06W-55: 1set
- Weight : 0.036kg
- Q'ty/Box : 200set


Φ28 AL RACKING SYSTEM

◈ Inner Joints

B-007A 가변형 조인트 (회전, 각도 조절 후 고정)









- Weight : 0.017kg
- Q'ty/Box : 400pcs

- B-007A: 2pcs, B-007B: 2pcs
- M0620/N06W-55: 2set
- Weight : 0.099kg
- Q'ty/Box : 80set

B-007B 가변형 조인트 (각도 조절 후 고정)








- Weight : 0.025kg
- Q'ty/Box : 250pcs

- B-007B: 2pcs, B-007C: 2pcs
- M0620/N06W-55: 2set
- Weight : 0.112kg
- Q'ty/Box : 80set

B-007C 가변형 조인트 (각도 조절 가능)








- Weight : 0.023kg
- Q'ty/Box : 250pcs

- B-007C: 2pcs, B-007D: 2pcs
- M0620/N06W-55: 2set
- Weight : 0.111kg
- Q'ty/Box : 80set

B-007D 가변형 조인트 (회전, 각도 조절 가능)








- Weight : 0.025kg
- Q'ty/Box : 250pcs


- B-007A: 2pcs, B-007D: 2pcs
- M0620/N06W-55: 2set
- Weight : 0.098kg
- Q'ty/Box : 80set


◈ Inner Joints

B-008 더블 조인트











- Weight : 0.013kg
- Q'ty/Box : 400pcs


- B-008: 2pcs
- M0620/N06W-55: 1set
- Weight : 0.032kg
- Q'ty/Box : 200set

B-011 브릿지 조인트










- Weight : 0.030kg
- Q'ty/Box : 200pcs


- B-011: 2pcs
- M0620/N06W-55: 2set
- Weight : 0.075kg
- Q'ty/Box : 100set

B-013L, B-013R 45° 각도 조인트










- Weight : 0.018kg
- Q'ty/Box : 300pcs


- B-013L: 1pcs, B-013R: 1pcs
- M0620/N06W-55: 1set
- Weight : 0.043kg
- Q'ty/Box : 150set


B-015 교차형 조인트(구조물 강도보강용)

B-015L









- Weight : 0.024kg
- Q'ty/Box : 200pcs

B-015R



- Weight : 0.024kg
- Q'ty/Box : 200pcs

- B-015L/R : 1set
- M0620/M06W-55 : 1set
- Weight : 0.056kg
- Q'ty/Box : 100set

* BA-006 사용 시 강도 보강용

Φ28 AL RACKING SYSTEM

◈ Inner Joints


B-044B 직선 연결 조인트



• Weight : 0.024kg
• Q'ty/Box : 200pcs




• B-044B : 2pcs
• M0620/N06W-55: 1set
• Weight : 0.058kg
• Q'ty/Box : 100set




B-045 45° 코너 조인트 (중량용)



• Weight : 0.048kg
• Q'ty/Box : 100pcs




• B-045: 2pcs
• M0620/N06W-55: 2set
• Weight : 0.114kg
• Q'ty/Box : 50set




B-145 45° 코너 조인트 (경량용)




• Weight : 0.020kg
• Q'ty/Box : 400pcs



• B-145 : 2pcs
• M0610/N06W-55 : 1set
• Weight : 0.047kg
• Q'ty/Box : 200set






B-090 90° 엘보 조인트




• Weight : 0.039kg
• Q'ty/Box : 120pcs



• B-090: 2pcs
• M0620/N06W-55: 1set
• Weight : 0.086kg
• Q'ty/Box : 60set






◈ Inner Joints

B-091 90° 엘보 조인트(8T 판넬 체결용)









- Weight : 0.039kg
- Q'ty/Box : 120pcs


- B-091 : 2pcs
- M0620/N06W-55 : 1set
- Weight : 0.086kg
- Q'ty/Box : 60set

B-101 일자형 조인트











- Weight : 0.020kg
- Q'ty/Box : 200pcs


- B-101 : 2pcs
- M0620/N06W-55 : 1set
- Weight : 0.048kg
- Q'ty/Box : 100ea

NEW B-106 교차형 조인트











- Weight : 0.013kg
- Q'ty/Box : 400pcs


- B-106 : 2pcs
- M0625/M06W-55 : 1pcs
- Weight : 0.035kg
- Q'ty/Box : 200set

NEW B-108 더블 조인트










- Weight : 0.051kg
- Q'ty/Box : 400pcs

- B-108 : 2pcs
- M0620/M06W-55 : 1pcs
- Weight : 0.102kg
- Q'ty/Box : 200set

◈ Inner Joints

BA-206 교차형 조인트 (각도 조절 후 고정)




- B-206A: 1pcs, B-206B: 1pcs, B-206C: 1pcs, B-206D: 1pcs
- M0620/N06W-55: 2set M0625: 1pcs
- Weight : 0.117kg
- Q'ty/Box : 60set



- Weight : 0.020kg
- Q'ty/Box : 240pcs




- Weight : 0.020kg
- Q'ty/Box : 240pcs



- Weight : 0.035kg
- Q'ty/Box : 240pcs



- Weight : 0.020kg
- Q'ty/Box : 240pcs



Φ28 ALUMINUM ACCESSORIES

A28-A301 가스 스프링 브라켓

A28-301A




- Weight : 0.027kg
- Q'ty/Box : 160pcs


A28-301B



- Weight : 0.019kg
- Q'ty/Box : 160pcs



- A28-301 A/B : 1set
- M0625/N06W-55 : 1set
- Weight : 0.056kg
- Q'ty/Box : 80set



A28-A305 Ø28용 알미늄 브라켓

A28-305A




- Weight : 0.025kg
- Q'ty/Box : 160pcs


A28-305B



- Weight : 0.018kg
- Q'ty/Box : 160pcs




- A28-305A/B : 1set
- M6*15/N06W-55 : 1set
- Weight : 0.045kg
- Q'ty/Box : 80set




A28-A306 AL Pipe Rest








- Weight : 0.020kg
- Q'ty/Box : 160pcs



Φ28 AL RACKING SYSTEM



A28-N302 보드 홀더







- Weight : 0.012kg
- Q'ty/Box : 250pcs



A28-N303 보드 홀더







- Weight : 0.005kg
- Q'ty/Box : 800pcs


ABS-620 보드 홀더







- Weight : 0.020kg
- Q'ty/Box : 300pcs
- 표준 공급 길이 4MT :ABS-600SA

B-017A-08 판넬 조인트




- Weight : 0.030kg
- Q'ty/Box : 200pcs

ACY-303A 롤러 가이드 브라켓

특허등록




- Weight : 0.055kg
- Q'ty/Box : 40pcs



- ACY-303A : 2pcs
- DR-40R : 2pcs
- M0630/N06W-55 : 1set
- M0440/NN04W : 2set



- ACY-303A : 2pcs
- Roller 40A, B, C, D : 2pcs
- M0630/N06W-55 : 1set
- M0440/NN04W : 2set




ACY-303B 롤러 가이드 보조 브라켓

특허등록




- Weight : 0.029kg
- Q'ty/Box : 80pcs





- ACY-303A, B : 1set
- DR-40R : 1pcs
- M0630/N06W-55 : 1set
- M0440/NN04W : 1set




- ACY-303A, B : 1set
- Roller 40A, B, C, D : 1pcs
- M0630/N06W-55 : 1set
- M0440/NN04W : 1set











Φ28 AL RACKING SYSTEM

ACY-A306 롤러 가이드








- Weight : 0.083kg
- Q'ty/Box : 60pcs

ASR-52 슬롯 롤러









- Weight : 0.034kg
- Q'ty/Box : 450pcs

- ASR-52:1pcs, GB-02:1pcs
- M0630:1pcs, SN406:1pcs

ACY-323A 다용도 부품 연결용 홀더








- Weight : 0.010kg
- Q'ty/Box : 600pcs


- ACY-323A : 2pcs
- M0620/N06W-55 : 2set
- Weight : 0.025kg
- Q'ty/Box : 200set

Φ28 AL RACKING SYSTEM

ARU-28A 로타리 유닛







- Weight : 0.240kg
- Q'ty/Box : 40pcs

ACA-309A One Way Clutch

특허출원











- Weight : 0.320kg
- Q'ty/Bundle : 20pcs

ACA-321A 로터리 댐퍼







*잠금시 한방향 회전 (역회전 불가)
* 잠금해제시 ACA-321A에 의해 회전 댐핑 기능


- Weight : 0.141kg
- Q'ty/Box : 45pcs



CLUTCH 적용 예



※ Switch Locking
내측 파이프 시계방향 회전,
역방향 회전 방지





※ Switch UnLocking
내측 파이프 양방향 회전


Φ28 AL RACKING SYSTEM

ACA-315A 조인트 체결형 다용도 클램프











- Weight : 0.210kg
- Q'ty/Bundle : 24pcs

ACY-315C Plastic Leveling Foot (M6 Bolt 조립형)












- Weight : 0.005kg
- Q'ty/Box : 900pcs


* Wrench Bolt는 별매임

ACY-318A 파이프 연결용 어댑터












- Weight : 0.034kg
- Q'ty/Box : 150pcs

ACY-318B 파이프 연결용 어댑터











- Weight : 0.027kg
- Q'ty/Box : 150pcs


ACA-2060A/80A 링크가이드 유닛







• Weight : ACA-2060A 1.945kg
ACA-2080A 2.690kg

NO	ITEM NO	" L1 "	Pitch
1	ACA-2060A	605mm	20mm
2	ACA-2080A	800mm	




ACA-4060A/80A 링크가이드 유닛






• Weight : ACA-4060A 1.376kg
ACA-4080A 1.898kg


NO	ITEM NO	" L1 "	Pitch
1	ACA-4060A	605mm	40mm
2	ACA-4080A	800mm	



Φ28 AL RACKING SYSTEM


ACA-3060A/80A 링크가이드 유닛






• Weight : ACA-3060A 1.450kg
ACA-3080A 1.985kg

NO	ITEM NO	" L1 "	Pitch
1	ACA-3060A	605mm	30mm
2	ACA-3080A	800mm	




NEW ACA-3060HA/80HA 링크가이드 유닛 (Spring Type)





• Weight : ACA-3060HA 1.600kg
ACA-3080HA 2.1kg

NO	ITEM NO	" L1 "	Pitch
1	ACA-3060HA	605mm	30mm
2	ACA-3080HA	800mm	





Display Panel 투입시
(각 단마다 순차적으로 작동)

Display Panel 적재시
(각 단마다 Spring에 의해 고정됨)

ACM-400 AL 캐스터 마운트









- Weight : 0.143kg
- Q'ty/Box : 40pcs

- Threaded Stem Type Caster 장착시
  - ACM-400 : 2pcs
  - M0820 & N08 : 2set
  - NN12W-I WZ (1/2"-12N Nut) : 1pcs

- Top Plate Type Caster 장착시
  - ACM-400 : 2pcs
  - GM835W & N08W : 2set
  - Plain washer (M8) & Spring Washer (M8) : 2set





ACM-500 적용시





ACM-400 적용시

Φ28 AL RACKING SYSTEM

ACM-500 AL 캐스터 마운트









Caster Application Model
: PA500 Series

- Weight : 0.054kg
- Q'ty/Box : 100pcs



ACM-500-S AL 캐스터 마운트 (보조용)







- Weight : 0.024kg
- Q'ty/Box : 200pcs

ACM-510 AL 캐스터 마운트




- Weight : 0.047kg
- Q'ty/Box : 60pcs

ACB-B28A/B 코너 베이스

특허 등록




- Weight : 0.208kg
- Q'ty/Box : 24pcs

- ACB-B28A/B : 1set
- A-003 : 1EA
- M0625/N06W-55 : 2set
- Weight : 0.296kg
- Q'ty/Box : 24set

NEW

ACB-G28A 코너 베이스








- Weight : 0.116kg
- Q'ty/Box : 24pcs


- ACB-G28A & A-090 : 1set
- M0625/N06W-55 : 1set
- Weight : 0.176kg

ACY-N301 케이블 홀더












- Weight : 0.002kg
- Q'ty/Box : 3000pcs

ACD-B 케이블 덕트









- Weight : 0.177kg/m
- Q'ty/Bundle : 12pcs
- 표준 공급 길이 : 4MT

Φ28 AL RACKING SYSTEM

ACPA-H6026A 부품 연결용 홀더

ACP-H6026A-L



ACP-H6026A-R






〈ACPA-H6026A〉

- Weight : 0.007kg
- Q'ty/Box : 800pcs

- ACP-H6026A-L/R : 1set
- M0630 : 2pcs • Q'ty/Box : 300set



ACPA-V6026A 부품 연결용 홀더

ACP-V6026A-L



ACP-V6026A-R






〈ACPA-V6026A〉

- Weight : 0.007kg
- Q'ty/Box : 800pcs

- ACP-V6026A-L/R : 1set
- M0625 : 1pcs • M0610 : 1pcs
- Q'ty/Box : 300set



SPS-0635 스프링 걸이







〈ACPS-H6026A〉

- Weight : 0.008kg
- Q'ty/Box : 4000pcs


- ACP-H6026A-L/R : 1set
- SPS-0635 : 1pcs
- M0630 : 1pcs
- N06W-55 : 1pcs
- Weight : 0.034kg
- Q'ty/Box : 300set




* Spring 걸이용 Shaft



SA052A/SA033A 마운트 브라켓 (평면형)






※ 평탄면에 부착하여 조인트 연결 가능.



- Weight : 0.027kg
- Q'ty/Box : 240pcs


SA640A/SA628A 슬롯 어댑터 (40각 프로파일용)







- Weight : 0.017kg
- Q'ty/Box : 300pcs



SA845A/SA832A 슬롯 어댑터 (45각 프로파일용)







- Weight : 0.019kg
- Q'ty/Box : 300pcs

SA845B 슬롯 어댑터 (45각 프로파일용)








- Weight : 0.019kg
- Q'ty/Box : 300pcs

SA822C 슬롯 어댑터 (T-Slot Pipe용)







- Weight : 0.004kg
- Q'ty/Box : 1000pcs



※ AT2829에 A-001 체결시 체결력을 보완할 수 있음.





SA622A/SA822A 슬롯 어댑터 (T-Slot Pipe용)







- Weight : 0.004kg
- Q'ty/Box : 1,000pcs






SA830C 슬롯 어댑터 (T-Slot Pipe용)






- Weight : 0.010kg
- Q'ty/Box : 600pcs



※ 평면을 이용하여 다양한 부품 부착이 가능함.



〈Pipe/Profile 적용 가능 요목표〉


Part No.	Aluminum Pipe	Aluminum Profile	
	AT2829	40x40	45x45
SA052A/SA033A	△	△	△
SA640A/SA628A		○	
SA845A/SA832A			○
SA845B			○


Part No.	Aluminum Pipe	Aluminum Profile	
	AT2829	40x40	45x45
SA822C	○		○
SA622A		○	
SA822A	○		○
SA830C	○		○

ACY-311A 시트 커버 (코너 체결용)



- Weight : 0.032kg
- Q'ty/Bundle : 90pcs







ACY-312A 알미늄 시트 가이드 (커버 체결용)



- Weight : 0.192kg
- Q'ty/Bundle : 20pcs
- 표준 공급 길이 : 4MT







ACY-313A 시트 커버 (파이프 측면 체결용)



- Weight : 0.151kg
- Q'ty/Box : 30pcs
- 표준 공급 길이 : 3MT







ACY-313B 시트 커버 (파이프 중간 체결용)




- Weight : 0.136kg
- Q'ty/Box : 30pcs
- 표준 공급 길이 : 3MT







Φ28 AL RACKING SYSTEM


ACA-319A 힌지 유닛





• Weight : 0.083kg
• Q'ty/Box : 60pcs







AFU-28A/C/S 파이프 연결용 힌지





• Weight : 0.081kg
• Q'ty/Box : 80pcs







<Pipe 적용 가능 요목표>


Part No.	Aluminum Pipe			Coated Pipe						STS Pipe			Rubber Color
	1.2T	2.0T	2.9T	0.5T	0.7T	0.9T	1.0T	1.4T	2.0T	0.7T	0.9T	1.2T	
AFU-28A	O	O	O	X	X	X	X	O	O	X	X	X	Yellow
AFU-28C	X	X	X	O	O	O	O	X	X	X	X	X	Black
AFU-28S	X	X	X	X	X	X	X	X	X	O	O	O	Gray


AH-540 회전,직선운동 슬리브

실용신안 등록










- Weight : 0.034kg
- Q'ty/Box : 100pcs


Part No.	Material	Color
AH-540	POM	Gray
AH-540E	POM(ESD)	Black

NEW AH-540L 회전,직선운동 슬리브 (Link 연결형)











- Weight : 0.040kg
- Q'ty/Box : 40pcs


AH-555 회전,직선운동 슬리브

실용신안 등록











- Weight : 0.046kg
- Q'ty/Box : 100pcs


Part No.	Material	Color
AH-555	POM	Gray
AH-555E	POM(ESD)	Black

AH-900 회전 직선운동 슬리브










- Weight : 0.118kg
- Q'ty/Box : 36pcs


Φ28 AL RACKING SYSTEM

AH-640 직선운동 슬리브

실용신안 등록









- Weight : 0.035kg
- Q'ty/Box : 100pcs

AH-655 직선운동 슬리브

실용신안 등록








- Weight : 0.048kg
- Q'ty/Box : 100pcs

AH-800 직선운동 슬리브










- Weight : 0.118kg
- Q'ty/Box : 36pcs

AH-755 직선운동 슬리브










- Weight : 0.048kg
- Q'ty/Box : 100pcs


Part No.	Material	Color
AH-755	POM	Gray
AH-755E	POM(ESD)	Black

AH-770 직선운동 슬리브











- Weight : 0.058kg
- Q'ty/Box : 80pcs


Part No.	Material	Color
AH-770	POM	Gray
AH-770E	POM(ESD)	Black


Φ28 AL RACKING SYSTEM

ANP-01-150 알루미늄 명판










- Weight : 0.075kg
- Q'ty/Box : 80pcs


- 표준 공급 길이 4MT : ANP-01


NEW

ACY-324A 알루미늄 앵글









- Weight : 0.114kg
- Q'ty/Box : 80pcs


- 표준 공급 길이 4MT :
  ACY-324A 4MT


Φ28 AL RACKING SYSTEM

AOS-28A 백 스토퍼










- Weight : 0.075kg
- Q'ty/Box : 70pcs

Example for AOS-28A




〈Loading〉





〈Stopping Backflow〉

APC-01 파이프 커버










- Weight : 0.050kg/m
- Q'ty/Bundle : 50pcs
- 표준 공급 길이 : 3MT


APC-02 파이프 커버

NEW











- Weight : 0.120kg/m
- Q'ty/Box : 20pcs
- 표준 공급 길이 3MT

APC-03 파이프 커버









- Weight : 0.151kg/m
- Q'ty/Bundle : 20pcs
- 표준 공급 길이 : 3MT


Φ28 AL RACKING SYSTEM

APHA-3027 파이프 연결 조인트


APH-3027A



APH-3027B







- Weight : 0.031kg
- Q'ty/Box : 200pcs


- APH-3027A/B : 1set
- M0625 : 1pcs, PW06 : 1pcs


APHA-633N 등근 파이프 연결용 조인트

디자인 등록










※원형 파이프 연결 조인트


Coated Pipe나 STS Pipe 등의
원형 Pipe를 AL Pipe와 연결하는 조인트


- Weight : 0.065kg
- Q'ty/Box : 120pcs

LP2800 도전용 플레이트












※ 기술자료 294Page 참조


- Weight : 0.0002kg
- Q'ty/Box : 10000pcs

ASG-01B 시트 홀더 (측면용)











- Weight : 0.150kg
- Q'ty/Box : 20pcs

ASG-02 시트 홀더













- Weight : 0.167kg/m
- Q'ty/Bundle : 20pcs
- 표준 공급 길이 : 4MT

ASG-02B 시트 홀더 (측면용)












- Weight : 0.207kg/m
- Q'ty/Bundle : 20pcs
- 표준 공급 길이 : 4MT

PSG-02B 플라스틱 시트 홀더 (측면용)











- Weight : 0.007kg/m
- Q'ty/Bundle : 20pcs
- 표준 공급 길이 : 3MT

Φ28 AL RACKING SYSTEM

ASG-03 시트 홀더











- Weight : 0.225kg/m
- Q'ty/Bundle : 20pcs
- .표준 공급 길이 : 4MT

ASG-05 시트 홀더











- Weight : 0.172kg/m
- Q'ty/Bundle : 20pcs
- .표준 공급 길이 : 4MT

ASG-05B 시트 홀더 (측면용)












- Weight : 0.220kg
- Q'ty/Bundle : 20pcs
- 표준 공급 길이 : 4MT

ADR-05 도어 레일








- Weight : 0.166kg/m
- Q'ty/Bundle : 20pcs
- 표준 공급 길이 : 4MT

BA2800A/B 알루미늄 부싱 (조절좌 용)










- Weight : 0.017kg
- Q'ty/Box : 300pcs


Part No.	"A" Tap	Remark
BA2800A	1/2"-12N	
BA2800B	M12-p1.75	

BA280LA/B/D/E 메탈 부싱 : L형 (캐스터 용)












- Weight : 0.094kg
- Q'ty/Box : 160pcs


Part No.	"A" Tap	Remark
BA280LA	1/2"-12N	
BA280LB	M12-p1.75	
BA280LD	M10	
BA280LE	M8	

BP2800H 플라스틱 부싱 (부식 방지용)









- Weight : 0.011kg
- Q'ty/Box : 1500pcs

- BP2800H : 2pcs
- N12S or N12S-12 : 1pcs

※ Housing

Part No.	Color	Remark
BP2800	Gray	


※ Nut


"A"Tap	Part No.	Remark
M12	N12ZN	
1/2"-12N	Ni05ZN-12	

Φ28 AL RACKING SYSTEM

GAP-3A 외경 캡









- Weight : 0.006kg
- Q'ty/Box : 900pcs

GAP-4A, E 내경 캡










- Weight : 0.003kg
- Q'ty/Box : 1500pcs

Part No.	Color	Material	Remark
GAP-4A	Gray	LDPE	
GAP-4E	Black	LDPE(ESD)	ESD(대전방지)

GAP-4AT 내경 캡 (AT2829용)





- Weight : 0.002kg
- Q'ty/Box : 3000pcs

Part No.	Color	Material	Remark
GAP-4AT	Gray	LDPE	
GAP-4ATE	Black	LDPE(ESD)	ESD(대전방지)

GAP-4AH 내경 캡 (AP2812H용)









- Weight : 0.002kg
- Q'ty/Box : 1500pcs

NEW

GAP-4AF 내경 캡 (ATF2812, ALF2812용)









- Weight : 0.003kg
- Q'ty/Box : 1500pcs

HG-143 BK/PG 핸드 그립











- Weight : 0.068kg
- Q'ty/Box : 150pcs
- Color : Black / Gray

HG-144 플라스틱 핸드 그립










- Weight : 0.022kg
- Q'ty/Box : 400pcs


- HG-144 GR : 2pcs
- M0620/N06W-55 : 2set
- PW610S : 2pcs
- Q'ty/Box : 30set

LAD-A 승강 동작 잠금 장치











- Weight : 0.210kg
- Q'ty/Box : 40pcs

Φ28 AL RACKING SYSTEM

PRG-2805B/10B/20B/30B 파이프 롤러 가이드(커버 체결형)






*T-Slot 내부는 IN404~408, SN404~408 규격 사용함.

Part No.	"L"	Weight	Q'ty/Box
PRG-2805B	50mm	290g	20pcs
PRG-2810B	100mm	370g	10pcs
PRG-2820B	200mm	530g	5pcs
PRG-2830B	300mm	680g	4pcs


LRA-19 파이프 롤러 가이드용 롤러







- Weight : 0.017kg
- Q'ty/Box : 600pcs

- LR-19 :1pcs
- PB-12 :1pcs
- M4x15(스프링 와셔 조립형) : 1pcs
- IN404 :1pcs






ACY-314A 파이프 롤러 가이드용 커버







- Weight : 0.036kg
- Q'ty/Box : 600pcs


- 체결용 스크류는 별매임 (PH M4*10 WZ)





WEIGHT 간이 자동화용 무게추






NO	Part No.	" A " Overall Length	" B " PIPE Length	Weight	Q'ty/Box
1	WT-2802/2802B	79 mm	70.0mm	0.25Kg±0.01Kg	45pcs
2	WT-4305/4305B	64 mm	55.8mm	0.5Kg±0.01Kg	35pcs
3	WT-4310/4310B	134 mm	125.9mm	1.0Kg±0.03Kg	16pcs
4	WT-4320/4320B	276 mm	267.3mm	2.0Kg±0.05Kg	10pcs

금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

Φ19 AL AL RACKING SYSTEM




- Φ19 ALUMINUM PIPES
- Φ19 ALUMINUM JOINTS
- Φ19 ALUMINUM ACCESSORIES

Ø19 ALUMINUM PIPES


AP1914 Ø19 표준형 파이프




- Weight : 0.201kg/m, 외경 Ø19
- 15pcs/Bag




NEW AD1914 Ø19 더블 파이프




- Weight : 0.293kg/m, 외경 Ø19
- 6pcs/Bag




NEW AT1914 Ø19 T-Slot형 파이프




- Weight : 0.246kg/m, 외경 Ø19
- 15pcs/Bag



NEW ALF1914 Ø19 L형 평면 파이프




- Weight : 0.334kg/m, 외경 Ø19
- 8pcs/Bag




Ø19 ALUMINUM JOINTS


◈ Outer Joints

A-1901 Ø19+Ø19 연결용 일자형 조인트











- Weight : 0.008kg
- Q'ty/Box : 400pcs


- A-1901 : 2pcs
- M0515/M5(Nut) : 1pcs
- Weight : 0.021kg
- Q'ty/Box : 200set

A-1902 Ø28+Ø19 연결용 일자형 조인트











- Weight : 0.011kg
- Q'ty/Box : 400pcs


- A-1902 : 2pcs
- M0515/M5(Nut) : 1pcs
- Weight : 0.025kg
- Q'ty/Box : 200set

NEW A-1909 Ø19+Ø19 연결용 더블 조인트











- Weight : 0.021kg
- Q'ty/Box : 200pcs


- A-1909 : 2pcs
- M0515/M05(Nut) : 1pcs
- Weight : 0.45kg
- Q'ty/Box : 100set

NEW A-1923 Ø19 멈춤 조인트










- Weight : 0.005kg
- Q'ty/Box : 600pcs

- A-1923 : 2pcs
- M0512/M5(Nut) : 1pcs
- Weight : 0.013kg
- Q'ty/Box : 300set


Φ19 AL RACKING SYSTEM


◈ Inner Joints

B-1901 Ø19+Ø19 연결용 일자형 조인트












- Weight : 0.008kg
- Q'ty/Box : 600pcs


- B-1901 : 2pcs
- M0512/M5(Nut) : 1pcs
- Weight : 0.019kg
- Q'ty/Box : 300set

B-1902 Ø28+Ø19 연결용 일자형 조인트










- Weight : 0.010kg
- Q'ty/Box : 600pcs


- B-1902 : 2pcs
- M0512/M5(Nut) : 1pcs
- Weight : 0.023kg
- Q'ty/Box : 300set

B-1906 Ø19+Ø19 연결용 교차형 조인트










- Weight : 0.004kg
- Q'ty/Box : 800pcs


- B-1906 : 2pcs
- M0515/M5(Nut) : 1pcs
- Weight : 0.012kg
- Q'ty/Box : 400set


NEW

B-1917A 가변형 조인트 (Ø28 연결, 자유 회전)










- Weight : 0.007kg
- Q'ty/Box : 600pcs


- B-1917A & B-1907B : 2pcs
- M0512/M5(Nut) : 2pcs
- Weight : 0.021kg
- Q'ty/Box : 180set


NEW

B-1907B 가변형 조인트 (Ø19 연결, 자유 회전)









- Weight : 0.009kg
- Q'ty/Box : 400pcs


- B-1917A & B-1907B : 2pcs
- M0512/M5(Nut) : 2pcs
- Weight : 0.021kg
- Q'ty/Box : 180set

Φ19 AL RACKING SYSTEM

◈ Inner Joints

BA-1908 Ø19+Ø19 연결용 더블 조인트


B-1908A




B-1908B









- Weight : 0.004kg
- Q'ty/Box : 1000pcs

- B-1908A/B : 1set
- M0512 : 1pcs
- Q'ty/Box : 500set

BA-1909 Ø28+Ø19 연결용 더블 조인트


B-1909A




B-1909B










- Weight : 0.010kg
- Q'ty/Box : 600pcs


- B-1909A/B : 1set
- M0512 : 1pcs
- Q'ty/Box : 300set

NEW B-1913L/R Ø19+Ø19 연결용 45 ° 각도 조인트











- Weight : 0.007kg
- Q'ty/Box : 600pcs


- B-1913L/R : 2pcs
- M0512/M5(Nut) : 1pcs
- Weight : 0.018kg
- Q'ty/Box : 300set

NEW B-1916 Ø28+Ø19 연결용 교차형 조인트









- Weight : 0.007kg
- Q'ty/Box : 600pcs

- B-1916 : 2pcs
- M515/M5(Nut) : 1pcs
- Weight : 0.018kg
- Q'ty/Box : 300set


Φ19 AL RACKING SYSTEM


◈ Inner Joints

B-1945 Ø19+Ø19 연결용 코너 조인트










- Weight : 0.016kg
- Q'ty/Box : 200pcs


- B-1945 : 2pcs
- M0512 : 2pcs
- M5(Nut) : 3pcs
- Q'ty/Box : 100set


* 조인트 내부에 M5 삽입할 수 있음.
* 강도보강과 동시에 판넬,부품 등 장착에 용이함.

NEW B-1945B Ø19+Ø19 연결용 코너 조인트 (경량용)










- Weight : 0.010kg
- Q'ty/Box : 400pcs


- B-1945B : 2pcs
- M0512/M5(Nut) : 1pcs
- Weight : 0.025kg
- Q'ty/Box : 200set

NEW B-1990 Ø19+Ø19 연결용 90° 엘보 조인트











- Weight : 0.016kg
- Q'ty/Box : 200pcs


- B-1990 : 2pcs
- M0512/M5(Nut) : 1pcs
- Weight : 0.035kg
- Q'ty/Box : 100set

Φ19 ALUMINUM ACCESSORIES

AH-1637 직선운동 슬리브












- Weight : 0.018kg
- Q'ty/Box : 120pcs

AH-1650 직선운동 슬리브












- Weight : 0.023kg
- Q'ty/Box : 100pcs

AH-1937/1937E 회전,직선운동 슬리브








- Weight : 0.019kg
- Q'ty/Box : 120pcs

Part No.	Material	Color
AH-1937	POM	Gray
AH-1937E	POM(ESD)	Black

AH-1950/1950E 회전,직선운동 슬리브






- Weight : 0.024kg
- Q'ty/Box : 120pcs

Part No.	Material	Color
AH-1950	POM	Gray
AH-1950E	POM(ESD)	Black

Φ19 AL RACKING SYSTEM


ASG-1903 시트 홀더






- Weight : 0.122kg
- Q'ty/Bundle : 20pcs


* 표준 공급 길이 : 4MT







NEW A19-N303 보드 홀더





- Weight : 0.004kg
- Q'ty/Box : 800pcs





NEW ACPA-V5020A Ø19 부품 연결용 홀더

ACP-V5020A-L




ACP-V5020A-R







- Weight : 0.023kg
- Q'ty/Box : 1,200pcs


- ACP-V5020A-L/R : 1pcs
- M0512/M0515 : 1pcs
- Weight : 0.014kg
- Q'ty/Box : 150set









NEW SA619D 슬롯 어댑터 (Ø19 조인트 연결용)





- Weight : 0.001kg
- Q'ty/Box : 1,000pcs






Φ19 AL RACKING SYSTEM

GAP-19A/E 내경캡








- Weight : 0.002kg
- Q'ty/Box : 3,000pcs


Part No.	Color	Material	Remark
GAP-19A	Gray	LDPE	
GAP-19E	Brack	LDPE(ESD)	ESD(대전방지)

NEW

GAP-19AT 내경캡










- Weight : 0.001kg
- Q'ty/Box : 3,000pcs

BP1900H 플라스틱 부싱 (부식 방지용)








- Weight : 0.006kg
- Q'ty/Box : 3,000pcs
- BP1900H : 2pcs
- M6 (STS Nut) : 1pcs

AD25PA 조절좌








- Weight : 0.021kg
- Q'ty/Box : 300pcs

Part No.	Material	Threaded	"L"
AD25PA	Steel(WZ)	M6-P1.0	20

금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

Φ33 AL AL RACKING SYSTEM




- Φ33 ALUMINUM PIPES
- Φ33 ALUMINUM JOINTS & ACCESSORIES


Φ33 AL RACKING SYSTEM

Ø33 ALUMINUM PIPES

AP3315 표준형 파이프




- Weight : 0.453kg/m, 외경 Ø33
- 6pcs/Bag, 100Bag/Pallet



AP3315H 고하중용 파이프



- Weight: 0.883kg/m, 외경 Ø33
- 6pcs/Bag, 100Bag/Pallet



∅33 ALUMINUM JOINTS & ACCESSORIES


A-301 일자형 조인트






- Weight : 0.036kg
- Q'ty/Box : 120pcs

- A-301 : 2pcs
- M0630/N06W-55 : 1set
- Weight : 0.086kg
- Q'ty/Box : 60set



* Ø33용 Aluminum Outer Joint




B-301 일자형 조인트






- Weight : 0.032kg
- Q'ty/Box : 200pcs

- B-301 : 2pcs
- M0625/N06W-55 : 1set
- Weight : 0.074kg
- Q'ty/Box : 100set




* Ø33용 Aluminum Inner Joint




BA3300A,B,D 메탈 부싱






- Weight : 0.098kg
- Q'ty/Box : 160pcs



Part No.	"A" Tap	Remark
BA3300A	1/2"	
BA3300B	M12	
BA3300D	M10	


GAP-33A 내경 캡






- Weight : 0.004kg
- Q'ty/Box : 1200pcs

* Ø33용 Plastic Inner Cap



금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.


Φ43 AL AL RACKING SYSTEM




- Φ43 ALUMINUM PIPES
- Φ43 ALUMINUM JOINTS
- Φ43 ALUMINUM ACCESSORIES

∅43 ALUMINUM PIPES


AP4319C 표준형 파이프






- Weight: 0.735kg/m, 외경 ∅43
- 6pcs/Bag, 60Bag/Pallet


AP4319H 고하중용 파이프






- Weight : 1.284kg/m, 외경 ∅43
- 6pcs/Bag, 60Bag/Pallet


AQ4320 핸드 레일 파이프






- Weight: 0.903kg/m, 외경 ∅43
- 6pcs/Bag, 60Bag/Pallet

AD4319 고하중용 더블 파이프







- Weight : 1.887kg/m, 외경 ∅43
- 2pcs/Bag, 90Bag/Pallet


Φ43 AL RACKING SYSTEM

AR4312 원형 파이프



- Weight : 0.697kg/m
- 6pcs/Bag, 60Bag/Pallet









◈ Outer Joints


Ø43 ALUMINUM JOINTS

A-401 일자형 조인트











- Weight : 0.077kg
- Q'ty/Box : 60pcs


- A-401 : 2pcs
- M0840/N08 : 1set
- Weight : 0.178kg
- Q'ty/Box : 30set

A-401C 일자형 조인트 (원형 파이프 사용가능)












- Weight : 0.077kg
- Q'ty/Box : 60pcs


- A-401C : 2pcs
- M0840/N08 : 1set
- Weight : 0.170kg
- Q'ty/Box : 30set

A-401W 스트롱 조인트











- Weight : 0.123kg
- Q'ty/Box : 40pcs

- A-401W : 2pcs
- M0840/N08 : 1set
- Weight : 0.270kg
- Q'ty/Box : 20set

A-407B 가변형 조인트







- Weight : 0.083Kg
- Q'ty/Box : 60pcs

- B-407A : 2pcs, • Weight : 0.370kg
  A-407B : 2pcs • Q'ty/Box : 20set
- M0840/N08 : 1set
- M0830/N08 : 1set

Φ43 AL RACKING SYSTEM

◈ Outer Joints


A-413L, A-413R 45° 각도 조인트







- Weight : 0.082kg
- Q'ty/Box : 50pcs


- A-413L : 1EA, A-413R : 1EA
- M0840/N08 : 1set
- Weight : 0.188kg
- Q'ty/Box : 25set






A-421 스트롱 조인트






- Weight : 0.137kg
- Q'ty/Box : 30pcs

- A-421 : 2pcs
- M0840/N08 : 1set
- Weight : 0.296kg
- Q'ty/Box : 15set






A-490 90° 엘보 조인트






- Weight : 0.131kg
- Q'ty/Box : 30pcs

- A-490 : 2pcs
- M0840/N08 : 1set
- Weight : 0.286kg
- Q'ty/Box : 15set







◈ Inner Joints

B-401 일자형 조인트










- Weight : 0.061kg
- Q'ty/Box : 100pcs


- B-401 : 2pcs
- M0830/N08 : 1set
- Weight : 0.143kg
- Q'ty/Box : 50set

B-407A 가변형 조인트 (회전, 각도 조절 후 고정)










- Weight : 0.049kg
- Q'ty/Box : 120pcs


- B-407A : 2pcs, B-407B : 2pcs
- M0830/N08 : 2set
- Weight : 0.306kg
- Q'ty/Box : 20set

B-407B 가변형 조인트 (회전, 각도 조절 후 고정)











- Weight : 0.083kg
- Q'ty/Box : 60pcs


- B-407A : 2pcs, B-407B : 2pcs
- M0830/N08 : 2set
- Weight : 0.306kg
- Q'ty/Box : 20set

B-407C 가변형 조인트 (회전, 각도 조절 후 고정)










- Weight : 0.070kg
- Q'ty/Box : 60pcs


- B-407B : 2pcs, B-407C : 2pcs
- M0830/N08 : 2set
- Weight : 0.306kg
- Q'ty/Box : 20set


Φ43 AL RACKING SYSTEM


◈ Inner Joints

B-411 브릿지 조인트










- Weight : 0.051kg
- Q'ty/Box : 100pcs


- B-411 : 2pcs
- M0620/N06W-55 : 2set
- Weight : 0.120kg
- Q'ty/Box : 50set

B-444 직선 연결 조인트











- Weight : 0.086kg
- Q'ty/Box : 60pcs


- B-444 : 2pcs
- M0830/N08 : 2set
- Weight : 0.140kg
- Q'ty/Box : 30set

B-445 코너 조인트 (중량용)










- Weight : 0.060kg
- Q'ty/Box : 60pcs


- B-445 : 2pcs
- M0620/N06W-55 : 1set
- Weight : 0.135kg
- Q'ty/Box : 30set

B-490 90° 엘보 조인트










- Weight : 0.126kg
- Q'ty/Box : 30pcs


- B-490 : 2pcs
- M0830/N08 : 1set
- Weight : 0.271kg
- Q'ty/Box : 15set

Φ43 ALUMINUM ACCESSORIES


ASG-4305 Ø43용 시트 홀더








* Ø43용 Aluminum Sheet Guide




- Weight : 0.956kg/m
- Q'ty/Bundle : 20pcs
- 표준 공급길이 : 4MT

A43-N302 Ø43용 보드 홀더








- Weight : 0.013kg
- Q'ty/Box : 200pcs

A43-N303 Ø43용 보드 홀더










- Weight : 0.007kg
- Q'ty/Box : 400pcs


ABS-0530 Ø43용 보드 홀더







* Ø43 Aluminum Joint 체결 후 Panel 장착 가능한 Outer/Inner용 Board Support




- Weight : 0.037kg
- Q'ty/Box : 100pcs

Φ43 AL RACKING SYSTEM


ABS-4320A Ø43용 보드 홀더







• Weight : 0.020kg
• Q'ty/Box : 200pcs

• ABS-4320A : 1pcs, APC-01 : 1pcs
• M0540 : 1pcs






ABS-4320C Ø43용 보드 홀더







• Weight : 0.019kg
• Q'ty/Box : 200pcs



* Profile에 Pipe 체결 후 Panel을 장착하기 위한 높이 맞춤용 Board Support




ABS-4320D Ø43용 보드 홀더







• Weight : 0.020kg
• Q'ty/Box : 200pcs



* Ø43 Aluminum Joint 체결 후 Panel 장착 가능한 Inner용 Board Support




ABS-4320E Ø43용 보드 홀더






• Weight : 0.022kg
• Q'ty/Box : 200pcs





* Ø43 Aluminum Joint 체결 후 Panel 장착 가능한 Outer용 Board Support




A-104 프로파일 조인트










- Weight : 0.102kg
- Q'ty/Box : 20pcs


- A-104 : 2pcs
- M0615/N06W-55 : 2set
- Weight : 0.219kg
- Q'ty/Box : 10set

AD-SM43A Stanchion Mount Single











- Weight : 0.680kg
- Q'ty/Box : 40pcs


- AD-SM43A : 1pcs
- HM0615 : 1pcs
- Weight : 0.680kg
- Q'ty/Box : 40set

AD-SM43L Stanchion Mount Single-Left










- Weight : 0.680kg
- Q'ty/Box : 40pcs


- AD-SM43L : 1pcs
- HM0615 : 1pcs
- Weight : 0.680kg
- Q'ty/Box : 40set

AD-SM43R Stanchion Mount Single-Right










- Weight : 0.680kg
- Q'ty/Box : 40pcs


- AD-SM43R : 1pcs
- HM0615 : 1pcs
- Weight : 0.680kg
- Q'ty/Box : 40set

Φ43 AL RACKING SYSTEM

A43-N301 Aluminum Stanchion Mount









- Weight : 0.064kg
- Q'ty/Box : 150pcs

BA4300A/B/D 알루미늄 부싱 (조절좌용)











- Weight : 0.032kg
- Q'ty/Box : 150pcs

Part No.	"A" Tap	Remark
BA4300A	1/2"	
BA4300B	M12	
BA4300D	M10	

BP4300H 플라스틱 부싱 (부식 방지용)







- Weight : 0.014kg
- Q'ty/Box : 800pcs

- BP4300H : 2pcs
- N12S or N12S-12 : 1pcs

BA4300N 알루미늄 캡









- Weight : 0.034kg
- Q'ty/Box : 150pcs

GAP-43A 내경캡










- Weight : 0.005kg
- Q'ty/Box : 600pcs

GAP-43B 내경 원형캡




- Weight : 0.007kg
- Q'ty/Box : 600pcs

Φ43 AL RACKING SYSTEM


ACHA-6040A 부품 연결용 홀더

ACH-6040A-L



• Weight : 0.017kg
• Q'ty/Box : 400pcs


ACH-6040A-R




• Weight : 0.033kg
• Q'ty/Box : 100pcs




• ACH-6040A-L/R : 1set
• M0612 : 1pcs, SN406 : 1EA
• Q'ty/Box : 75set







ACM-600 AL 캐스터 마운트






• Weight : 0.068kg
• Q'ty/Box : 60pcs






AMB-0654 프로파일용 마운트






• Weight : 0.083kg
• Q'ty/Box : 100pcs




* Profile 체결 후 Aluminum Pipe를 장착하기 위한 Mount Bracket




AMB-0684 프로파일용 마운트






• Weight : 0.129kg
• Q'ty/Box : 50pcs




* Profile 체결 후 Aluminum Pipe를 장착하기 위한 Mount Bracket



금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

28X28 AL SQUARE




- 28x28 AL SQUARE PIPES
- 28x28 AL SQUARE JOINTS
- 28x28 AL SQUARE ACCESSORIES

28X28 AL SQUARE RACKING SYSTEM

ALUMINUM SQUARE RACKING SYSTEM의 특징


- 알루미늄 프로파일 보다 편리한 조립성 (조립시간 약 40% 단축)
- 홈이 없는 미려한 외관 (CLEAN ROOM에서 사용시 T홈 메움 작업 불필요)
- 알루미늄 프로파일 대비 경량화 되어 저렴함
- 알루미늄 사각 파이프와 조인트를 결합하여 평면 랙 구성(사각 평면 랙 구성으로 판재와 부품 고정이 용이)
- Ø28 알루미늄 원형 파이프 및 조인트와의 호환성
  (기존 Ø28 알루미늄 원형 파이프와 체결이 가능한 활용성 및 다양한 악세서리 사용 가능)





28X28 AL SQUARE PIPES

ASQ2812A 90° 2방향 체결형 사각 파이프

* Surface Treatment - PE-Coating










- Weight : 0.566kg/m
- Q'ty/Bundle : 8EA

ASQ2812AN 90° 2방향 체결형 사각 파이프(경량형)










- Weight : 0.450kg/m
- Q'ty/Bundle : 8EA

ASQ2812B 180° 2방향 체결형 사각 파이프










- Weight : 0.665kg/m
- Q'ty/Bundle : 8EA

ASQ2812C 1방향 체결형 사각 파이프










- Weight : 0.591kg/m
- Q'ty/Bundle : 8EA

ASQ2812D 이물질 유입 방지용 사각 파이프









- Weight : 0.555kg/m
- Q'ty/Bundle : 8EA


28X28 AL SQUARE RACKING SYSTEM

ASQ2812E 3방향 체결형 사각 파이프

* Surface Treatment - PE-Coating










- Weight : 0.522kg/m
- Q'ty/Bundle : 8EA

ASQ2812EN 3방향 체결형 사각 파이프(경량형)










- Weight : 0.433kg/m
- Q'ty/Bundle : 8EA

ASQ2812F 이물질유입 방지용 L형 사각 파이프










- Weight : 0.646kg/m
- Q'ty/Bundle : 6EA

AST2828D 4방향 T홈 체결형 사각 파이프







- Weight : 0.873kg/m
- Q'ty/Bundle : 6pcs

28x28 AL SQUARE JOINTS


C-001 28각용 사각 조인트


Unit : mm

실용신안 출원









※ 조인트와 결합되는 파이프 치수는 파이프 중심에서 30mm를 띄워 계산하는 것을 권장 합니다.


- Weight : 0.021kg
- Q'ty/Box : 200pcs


- C-001 : 2pcs
- M0620/N06W-55 : 1set
- Weight : 0.050kg
- Q'ty/Box : 100set

C-001T 28각용 사각 조인트












- Weight : 0.016kg
- Q'ty/Box : 200pcs


- C-001T : 2pcs
- M0620/N06W-55 : 1set
- Weight : 0.040kg
- Q'ty/Box : 100set

C-045 90° Quick Joint (6mm Slot용)










- Weight: 0.037kg
- Q'ty/Box : 120pcs

- C-045 : 2pcs
- M0615/N06W-55 : 1set
- Weight: 0.080kg
- Q'ty/Box : 60set


28x28 AL SQUARE ACCESSORIES


B-040A/B 28각용 코너 브라켓 (M6용)

Unit : mm









Part No.	"A" Tap	Remark
B-040A	M6	
B-040B	None Tap	

- Weight : 0.012kg
- Q'ty/Box : 400pcs

ACA-325A 28각용 행거

ACY-325A




- Weight : 0.024kg
- Q'ty/Box : 200pcs


ACY-325B




- Weight : 0.024kg
- Q'ty/Box : 200pcs




- B-001TA/B : 1set
- M6*20/M06W-55 : 1set
- Weight : 0.056kg
- Q'ty/Box : 100set







프로파일에 삽입 후 시계방향&반시계방향으로 회전하여 고정


ACY-326A 28각용 케이블 클램프






- Weight : 0.004kg
- Q'ty/Box : 1,000pcs







프로파일에 삽입 후 시계방향&반시계방향으로 회전하여 고정


A28-304A 알루미늄 판넬 브라켓





- Weight : 0.005kg
- Q'ty/Box : 600pcs






28X28 AL SQUARE RACKING SYSTEM


Unit : mm

GAP-2828A 28각용 내경캡











- Weight : 0.003kg
- Q'ty/Box : 1500pcs

GAP-2828D 28각용 내경캡












- Weight : 0.003kg
- Q'ty/Box : 1500pcs

GAP-2828E 28각용 내경캡











- Weight : 0.003kg
- Q'ty/Box : 1500pcs

GAP-2828T 28각용 내경캡












- Weight : 0.003kg
- Q'ty/Box : 1500pcs


28X28 AL SQUARE RACKING SYSTEM

BP2828A 28각용 부싱캡












- Weight : 0.003kg
- Q'ty/Box : 1500pcs

RF-2828A 28각용 Rubber Foot









- Weight : 0.007kg
- Q'ty/Box : 750pcs


NEW


BA2828A/B Threaded Insert Bracket





- Weight : 0.170kg
- Q'ty/Box : 108pcs






Part No.	"A"Tap	Remark
BA2828A	1/2"-12N	
BA2828B	M12-P1.75	

금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

40X40 AL PROFILE




- 40x40 AL PROFILES
- 40x40 AL PROFILE JOINTS
- 40x40 AL PROFILE ACCESSORIES

40X40 AL PROFILE RACKING SYSTEM


AL PROFILE RACKING SYSTEM의 특징

- 알루미늄 프로파일보다 **편리한 조립성** (조립시간 약 **40% 단축**)
- 홈이 없는 미려한 외관 (CLEAN ROOM에서 사용시 **T홈 메움 작업 불필요**)
- 알루미늄 프로파일 대비 **경량화 되어 저렴함**
- 알루미늄 사각 파이프와 조인트를 결합하여 평면 랙 구성 (사각 평면 랙 구성으로 판재와 부품 고정이 용이)
- **Ø28 & Ø43 알루미늄 원형 파이프 및 조인트의 호환성**
  (기존 Ø28 및 Ø43 알루미늄 원형 파이프와 체결이 가능한 활용성 및 다양한 악세서리 사용 가능)
- T홈을 활용한 부자재 조립 가능


조인트 체결형 사용 방법



T홈 체결형 사용 방법



AL PROFILE 적용 예시




40X40 AL PROFILE RACKING SYSTEM


40x40 AL PROFILES


Unit : mm

ASJ4040A 2방향 조인트 체결형




- Weight : 1.195kg/m
- 4pcs/Bag, 110Bag/Pallet







ASJ4040B 2방향 조인트 체결형




- Weight : 1.211kg/m
- 4pcs/Bag, 110Bag/Pallet







ASJ4040C 1방향 조인트 체결형




- Weight : 1.200 kg/m
- 4pcs/Bag, 110Bag/Pallet







ASJ4040D 이물질 유입 방지형 (T홈이 없어 이물질 유입을 방지할 수 있음)



- Weight : 1.175 kg/m
- 4pcs/Bag, 110Bag/Pallet







40X40 AL PROFILE RACKING SYSTEM


Unit : mm

ASJ4040E 3방향 조인트 체결형




- Weight : 1.145 kg/m
- 4pcs/Bag, 110Bag/Pallet







ASJ4040R 코너 라운드, 2방향 조인트 체결형




- Weight : 1.126 kg/m
- 4pcs/Bag, 110Bag/Pallet






JOINT 체결형 활용 예




40X40 AL PROFILE RACKING SYSTEM


Unit : mm

AST4040A 2방향 T홈 체결형(기둥용)




- Weight : 1.190 kg/m
- 4pcs/Bag, 110Bag/Pallet







* Insert Nut : IN304~IN306
* Spring Nut : SN304~SN306

AST4040D 4방향 T홈 체결형




- Weight : 1.264 kg/m
- 4pcs/Bag, 110Bag/Pallet





* Insert Nut : IN304~IN306
* Spring Nut : SN304~SN306


T홈 체결형 활용 예





40X40 AL PROFILE RACKING SYSTEM

ASM4040A 2방향 T홈, 2방향 조인트 체결 복합형


Unit : mm









ASM4040C 3방향 T홈, 1방향 조인트 체결 복합형




- Weight : 1.292 kg/m
- 4pcs/Bag, 110Bag/Pallet







ASM4040R 코너 라운드, T홈 및 조인트 체결 복합형



- Weight : 1.169 kg/m
- 4pcs/Bag, 110Bag/Pallet






* Insert Nut : IN304~IN306
* Spring Nut : SN304~SN306


40X40 AL PROFILE RACKING SYSTEM


NEW

ASM4080A 4방향 T홈, 2방향 조인트 체결 복합형

Unit : mm








- Weight : 2.257 kg/m
- Q'ty/Bundle : 1pcs

JOINT 및 T홈 체결 복합형 활용 예





40x40 AL PROFILE JOINTS

D-001 40각용 사각 조인트










- Weight : 0.044kg
- Q'ty/Box : 120pcs


- D-001 : 2EA
- M0830/N08 : 1set
- Weight : 0.108kg
- Q'ty/Box : 60set

D-045 40각용 코너 조인트










- Weight : 0.046kg
- Q'ty/Box : 80pcs

- D-045 : 2pcs
- M0830/N08 : 1set
- Weight : 0.113kg
- Q'ty/Box : 40set


40X40 AL PROFILE RACKING SYSTEM


40x40 AL PROFILE ACCESSORIES

B-050A 40각 프로파일 T홈 체결용 소형 코너 브라켓 (M6용)


- Weight : 0.034kg
- Q'ty/Box : 100pcs







* 스프링 와셔, 평와셔를 사용하는 경우 M6x15 사용

B-060A 40각 프로파일 T홈 체결용 코너 브라켓 (M6용)



- Weight : 0.046kg
- Q'ty/Box : 60pcs







* 스프링 와셔, 평와셔를 사용하는 경우 M6x15 사용

B-070A 40각 프로파일 T홈 체결용 코너 브라켓(M6용)

- Weight : 0.46kg
- Q'ty/Box : 60pcs






* 스프링 와셔, 평와셔를 사용하는 경우 M6x15 사용

40X40 AL PROFILE RACKING SYSTEM


BA4040A/B 40각용 알루미늄 부싱(조절좌용)





- Weight : 0.027kg
- Q'ty/Box : 200pcs




Part No.	"A" Tap	Remark
BA4040A	1/2"-12N	
BA4040B	M12-p1.75	




NEW BA4040JA/JB/JE 40각용 알루미늄 부싱(조절좌용)


- Weight : 0.027kg
- Q'ty/Box : 200pcs




Part No.	"A" Tap	Remark
BA4040JA	1/2"-12N	
BA4040JB	M12-P1.75	
BA4040JE	M8-P1.25	




BA280LAN/LBN 40각용 메탈 부싱

- Weight : 0.072kg
- Q'ty/Box : 160pcs




Part No.	"A" Tap	Remark
BA280LAN	1/2"	
BA280LBN	M12	




NEW A40-310A/B Threaded Insert Bracket




- Weight : 0.236kg/m
- Q'ty/Bundle : 48pcs








Part No.	"A"Tap	Remark
A40-310A	1/2"-12N	
A40-310B	M12-P1.75	


40X40 AL PROFILE RACKING SYSTEM

ABS-4040A 40각용 플라스틱 보드 홀더










* 3t 또는 5t Panel을 선택하여 사용


- Weight : 0.011kg
- Q'ty/Box : 600pcs


* M6 사각너트는 별도 구매

A40-N303 40각용 보드홀더












- Weight : 0.007kg
- Q'ty/Box : 400pcs

APC-40A 40각용 홈 커버










- Weight : 0.036kg/m
- Q'ty/Bundle : 100pcs

40X40 AL PROFILE RACKING SYSTEM

A40-304A 보드 홀더











- Weight : 0.008kg
- Q'ty/Box : 600pcs

A40-305A 보드 홀더











- Weight : 0.008kg
- Q'ty/Box : 600pcs

GAP-4040A 40각용 내경캡












- Weight : 0.005kg
- Q'ty/Box : 1200pcs

GAP-4040D 40각용 내경캡











- Weight : 0.005kg
- Q'ty/Box : 1200pcs

GAP-4040R 40각용 내경캡






- Weight : 0.005kg
- Q'ty/Box : 1200pcs

금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.


45X45 AL PROFILE




- 45x45 AL PROFILES
- 45x45 AL PROFILE JOINTS
- 45x45 AL PROFILE ACCESSORIES


45x45 AL PROFILES

ASJ4545A 2방향 조인트 체결형 사각 프로파일(기둥용)




- Weight : 1.320 kg/m
- 4pcs/Bag, 90Bag/Pallet







ASJ4545C 1방향 조인트 체결형




- Weight : 1.412 kg/m
- 4pcs/Bag, 90Bag/Pallet







ASJ4545D 이물질 유입 방지형 (T홈이 없어 이물질 유입을 방지할 수 있음)




- Weight : 1.495 kg/m
- 4pcs/Bag, 90Bag/Pallet







45X45 AL PROFILE RACKING SYSTEM

AST4545A 2방향 T홈 체결형(기등용)




- Weight : 1.513 kg/m
- 4pcs/Bag, 90Bag/Pallet







* Insert Nut : IN404~IN408
* Spring Nut : SN404~SN408

AST4545D 4방향 T홈 체결형




- Weight : 1.607 kg/m
- 4pcs/Bag, 90Bag/Pallet







* Insert Nut : IN404~IN408
* Spring Nut : SN404~SN408

ASM4545C 3방향 T홈, 1방향 조인트 체결 복합형



- Weight : 1.595 kg/m
- 4pcs/Bag, 90Bag/Pallet





* Insert Nut : IN404~IN408
* Spring Nut : SN404~SN408

45x45 AL PROFILE JOINTS

E-001 45각용 사각 조인트


실용신안 출원






- Weight : 0.050kg
- Q'ty/Box : 100pcs


- E-001 : 2EA
- M0830/N08 : 1set
- Weight : 0.120kg
- Q'ty/Box : 50set







B-080A 45각 프로파일 T홈 체결용 코너 브라켓 (M8용)





- Weight : 0.062kg
- Q'ty/Box : 40pcs






45x45 AL PROFILE ACCESSORIES

BA4545A/B 45각용 알루미늄 부싱(조절좌용)






- Weight : 0.034kg
- Q'ty/Box : 200pcs



Part No.	"A" Tap	Remark
BA4545A	1/2"-12N	
BA4545B	M12-p1.75	




A45-310A/B Threaded Insert Bracket


NEW






- Weight : 0.272kg
- Q'ty/Box : 20pcs










Part No.	"A"Tap	Remark
A45-310A	1/2"-12N	
A45-310B	M12-P1.75	


GAP-4545D 45각용 내경캡






- Weight : 0.006kg
- Q'ty/Box : 1200pcs







APC-45A 45각용 홈 커버





- Weight : 0.045kg/m
- Q'ty/Bundle : 100pcs





금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

QUICK JOINT RACKING SYSTEM



QUICK JOINT RACKING SYSTEM

ALUMINUM QUICK JOINT RACKING SYSTEM의 특징


조립시간 1/4로 단축

기존 프로파일 브라켓 보다 편리한 조립성
(별도의 **추가 구성품 및 가공 없이** 간단하고 빠르게
연결할 수 있어 작업 효율성 증대)


8mm, 10mm Slot 공용 체결

T홈 크기가 달라도
공용 체결 가능


기존 BRACKET 체결시




QUICK JOINT 체결시



8mm T홈 체결시




10mm T홈 체결시





40X40 & 45X45 ALL 8mm/10mm Slot의 모든 Profile에 사용 가능

Q-490 90° Quick Joint ALL 모든 Profile에 사용 가능










- Weight: 0.076kg
- Q'ty/Box : 60pcs

- Q-490 : 2pcs
- M0825/N08 : 1set
- Weight: 0.170kg
- Q'ty/Box : 30set


QUICK JOINT 사용 예시



| 45° Quick Joint 체결시

| 90° Quick Joint 체결시


Q-445 45° Quick Joint ALL 모든 Profile에 사용 가능






- Weight : 0.076kg
- Q'ty/Box : 80pcs

- Q-445 : 2pcs
- M0825/N08 : 1set
- Weight : 0.121kg
- Q'ty/Box : 40set






Q-413L / R 45° Quick Joint (40X40 전용)






- Weight : 0.037kg
- Q'ty/Box : 120pcs

- Q-413L/R : 1set
- M0825/N08 : 1set
- Weight : 0.095kg
- Q'ty/Box : 60set






Q-513L/R 45° Quick Joint (45X45 전용)







- Weight : 0.076kg
- Q'ty/Box : 80pcs

- Q-513L/R : 1set
- M0825/N08 : 1set
- Weight : 0.125kg
- Q'ty/Box : 40set







NEW A40-306A Foundation Bracket






- Weight : 0.432kg
- Q'ty/Box : 40pcs







NEW A40-309A Aluminum Panel Bracket (40X40 전용)






- Weight : 0.007kg
- Q'ty/Box : 400pcs









NEW A40-310A/B Threaded Insert Bracket (40X40 전용)





- Weight : 0.236kg/m
- Q'ty/Bundle : 48pcs








Part No.	"A"Tap	Remark
A40-310A	1/2"-12N	
A40-310B	M12-P1.75	

QUICK JOINT RACKING SYSTEM


A45-A301 Aluminum Pivot Joint (45X45 전용)


- Weight : 0.252kg
- Q'ty/Box : 30pcs



A45-A302 Sliding Door Guide Ass'y (45X45 전용)






- Weight : 0.190kg
- Q'ty/Box : 50pcs




* M10 Screw 체결 후 Roller Set 조립

A45-309A Aluminum Panel Bracket (45X45 전용)


- Weight : 0.008kg
- Q'ty/Box : 400pcs



A45-310A/B Threaded Insert Bracket (45X45 전용)





- Weight : 0.236kg
- Q'ty/Box : 48pcs




Part No.	"A"Tap	Remark
A45-310A	1/2"-12N	
A45-310B	M12-P1.75	


NEW GAP-4545P Inner Cap (45X45 전용)







- Weight : 0.37kg
- Q'ty/Box : 120pcs







APC-45A Groove Cover (8mm T-Slot 전용)






- Weight : 0.045kg/m
- Q'ty/Bundle : 100pcs
- 표준공급길이 : 3M







NEW APC-50A Groove Cover (10mm T-Slot 전용)






- Weight : 0.024kg/m
- Q'ty/Bundle : 50pcs
- 표준공급길이 : 3M






QUICK JOINT RACKING SYSTEM


P4040A 40X40 Aluminum Profile




- Weight : 1.607kg/m
- 공급길이 : 4MT/6MT




NEW P4080A 40X80 Aluminum Profile




- Weight : 3.076kg/m
- 공급길이 : 4MT/6MT




NEW P4080B 40X80 Aluminum Profile




- Weight : 2.443kg/m
- 공급길이 : 4MT/6MT




P4545A 45X45 Aluminum Profile




- Weight : 1.554kg/m
- 공급길이 : 4MT/6MT




P4545B 45X45 Aluminum Profile




- Weight : 1.497kg/m
- 공급길이 : 4MT/6MT



P4545C 45X45 Aluminum Profile




- Weight : 2.010kg/m
- 공급길이 : 4MT/6MT




금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

LIFTING DEVICE



LIFTING DEVICE




LIFTING DEVICE의 특징

중량물이 담긴 제품을 투입하여 상/하층으로 배출시켜야 하는 경우 신제품 승강장치용 부품과
기존 알루미늄 랙 시스템의 모든 부품을 장착하여 승강장치를 구성할 수 있습니다.


- 시중 승강장치보다 외관이 미려하고 조립이 간단합니다.
- 철재 랙 대비 가볍습니다. <철재랙 대비 1/3수준>
- 스프로킷, 체인이 구동되는 방식을 <그림1>, <그림2> 같이 선택하여 사용환경에 맞게 구성할 수 있습니다.

그림 1



※ 모터를 사용하여 중량물을 상층 또는 하층으로 흘려보내 다음 작업대로 이송시 적합 합니다.


그림 2




(간이자동화를 위한 무게추 구성)


※ 무게추의 자동복귀 되는 작동을 이용하여 상층에 있는 물건을 하층으로만 흘려보내 다음 작업대로 이송시 유리 하며 간단한 간이자동화 랙 구성이 가능 합니다.

ACY-322A 가이드 레일




- Weight : 1.904kg/m
- Q'ty/Bundle : 2pcs







ACY-322B 가이드 레일 커버



- Weight : 1.047kg/m
- Q'ty/Bundle : 2pcs






ACY-322C 가이드 레일 연결 조인트




- Weight : 0.007kg
- Q'ty/Box : 600pcs



AT2829 T-Slot형 파이프




- Weight : 0.595kg/m
- Q'ty/Bundle : 10pcs




ASR-52 슬롯 롤러



- Weight : 0.034kg
- Q'ty/Box : 450pcs






LIFTING DEVICE


ACY-322D 스프로켓



- Weight : 0.197kg
- Q'ty/Box : 20pcs




체인과 스프로켓 요목표		
종류	구분	치수
롤러 체인	호칭	35
	원주 피치(P)	9.525
	롤러 외경(Dr)	Ø5.08
스프로켓	잇수(N)	26
	피치원 지름(D_p)	Ø79.02
	이뿌리원지름(D_B)	Ø73.94
	이뿌리 거리(D_C)	73.94




ACY-322E 체인 연결 브라켓




- Weight : 0.015kg
- Q'ty/Box : 600pcs







ACPA-V6026A 스프로켓 연결용 조인트





- Weight : 0.032kg
- Q'ty/Box : 300set







GB-03 알루미늄 갭 부쉬



- Weight : 0.006kg
- Q'ty/Box : 420pcs







SN205 스프링 너트





- Weight : 0.007kg
- Q'ty/Box : 1,000pcs






ACY-322F 가이드 레일 안전 커버(좌)






- Weight : 0.302kg/m
- Q'ty/Bundle : 2pcs

ACY-322G 가이드 레일 안전 커버(우)






- Weight : 0.337kg/m
- Q'ty/Bundle : 2pcs

ACY-322H 가이드 레일 안전 커버(윗면)






- Weight : 0.142kg
- Q'ty/Box : 70pcs

TAPPING SCREW 스크류






Part No.	Spec	"D"	"H"	"L"	Application
PW 8x16	M4x16	7	2.5	16	ACY-322F/G/H

- Weight : 0.003kg
- Q'ty/Box : 10,000pcs

WRENCH BOLT 렌치 볼트






Part No.	Spec	"D"	"H"	"L"	Application
M0520W	M5x20	8.5	5	20	ACY-322C
M0615W	M6x15	10	6	15	ACY-322E
M0620W	M6x20	10	6	20	B-001H
M0625W	M6x25	10	6	25	ACY-322D/A-001
M0640W	M6x40	10	6	40	ASR-52


- Weight : 0.007kg
- Q'ty/Box : 3,000pcs

LIFTING DEVICE


COVER 체결 방법




SPROCKET 연결 방법




CHAIN 연결 방법






모터 선정 방법



감속비 선정표

비고		이동 속도 (mm/sec)									
		20	40	60	80	100	120	140	160	180	200
감속비	60 Hz 모터	200:1	100:1	75:1	50:1	40:1	36:1	30:1	25:1	-	20:1
	50 Hz 모터	180:1	90:1	60:1	40:1	36:1	30:1	25:1	-	20:1	18:1

체인 선정표







Chain No.	피치 (P)	롤러링크 내폭(W)	롤러외경 (Dr)	핀				링크 플레이트			KS 파단강도 (kgf)	평균 파단강도 (kgf)	최대 허용하중 (kgf)	개략 중량 (kgf/m)
				경 (d)	길이 (L_1+L_2)	치수 (L_1)	치수 (L_2)	두께 (T)	폭 (H)	폭 (h)				
35	9.525	4.78	5.09	3.59	13.1	5.9	7.2	1.25	9.0	7.8	800	950	220	0.33


금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

ALUMINUM GUIDE RAIL SYSTEM






CASTER 바퀴 진입로



AL GUIDE RAIL 연결 조인트
- AL GUIDE RAIL 길이 연장 가능
- Ø28 AL JOINT 체결 가능




CASTER 바퀴 출입로 멈춤 장치 (탈부착 가능)
- 미장착시 : 선입선출
- 장착시 : 보관용도


ALUMINUM GUIDE RAIL SYSTEM

AGR-001 ALUMINUM GUIDE RAIL



- Weight: 1.390kg/m
- 공급길이 : 4MT
- Q'ty/Bundle : 2pcs







AGR-002 INFEED CAP




- Weight: 0.030kg
- Q'ty/Box : 30pcs







AGR-003 CONNECTING JOINT



- Weight: 0.040kg
- Q'ty/Box : 80pcs







AGR-004 ANCHOR BRACKET



- Weight: 0.011kg
- Q'ty/Box : 400pcs







NEW AGR-005 CONNECTION PLATE (사용자 가공품)




- Weight: 0.453kg/m
- 공급길이 : 4MT
- Q'ty/Bundle : 6pcs








NEW AGR-006 END STOP



- Weight: 0.071kg
- Q'ty/Box : 60pcs







금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

ROLLER TRACK SYSTEM




- ROLLER TRACKS
  - STANDARD ROLLER TRACK
  - SILENT ROLLER TRACK
  - STS COVERED ROLLER TRACK
  - UNIVERSAL ROLLER TRACK
- ROLLER TRACK CAP
- MOUNTING BRACKETS
- SLIDE PIPE MOUNTING BRACKETS
- BOX GUIDE
- BOX GUIDE CAP
- BOX STOPPER

ROLLER TRACKS

ROLLER TRACK 품번표시법

Unit : mm



SPECIFICATION

일반 ROLLER TRACK

Series	Part No.	Body 재질 (mm)	하중 (Kgf)	Roller 직경 (mm)	Shaft 직경 (mm)	Roller 피치 (mm)	구름 각도 (이상)	Roller Color				ESD		표준 길이
								WH	GR	BK	YL	BK	GR	
35 Series	GP3533B	GI	100	Ø28	Ø3	33.33	2.5°	○	○	○	○	○		3MT/4MT
40 Series	GP4036A	GI	150	Ø34	Ø4	36	2.0°	○		○		○		3MT/4MT
	GP4036B							○		○		○		
	GP4050C			Ø49		50		○		○		○		
	GP4050D			Ø43				○		○		○		
	GP4025M			Ø34	Ø3.3	25		○		○		○		
60 Series	GP6016S	GI	100	Ø15	Ø4	16.67	2.5°	○		○		○		3MT/4MT
	GP6033B		150	Ø30		33.33		○		○		○		
	GP6033HA							○						
85 Series	GP8525M	GI	300	Ø34	Ø5	25	2.5°	○		○		○		3MT/4MT
	GP8543B			Ø40		43		○				○		

저소음 ROLLER TRACK

Series	Part No.	Body 재질 (mm)	하중 (Kgf)	Roller 직경 (mm)	Shaft 직경 (mm)	Roller 피치 (mm)	구름 각도 (이상)	Roller Color				ESD		표준 길이
								WH	GR	BK	YL	BK	GR	
25 Series	GPR2528A	AL	60	Ø25	Ø3	28.57	1.5°	○		○		○		3MT/4MT
40 Series	GPR4040A	GI/AL	150	Ø34	Ø4	40	2.0°	○		○		○		3MT/4MT
	GPR4040B							○		○		○		
	GPR4055C			Ø49		55		○		○		○		
	GPRG4040B	AL		Ø34		40		○		○		○		
	GPRJ4040A													
	GPRJ4040B													
	GPRS4040A													
	GPRS4040B													
60 Series	GPR6016S	GI/AL	100	Ø15	Ø4	16.67	2.5°	○		○		○		3MT/4MT
	GPR6033B		150	Ø30		33.33		○		○		○		
	GPR6033HA		150					○						
85 Series	GPR8523S	GI/AL	200	Ø20.5	Ø3.5	22.5	1.5°	○				○		4MT
	GPR8545B		300	Ø40		45		○				○		
	GPR8545HA							○				○		
100 Series	GPR1021BFS	AL	250	Ø17.6	Ø5	21	-						○	2MT/3MT

ROLLER TRACKS

Unit : mm


STS COVERED ROLLER TRACK

Series	Part No.	Body 재질 (mm)	하중 (Kgf)	Roller 직경 (mm)	Shaft 직경 (mm)	Roller 피치 (mm)	구름 각도 (이상)	Roller Color				ESD		표준 길이
								WH	GR	BK	YL	BK	GR	
40 Series	GPR4040SR	GI/AL	150	Ø34	Ø4	40	2.0 °		○					3MT/4MT
85 Series	GPR8523SR	GI/AL	300	Ø20.6	Ø3.5	22.5	1.5 °		○					2MT
	GPR8545SR	GI/AL	300	Ø43	Ø3.5	45	1.5 °		○					2MT
	GP8550SR	GI	300	Ø43	Ø3.5	45	1.5 °		○					2MT

UNIVERSAL ROLLER TRACK

Series	Part No.	Body 재질 (mm)	하중 (Kgf)	Roller 직경 (mm)	Shaft 직경 (mm)	Roller 피치 (mm)	구름 각도 (이상)	Roller Color				ESD		표준 길이
								WH	GR	BK	YL	BK	GR	
40 Series	UR4050	AL	100	Ø43	Ø4	50	2.5°		○			○		3MT
60 Series	UR6067	AL	200	Ø60	Ø5	66.7	3.0°		○			○		2MT

ROLLER 유형별 선택



※ BOX의 노후로 바닥면이 휘어진 경우 B Type은 구름성이 원활치 못함


※ BOX의 노후로 바닥면이 휘어진 경우 HA Type은 구름성이 원활함

ROLLER TRACKS


일반 ROLLER TRACK

Unit : mm

GP3533B Pitch : 33




Material	Body : GI
	Roller : PE
Q'ty/Bundle	10ea



GP4036A Pitch: 36




Material	Body : GI
	Roller : PE
Q'ty/Bundle	10ea



GP4036B Pitch: 36




Material	Body : GI
	Roller : PE
Q'ty/Bundle	10ea




GP4050C Pitch: 50




Material	Body : GI
	Roller : PE
Q'ty/Bundle	10ea



GP4050D Pitch: 50



Material	Body : GI
	Roller : PE
Q'ty/Bundle	10ea




ROLLER TRACKS

Unit : mm

GP4025M Pitch: 25




Material	Body : GI
	Roller : PE
Q'ty/Bundle	10ea




GP6016S Pitch: 16




Material	Body : GI
	Roller : PE
Q'ty/Bundle	6ea




GP6033B Pitch: 33




Material	Body : GI
	Roller : PE
Q'ty/Bundle	6ea



GP6033HA Pitch: 33




Material	Body : GI
	Roller : PE
Q'ty/Bundle	6ea



GP8525M Pitch: 25



Material	Body : GI
	Roller : PE
Q'ty/Bundle	4ea





Unit : mm

GP8543B Pitch: 43



Material	Body : GI
	Roller : PE
Q'ty/Bundle	4ea






저소음 ROLLER TRACK (GI BODY)


Unit : mm

GPR4040A/B-GI 저소음 Roller, Pitch: 40




Material	Body : GI
	Roller : PE
Q'ty/Bundle	10ea







GPR4055C-GI 저소음 Roller, Pitch: 55



Material	Body : GI
	Roller : PE
Q'ty/Bundle	10ea







GPR6016S-GI 저소음 Roller, Pitch: 16



Material	Body : GI
	Roller : PE
Q'ty/Bundle	6ea







GPR6033B-GI 저소음 Roller, Pitch: 33



Material	Body : GI
	Roller : PE
Q'ty/Bundle	6ea







GPR6033HA-GI 저소음 Roller, Pitch: 33



Material	Body : GI
	Roller : PE
Q'ty/Bundle	6ea







Unit : mm

GPR8523S-GI 저소음Roller , Pitch:22.5




Material	Body : GI
	Roller : PE
Q'ty/Bundle	4ea







GPR8545B-GI 저소음Roller , Pitch: 45




Material	Body : GI
	Roller : PE
Q'ty/Bundle	4ea







GPR8545HA-GI 저소음Roller, Pitch: 45



Material	Body : GI
	Roller : PE
Q'ty/Bundle	4ea







저소음 ROLLER TRACK (AL BODY)

Unit : mm


GPR2528A-AL 저소음 Roller, Pitch: 28.6




Material	Body : Aluminum
	Roller : PE
Q'ty/Bundle	14ea



GPR4040A/B-AL 저소음 Roller, Pitch: 40




Material	Body : Aluminum
	Roller : PE
Q'ty/Bundle	10ea



GPR4055C-AL 저소음 Roller, Pitch: 55



Material	Body : Aluminum
	Roller : PE
Q'ty/Bundle	10ea




NEW

GPRJ4040A/B-AL Joint Type Roller Track, Pitch : 40




Material	Body : Aluminum
	Roller : PE
Q'ty/Bundle	10ea




NEW

GPRS4040A/B-AL Screw Type Roller Track, Pitch : 40



Material	Body : Aluminum
	Roller : PE
Q'ty/Bundle	10ea



ROLLER TRACKS


Unit : mm

GPRG4040B Guide Type Roller Track, Pitch : 40

특허출원




Material	Body : Aluminum
	Roller : PE
Q'ty/Bundle	4pcs




ACY-317A Groove Cover




Material	Silicon
Weight	0.064kg/m



GPRG4040B 적용 예



※ Display Panel 적재 및 이동시 사용 내/외측에 실리콘 커버를 장착할 수 있어 제품을 보호할 수 있음.




ROLLER TRACKS


Unit : mm

GPR6016S-AL 저소음 Roller, Pitch: 16




Material	Body : Aluminum
	Roller : PE
Q'ty/Bundle	6ea







GPR6033B-AL 저소음 Roller, Pitch: 33



Material	Body : Aluminum
	Roller : PE
Q'ty/Bundle	6ea







GPR6033HA-AL 저소음 Roller, Pitch: 33



Material	Body : Aluminum
	Roller : PE
Q'ty/Bundle	6ea






ROLLER TRACKS


Unit : mm

GPR8523S-AL 저소음 Roller, Pitch: 22.5



Material	Body : Aluminum
	Roller : PE
Q'ty/Bundle	4ea







GPR8545B-AL 저소음 Roller, Pitch: 45



*구름각도 1.5° 이상대응제품

Material	Body : Aluminum
	Roller : PE
Q'ty/Bundle	4ea







GPR8545HA-AL 저소음 Roller, Pitch: 45



*구름각도 1.5° 이상대응제품

Material	Body : Aluminum
	Roller : PE
Q'ty/Bundle	4ea







GPR1021BFS-AL 저소음 Roller, Pitch: 21



Material	Body : Aluminum
	Roller : Urethane
Q'ty/Bundle	4ea






STS COVERED ROLLER TRACK (GI BODY)


Unit : mm

GPR4040SR-GI STS Covered Roller, Pitch: 40



Material	Body : GI
	Roller : STS+PE
Q'ty/Bundle	10ea







GPR8523SR-GI STS Covered Roller, Pitch: 23



*구름각도 1.5° 이상대응제품

Material	Body : GI
	Roller : STS+ PE
Q'ty/Bundle	4ea







GPR8545SR-GI STS Covered Roller, Pitch: 45



*구름각도 1.5° 이상대응제품

Material	Body : GI
	Roller : STS+ PE
Q'ty/Bundle	4ea







GP8550SR-GI STS Covered Roller, Pitch: 50



Material	Body : GI
	Roller : STS+ PE
Q'ty/Bundle	4ea





ROLLER TRACKS


STS COVERED ROLLER TRACK (AL BODY)


Unit : mm

GPR4040SR-AL STS Covered Roller, Pitch: 40



Material	Body : Aluminum
	Roller : STS+PE
Q'ty/Bundle	10ea







GPR8523SR-AL STS Covered Roller, Pitch: 23



*구름각도1.5° 이상대응제품

Material	Body : Aluminum
	Roller : STS+PE
Q'ty/Bundle	4ea







GPR8545SR-AL STS Covered Roller, Pitch: 45



*구름각도1.5° 이상대응제품

Material	Body : Aluminum
	Roller : STS+PE
Q'ty/Bundle	4ea





- STS COVERED ROLLER TRACK 특징 -

1. 내마모성이 우수함
   - ROLLER 표면이 스테인레스 (STS) 재질로 되어있어 내마모성이 우수.

2. 분진 발생이 없음
   - PLASTIC ROLLER에 비해 BOX와의 마찰에 의한 ROLLER의 분진 발생이 없음.


3. 충격에 강함
   - ROLLER 표면이 스테인레스 (STS) 재질로 충격에 강함.

4. 표면 오염이 없음
   - ROLLER 표면에 이물이나 얼룩을 쉽게 제거하여 깨끗한 상태로 유지가 가능함.


UNIVERSAL ROLLER TRACK


Unit : mm

UR4050-AL Universal Roller, Pitch: 50




Material	Body : Aluminum
	Roller : Acetal
Q'ty/Bundle	6ea







UR6067-AL Universal Roller, Pitch:67



Material	Body : Aluminum
	Roller : Acetal
Q'ty/Bundle	4ea






ROLLER TRACKS

Unit : mm

PR-01 Pipe Roller -L




Material	PE
Weight	0.031kg
Q'ty/Box	150pcs



PR-02 Pipe Roller - S



Material	PE
Weight	0.022kg
Q'ty/Box	210pcs




SR-40 Stop Roller



Material	PE
Weight	0.012kg
Q'ty/Box	450pcs

※ 15mm 의 간격을 두십시요.




SR-60A Stop Roller



Material	Aluminum
Weight	0.046kg
Q'ty/Box	80pcs

※ 10mm의 간격을 두십시요.




SR-85A Stop Roller




Material	Aluminum
Weight	0.078kg
Q'ty/Box	40pcs


※ 10mm의 간격을 두십시요.



〈STOP ROLLER 사용예〉



(투입 전)




(투입후 뒤로 이탈 방지)


ROLLER TRACKS

Unit : mm

DR-40R Decelerating Roller









Material	TPU
Weight	0.035kg
Q'ty/Box	120pcs


Roller 갯수	구름각도별 운반체(Box) Brake중량(Kg)					비 고
	θ =1.5°	θ =2.0°	θ =2.5°	θ =3.0°	θ =3.5°	
1set(2ea)	32Kg	25Kg	6 Kg	4 Kg	2.5 Kg	Roller 하중 =1.4Kgf/ea
2set(4ea)	-	32Kg	12Kg	9 Kg	5 Kg	

ACA-308B 감속장치









- 제동범위 : 10Kgf
- Q'ty/Box : 6set

※ 표준 판매제품은 ACA-308B임


감속장치 모델명	ACA-308A	ACA-308B	ACA-308C
Weight Size	Ø 50	Ø 60	Ø 70
제품 중량(g/Set)	794g	864g	940g
Torque 값 (gf. cm)	160~180gf.cm	280gf.cm	380~400gf.cm


※ 부착된 기본 Weight 외의 제품은 별매임

W-50	W-60	W-70
Ø 50 (75g)	Ø 60 (110g)	Ø 70 (148g)


감속장치 설치 방법


STS & Coated Pipe (Ø28)







Aluminum Pipe






STS & Coated Pipe (Ø28)








ROLLER TRACK CAP


Unit : mm

PRC-25A Roller Track Cap (GPR25 AL Body용)



Material	ABS
Weight	0.002kg
Qty/Box	1,500pcs







PRC-35 Roller Track Cap (GP35 GI Body용)



Material	ABS
Weight	0.004kg
Qty/Box	1,000pcs







PRC-40 Roller Track Cap (GP40 GI Body용)



Material	ABS
Weight	0.005kg
Qty/Box	1,000pcs







PRC-40J Roller Track Cap (GPRJ40, GPRS40 AL Body용)



Material	ABS
Weight	0.005kg
Qty/Box	1,000pcs







PRC-40G Roller Track Cap (GPR40 GI Body용)



Material	ABS
Weight	0.005kg
Qty/Box	1,000pcs






ROLLER TRACK CAP

Unit : mm

PRC-40R Roller Track Cap (Recycle Roller 40Series AL-Gi겸용)




Material	ABS
Weight	0.004 kg
Q'ty/Box	1,000 pcs




PRC-60 Roller Track Cap (GP60 GI Body용)



Material	ABS
Weight	0.006kg
Qty/Box	600pcs







PRC-60A Roller Track Cap (UR60 AL Body용)



Material	ABS
Weight	0.009kg
Qty/Box	600pcs







PRC-60B Roller Track Cap (GPR60 AL Body용)



Material	ABS
Weight	0.009kg
Qty/Box	600pcs







PRC-60G Roller Track Cap (GPR60 GI Body용)



Material	ABS
Weight	0.006kg
Qty/Box	600pcs






ROLLER TRACK CAP


Unit : mm

PRC-85A Roller Track Cap (GPR85 AL Body용)



Material	ABS
Weight	0.010kg
Qty/Box	400pcs







PRC-85G Roller Track Cap (GPR85 GI Body용)



Material	ABS
Weight	0.010kg
Qty/Box	400pcs







PRC-100A Roller Track Cap (GPR100 AL Body용)



Material	ABS
Weight	0.011kg
Qty/Box	400pcs





ROLLER MOUNTING BRACKETS


ROLLER MOUNTING BRACKET (25 Series)


Surface Treatment-WZ
Unit : mm

GP-A25 Roller Mounting Bracket



Material	Steel
Weight	0.082kg
Qty/Box	90pcs







GP-B25 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.096kg
Qty/Box	60pcs







GP-E25 Roller Mounting Bracket / Center Support



Material	Steel
Weight	0.057kg
Qty/Box	120pcs





ROLLER MOUNTING BRACKETS


ROLLER TRACK MOUNTING BRKT (35 Series)


Unit : mm

GP-A35 Roller Mounting Bracket



Material	Steel
Weight	0.111kg
Qty/Box	80pcs







GP-B35 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.132kg
Qty/Box	60pcs







GP-B35-33 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.132kg
Qty/Box	60pcs

조인트위에 조립할수 있는 브라켓







GP-B35-1 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.140kg
Qty/Box	70pcs







GP-B35-1-33 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.140kg
Qty/Box	60pcs

조인트위에 조립할수 있는 브라켓







ROLLER MOUNTING BRACKETS


Unit : mm

GP-C35 Roller Track Union



Material	Steel
Weight	0.148kg
Qty/Box	60pcs







GP-D35 Roller Mounting Bracket / Drop Stop



Material	Steel
Weight	0.130kg
Qty/Box	70pcs







GP-E35 Roller Mounting Bracket / Center Support



Material	Steel
Weight	0.064kg
Qty/Box	120pcs







GP-E35-A12 Roller Mounting Bracket / Center Support




Material	Steel
Weight	0.117kg
Qty/Box	60pcs







GP-HN35 Roller Track Union



Material	Steel
Weight	0.175kg
Qty/Box	36pcs






ROLLER MOUNTING BRACKETS

Unit : mm


GP-M35 Roller Mounting Bracket



Material	Steel
Weight	0.210kg
Qty/Box	30pcs




GP-VA35 Roller Mounting Bracket



Material	Steel
Weight	0.190kg
Qty/Box	45pcs

Roller Track 각도 변경이 가능함



ROLLER MOUNTING BRACKETS


ROLLER MOUNTING BRACKET (40 Series)


Surface Treatment-WZ
Unit : mm

GP-A Roller Mounting Bracket



Material	Steel
Weight	0.141kg
Qty/Box	80pcs







GP-A33 Roller Mounting Bracket




Material	Steel
Weight	0.142kg
Qty/Box	60pcs







GP-APF Roller Mounting Bracket



Material	Steel
Weight	0.124kg
Qty/Box	80pcs

30각 Profile에 체결하는 브라켓







GP-B Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.180kg
Qty/Box	60pcs







GP-B33 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.173kg
Qty/Box	50pcs






ROLLER MOUNTING BRACKETS


Surface Treatment-WZ
Unit : mm

GP-B-1 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.174kg
Qty/Box	50pcs







GP-B-1-33 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.174kg
Qty/Box	40pcs







GP-C Roller Track Union



Material	Steel
Weight	0.121kg
Qty/Box	80pcs







GP-C-1 Roller Track Union / Center Support



Material	Steel
Weight	0.170kg
Qty/Box	40pcs







GP-C-1-33 Roller Track Union / Center Support



Material	Steel
Weight	0.170kg
Qty/Box	32pcs






ROLLER MOUNTING BRACKETS


Surface Treatment-WZ
Unit : mm

GP-CN Roller Track Union




Material	Steel
Weight	0.232kg
Qty/Box	36pcs







GP-DF Roller Mounting Bracket / Drop Stop



Material	Steel
Weight	0.194kg
Qty/Box	50pcs







GP-DF-40 Roller Mounting Bracket / Drop Stop



Material	Steel
Weight	0.220kg
Qty/Box	30pcs

40각 Profile에 체결하는 브라켓







GP-DFJ Roller Mounting Bracket




Material	Steel
Weight	0.194kg
Qty/Box	60pcs







GP-DN Roller Mounting Bracket / Drop Stop



Material	Steel
Weight	0.160kg
Qty/Box	70pcs





ROLLER MOUNTING BRACKETS


Surface Treatment-WZ
Unit : mm


GP-DN33 Roller Mounting Bracket / Drop Stop



Material	Steel
Weight	0.165kg
Qty/Box	70pcs

조인트 위에 체결할수 있는 브라켓







GP-E Roller Mounting Bracket / Center Support



Material	Steel
Weight	0.079kg
Qty/Box	100pcs







GP-E-33 Roller Mounting Bracket / Center Support




Material	Steel
Weight	0.085kg
Qty/Box	100pcs







NEW

GP-E-45 Roller Mounting Bracket



Material	Steel
Weight	0.142kg
Qty/Box	140pcs







GP-EN Roller Mounting Bracket / Center Support



Material	Steel
Weight	0.217kg
Qty/Box	20pcs






ROLLER MOUNTING BRACKETS


Unit : mm

GP-EW Roller Mounting Bracket



Material	Steel
Weight	0.107kg
Qty/Box	70pcs







GP-EW-33 Roller Mounting Bracket



Material	Steel
Weight	0.115kg
Qty/Box	70pcs







GP-F Roller Mounting Bracket



Material	Steel
Weight	0.175kg
Qty/Box	60pcs







GP-F-33 Roller Mounting Bracket



Material	Steel
Weight	0.190kg
Qty/Box	36pcs

조인트 위에 체결할수 있는 브라켓







GP-F-40 Roller Mounting Bracket



Material	Steel
Weight	0.200kg
Qty/Box	50pcs

40각 Profile에 체결하는 브라켓






ROLLER MOUNTING BRACKETS


Unit : mm

GP-FA Roller Mounting Bracket




Material	Steel
Weight	0.19kg
Qty/Box	50pcs







GP-FC Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.200kg
Qty/Box	42pcs

Bolt를 사용하여 쉽게 설치 위치를 변경할 수 있음







GP-G Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.205kg
Qty/Box	40pcs







GP-G-33 Roller Mounting Bracket



Material	Steel
Weight	0.220kg
Qty/Box	30pcs

조인트 위에 체결할수 있는 브라켓







GP-HF Roller Track Union



Material	Steel
Weight	0.230kg
Qty/Box	24pcs






ROLLER MOUNTING BRACKETS

Unit : mm
Surface Treatment-WZ

GP-HN Roller Track Union




Material	Steel
Weight	0.279kg
Qty/Box	30pcs



GP-HN-33 Roller Track Mounting Bracket




Material	Steel
Weight	0.323kg
Qty/Box	30pcs



GP-HP Roller Mounting Bracket




Material	Steel
Weight	0.215kg
Qty/Box	24pcs



GP-HR Roller Mounting Bracket



Material	Steel
Weight	0.191 kg
Q'ty/Box	30 pcs




GP-HS Adjustable Roller to Slide Pipe Union



Material	Steel
Weight	0.200kg
Qty/Box	40pcs

40 Series Roller 상면과 Slide Pipe 면이 동일 면임




ROLLER MOUNTING BRACKETS


Surface Treatment-WZ
Unit : mm

GP-HU Roller Mounting Bracket



Material	Steel
Weight	0.230kg
Qty/Box	30pcs







GP-K Roller Mounting Bracket



Material	Steel
Weight	-
Qty/Box	-

Roller에 Slide Pipe를 사용하여
경사를 줄수 있는 브라켓







GP-L Roller Mounting Bracket



Material	Steel
Weight	0.144kg
Qty/Box	60pcs







GP-L-33 Roller Mounting Bracket



Material	Steel
Weight	0.150kg
Qty/Box	60 pcs

Joint위에 체결할수 있는 브라켓







GP-LW Roller Mounting Bracket



Material	Steel
Weight	0.144kg
Qty/Box	70 pcs





ROLLER MOUNTING BRACKETS


Surface Treatment-WZ
Unit : mm


GP-LW-33 Roller Mounting Bracket



Material	Steel
Weight	0.150kg
Qty/Box	70pcs

Joint위에 체결할수 있는 브라켓







GP-LWB Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.180kg
Qty/Box	50pcs







GP-LWB-33 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.190kg
Qty/Box	50pcs








GP-M Roller Mounting Bracket



Material	Steel
Weight	0.239kg
Qty/Box	30 pcs









GP-NA Roller Mounting Bracket



Material	Steel
Weight	0.100kg
Qty/Box	80 pcs






ROLLER MOUNTING BRACKETS


Surface Treatment-WZ
Unit : mm

GP-NB Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.129kg
Qty/Box	60 pcs







GP-SB Absorber Mounting Bracket




Material	Steel
Weight	0.107kg
Qty/Box	70pcs

가스 스프링을 장착할수 있는 브라켓







GP-VA40 Roller Mounting Bracket



Material	Steel
Weight	0.220kg
Qty/Box	35pcs

Roller Track 각도 변경이 가능함







GP-11 Adjustable Roller Union



Material	Steel
Weight	0.131kg
Qty/Box	60 pcs







GP-12 Adjustable Roller Union



Material	Steel
Weight	0.096kg
Qty/Box	180pcs







Surface Treatment-WZ
Unit : mm

GP-13 Adjustable Roller Union



Material	Steel
Weight	0.173kg
Qty/Box	40pcs







GP-14 Adjustable Roller Union



Material	Steel
Weight	0.096kg
Qty/Box	140pcs





ROLLER MOUNTING BRACKETS


ROLLER MOUNTING BRACKET (60 Series)


Surface Treatment-WZ
Unit : mm

GP-A60 Roller Mounting Bracket



Material	Steel
Weight	0.164kg
Qty/Box	60pcs







GP-A60-33 Roller Mounting Bracket



Material	Steel
Weight	0.164kg
Qty/Box	50pcs

유격방지를 위해
GAP-08을 삽입하세요







GP-APF60 Roller Mounting Bracket



Material	Steel
Weight	0.140kg
Qty/Box	50pcs

40각 Profile에 체결하는 브라켓







GP-B60 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.250kg
Qty/Box	30pcs







GP-B60-33 Roller Mounting Bracket /Tap Stop



Material	Steel
Weight	0.250kg
Qty/Box	20pcs

유격방지를 위해
GAP-08을 삽입하세요






ROLLER MOUNTING BRACKETS


Surface Treatment-WZ
Unit : mm

GP-B60-1 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.220kg
Qty/Box	30pcs







GP-CN60 Roller Track Union



Material	Steel
Weight	0.168kg
Qty/Box	68pcs







GP-D60 Roller Mounting Bracket / Drop Stop



Material	Steel
Weight	0.205kg
Qty/Box	40pcs







GP-D60-33 Roller Mounting Bracket / Drop Stop



Material	Steel
Weight	0.205kg
Qty/Box	40pcs

유격방지를 위해
GAP-08을 삽입하세요







GP-DF60J Roller Mounting Bracket



Material	Steel
Weight	0.174kg
Qty/Box	40pcs







ROLLER MOUNTING BRACKETS


Surface Treatment-WZ
Unit : mm

GP-E60 Roller Mounting Bracket / Center Support



Material	Steel
Weight	0.095kg
Qty/Box	100pcs







GP-E60-33 Roller Mounting Bracket / Center Support



Material	Steel
Weight	0.095kg
Qty/Box	80pcs

유격방지를 위해
GAP-08을 삽입하세요







GP-EN60 Roller Track Union / Center Support



Material	Steel
Weight	0.158kg
Qty/Box	20pcs







GP-EH60 Roller Mounting Bracket / Center Support



Material	Steel
Weight	0.175kg
Qty/Box	50pcs

40series 사용중 GP-60을 사용하고 싶을 때 GP-EH60을 사용하면 Roller 높이를 동일하게 사용할수 있다







GP-FC60 Roller Mounting Bracket



Material	Steel
Weight	0.168kg
Qty/Box	50pcs

Screw를 사용하여 쉽게 설치 위치를 변경할 수 있음






ROLLER MOUNTING BRACKETS

Surface Treatment-WZ
Unit : mm

GP-HN60 Roller Mounting Unoin




Material	Steel
Weight	0.254kg
Qty/Box	35pcs




NEW


GP-J60 Roller Mounting Bracket




Material	Steel
Weight	0.200kg
Qty/Box	35pcs



GP-L60 Roller Mounting Bracket




Material	Steel
Weight	0.187kg
Qty/Box	30pcs



GP-L60W Roller Mounting Bracket



Material	Steel
Weight	0.187kg
Qty/Box	30pcs




GP-L60W-33 Roller Mounting Bracket



Material	Steel
Weight	0.187kg
Qty/Box	30pcs

유격 방지를 위해 GAP-08을 삽입 하세요




ROLLER MOUNTING BRACKETS


Surface Treatment-WZ
Unit : mm

GP-L60WB Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.220kg
Qty/Box	40pcs







GP-M60 Roller Mounting Bracket



Material	Steel
Weight	0.280kg
Qty/Box	30pcs





ROLLER MOUNTING BRACKETS


ROLLER MOUNTING BRACKET (85 Series)


Surface Treatment-WZ
Unit : mm

GP-A85 Roller Mounting Bracket



Material	Steel
Weight	0.205kg
Qty/Box	40pcs







GP-A85-33 Roller Mounting Bracket



Material	Steel
Weight	0.205kg
Qty/Box	40pcs

유격방지를 위해
GAP-08을 삽입하세요







GP-AN85 Roller Mounting Bracket / Drop Stop



Material	Steel
Weight	0.253kg
Qty/Box	40pcs

Roller 높이와 Bracket 동일 높이임







GP-B85 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.300kg
Qty/Box	30pcs







GP-B85-N Roller Mounting Bracket



Material	Steel
Weight	0.170kg
Qty/Box	40pcs





ROLLER MOUNTING BRACKETS


Surface Treatment-WZ
Unit : mm


GP-B85-33 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.300kg
Qty/Box	20pcs

유격방지를 위해
GAP-08을 삽입하세요







GP-B85-1 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.318kg
Qty/Box	20pcs







GP-B85-1-33 Roller Mounting Bracket / Tap Stop




Material	Steel
Weight	0.318kg
Qty/Box	15pcs

유격방지를 위해
GAP-08을 삽입하세요







GP-B85-2 Roller Mounting Bracket / Tap Stop



Material	Steel
Weight	0.300kg
Qty/Box	20pcs







GP-C85 Roller Track Union



Material	Steel
Weight	0.140kg
Qty/Box	70pcs






ROLLER MOUNTING BRACKETS


Surface Treatment-WZ
Unit : mm

GP-C85-1 Roller Track Union / Center Support



Material	Steel
Weight	0.243kg
Qty/Box	20pcs







GP-D85 Roller Mounting Bracket / Drop Stop



Material	Steel
Weight	0.235kg
Qty/Box	30pcs







GP-E85 Roller Mounting Bracket / Center Support



Material	Steel
Weight	0.124kg
Qty/Box	80pcs







GP-E85-33 Roller Mounting Bracket / Center Support




Material	Steel
Weight	0.124kg
Qty/Box	60pcs

유격방지를 위해
GAP-08을 삽입하세요







GP-EN85 Roller Track Union / Center Support



Material	Steel
Weight	0.414kg
Qty/Box	12pcs






ROLLER MOUNTING BRACKETS


Surface Treatment-WZ
Unit : mm

GP-L85W Roller Mounting Bracket



Material	Steel
Weight	0.264kg
Qty/Box	24pcs







GP-L85W-33 Roller Mounting Bracket




Material	Steel
Weight	0.265kg
Qty/Box	24ps

유격방지를 위해
GAP-08을 삽입하세요







NEW GP-LN85 Roller Mounting Bracket



Material	Steel
Weight	0.420kg
Qty/Box	16ps







GP-M85 Roller Mounting Bracket



Material	Steel
Weight	0.410kg
Qty/Box	20pcs







GP-M85-33 Roller Mounting Bracket



Material	Steel
Weight	0.442kg
Qty/Box	20pcs

유격방지를 위해
GAP-08을 삽입하세요





SLIDE PIPE MOUNTING BRACKETS


* Surface Treatment - WZ


Unit : mm

GS-AN Slide Pipe Mount



Material	Steel
Weight	0.106kg
Q'ty/Box	100pcs







GS-A33 Slide Pipe Mount



Material	Steel
Weight	0.106kg
Q'ty/Box	80pcs







GS-BN Slide Pipe Mount / Tap Stop



Material	Steel
Weight	0.130kg
Q'ty/Box	70pcs







GS-B33 Slide Pipe Mount / Tap Stop



Material	Steel
Weight	0.130kg
Q'ty/Box	70pcs







GS-B-1 Slide Pipe Mount / Tap Stop



Material	Steel
Weight	0.116kg
Q'ty/Box	70pcs





SLIDE PIPE MOUNTING BRACKETS


* Surface Treatment - WZ


Unit : mm

GS-B33-1 Slide Pipe Mount / Tap Stop



Material	Steel
Weight	0.116kg
Q'ty/Box	50pcs







GS-C Slide Pipe Mount Guide Bracket



Material	Steel
Weight	0.085kg
Q'ty/Box	80pcs







GS-D Slide Pipe Mount / Drop Stop



Material	Steel
Weight	0.116kg
Q'ty/Box	80pcs







GS-D33 Slide Pipe Mount / Drop Stop



Material	Steel
Weight	0.160kg
Q'ty/Box	80pcs







GS-E Slide Pipe Mount Guide Bracket



Material	Steel
Weight	0.160kg
Q'ty/Box	30pcs





SLIDE PIPE MOUNTING BRACKETS


* Surface Treatment - WZ


Unit : mm

GS-F Box Guide Mount Bracket




Material	Steel
Weight	0.150kg
Q'ty/Box	36pcs







GS-F40 Box Guide Mount Bracket



Material	Steel
Weight	0.180kg
Q'ty/Box	36pcs







GS-G1 Box Guide Mount Bracket



Material	Steel
Weight	0.053kg
Q'ty/Box	100 pcs







GS-G2 Box Guide Mount Bracket



Material	Steel
Weight	0.083kg
Q'ty/Box	70pcs






SLIDE PIPE MOUNTING BRACKETS

Unit : mm


GS-HN Slide Pipe Mount




Material	Steel
Weight	0.177kg
Q'ty/Box	40pcs



GS-HP Slide Pipe Mount




Material	Steel
Weight	0.155kg
Q'ty/Box	50pcs



GS-11 Adjustable Slide Pipe Union



Material	Steel
Weight	0.073kg
Q'ty/Box	150pcs




BOX GUIDE


Unit : mm

SG-28A Box Guide



Material	PVC
Length	3,000mm
Weight	0.420kg/m







SG-2860A Box Guide



Material	PVC
Length	3,000mm
Weight	0.570kg/m







RG-35B Box Guide



Material	PVC
Length	3,000mm
Weight	0.860kg/m







RG-40A Box Guide



Material	PVC
Length	3,000mm
Weight	0.500kg/m







RG-40B Box Guide



Material	PVC
Length	3,000mm
Weight	0.970kg/m






BOX GUIDE


Unit : mm

RG-40B40 Box Guide



Material	PVC
Length	3,000mm
Weight	1.400kg/m







RG-40C Box Guide



Material	PVC
Length	3,000mm
Weight	0.700kg/m







RG-40D Box Guide



Material	PVC
Length	3,000mm
Weight	570kg/m







RG-40E Box Guide



Material	PVC
Length	3,000mm
Weight	0.860kg/m







SG-01 Sheet Guide



Material	PVC
Length	3,000mm
Weight	0.450kg/m

두께 5mm의 보드판넬을 사용하세요





BOX GUIDE


Unit : mm


SG-02 Sheet Guide



Material	PVC
Length	3,000mm
Weight	0.740kg/m

두께 5mm의 보드판넬을 사용하세요







SG-03 Sheet Guide




Material	PVC
Length	3,000mm
Weight	0.490kg/m

두께 5mm의 보드판넬을 사용하세요







CD-28C Cable Duct



Material	PVC
Length	3,000mm
Weight	0.260kg/m







CD-28D Cable Duct




Material	PVC
Length	3,000mm
Weight	0.220kg/m







DP-A Dust Plate



Material	PVC
Length	3,000mm
Weight	0.360kg/m






BOX GUIDE


Unit : mm

AHRG-35B Box Guide-ESD (고하중용)



Material	Aluminum
Length	4,000mm
Weight	1.08kg/m







AHRG-40B Box Guide-ESD (고하중용)



Material	Aluminum
Length	4,000mm
Weight	1.85kg/m







AHRG-60B Box Guide-ESD (고하중용)



Material	Aluminum
Length	4,000mm
Weight	1.18kg/m







ARG-35B Box Guide-ESD



Material	Aluminum
Length	4,000mm
Weight	0.79kg/m







ARG-35BN Box Guide-ESD



Material	Aluminum
Length	4,000mm
Weight	0.81kg/m






BOX GUIDE


Unit : mm

ARG-35C Box Guide-ESD



Material	Aluminum
Length	4,000mm
Weight	0.52kg/m







ARG-40A Box Guide-ESD



Material	Aluminum
Length	4,000mm
Weight	0.53kg/m







ARG-4030BL Box Guide-ESD



Material	Aluminum
Length	4,000mm
Weight	0.87kg/m







ARG-4032AN Box Guide-ESD



Material	Aluminum
Length	4,000mm
Weight	0.67kg/m







ARG-4032BN Box Guide-ESD



Material	Aluminum
Length	4,000mm
Weight	0.63kg/m






BOX GUIDE


Unit : mm

ARG-4035BS Box Guide-ESD (GP-4035BS 전용)



Material	Aluminum
Length	4,000mm
Weight	0.82kg/m







ARG-4045B Box Guide-ESD



Material	Aluminum
Length	4,000mm
Weight	0.91kg/m







ARG-40C Box Guide-ESD



Material	Aluminum
Length	4,000mm
Weight	0.62kg/m







ARG-40D Box Guide-ESD



Material	Aluminum
Length	4,000mm
Weight	0.52kg/m







ARG-40F Box Guide-ESD



Material	Aluminum
Length	4,000mm
Weight	1.11kg/m






BOX GUIDE


Unit : mm

ARG-60C Box Guide- ESD



Material	Aluminum
Length	4,000mm
Weight	0.59kg/m







ASG-28A Box Guide - ESD



Material	Aluminum
Length	4,000mm
Weight	0.380kg/m







ASG-28B Box Guide-ESD (고하중용)



Material	Aluminum
Length	4,000mm
Weight	0.82kg/m







ASG-28C Box Guide-ESD (고하중용)




Material	Aluminum
Length	4,000mm
Weight	0.71kg/m







ASG-2830A Box Guide-ESD



Material	Aluminum
Weight	4,000mm
Q'ty/Box	0.20kg/m






BOX GUIDE CAP


Unit : mm

ASC-V30 Vertical Safety Cap



Material	ABS
Weight	0.001kg
Q'ty/Box	6,000 EA







ASC-V45 Vertical Safety Cap



Material	ABS
Weight	0.002kg
Q'ty/Box	4,000 EA







ASC-H42R Horizontal Safety Cap



Material	ABS
Weight	0.002kg
Q'ty/Box	4,000 EA







ASC-H42L Horizontal Safety Cap



Material	ABS
Weight	0.002kg
Length	4,000 EA





BOX STOPPER

Unit : mm

EWS-( ) WORK STOPPER

STANDARD TYPE (Material-STS)



Part No.	Material	Roller Track	Roller	Weight	Q'ty/Box
EWS-A	STS	GP4036A/B	5	0.056kg	240pcs
EWS-B		GP4050C	4	0.041kg	300pcs
EWS-D		GP4050D	4	0.061kg	160pcs
EWS-E		GP3533B	5	0.036kg	320pcs
EWS-F		GP6033B	5	0.085kg	170pcs
EWS-F2		GP6033B	2	0.046kg	110pcs
EWS-J		GP6016S	10	0.078kg	200pcs
EWS-J2		GP6016S	5	0.050kg	250pcs
EWS-K		GP8543B	4	0.140kg	90pcs

SPECIAL TYPE (Material-STS)




Part No.	Material	Roller Track	Roller	Weight	Q'ty/Box
EWS-AN	STS	GP4036A/B	5	0.086kg	250pcs
EWS-GN2		GP4036A/B	2	0.019kg	200pcs
EWS-MN		GPR8545B/HA	4	0.155kg	30pcs
EWS-PN		GPR2528A	4	0.023kg	410pcs

RECYCLE GI BODY (Meterial-STS)




Part No.	Material	Roller Track	Roller	Weight	Q'ty/Box
EWSR4040	STS	GPR4040A/B	2	0.016kg	200pcs
EWSR6016		GPR6016S	4	0.018kg	200pcs
EWSR6033		GPR6033B/HA	2	0.021kg	200pcs
EWSR8523		GPR8523S	4	0.046kg	200pcs
EWSR8545		GPR8545B/HA	2	0.059kg	72pcs

상자의 흐름을 일시적으로 멈출 경우




빠른 속도로 흐르는 상자를 멈추거나 완화시키는 경우





BOX STOPPER


Unit : mm

BS-01 Box Stopper












Material	Steel
Weight	1.78kg
Q'ty/Box	8pcs










BS-15 Back Stopper Bracket



Material	Steel
Weight	0.105kg
Q'ty/Box	60 pcs








BOX STOPPER


* Surface Treatment - WZ


Unit : mm

MCY-A301 One Touch Stopper -Right




Material	Steel
Weight	0.270kg
Q'ty/Box	36pcs







Single Mount




Double Mount




MCY-E301 One Touch Stopper -Left




Material	Steel
Weight	0.270kg
Q'ty/Box	36pcs







Single Mount




Double Mount



Explode View





BOX STOPPER


* Surface Treatment - WZ


Unit : mm


MCA-305A Back Stopper Bracket




Material	Steel
Weight	0.213kg
Q'ty/Box	30pcs









MCA-308A Manual Box Stopper




Material	Steel
Weight	0.280kg
Q'ty/Box	40pcs



MCA-308B Manual Box Stopper



Material	Steel
Weight	0.280kg
Q'ty/Box	40pcs



BOX STOPPER


* Surface Treatment - WZ

Unit : mm

QS-28 Quick Stopper




Material	Steel
Weight	0.370kg
Q'ty/Box	18pcs



금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

CASTERS



- CASTER
  - THREADED STEM TYPE
  - GRIP RING TYPE
  - FASTENING RUBBER TYPE
  - TOP PLATE TYPE
- AL CASTER
  - FASTENING RUBBER TYPE
  - TOP PLATE TYPE
- FLOOR LOCK

CASTER

CASTERS NUMBERING SYSTEMS

T 36 3 S - 1 B

Stem Type	Series No.	Wheel Size	Type	Wheel Material	Brake
T : Thread G : Grip Ring F : Fastening Rubber P : Top Plate Type	30 32 36 50 60 62 68	2-2" 25-2.5" 3-3" 35-3.5" 4-4" 6-6" 8-8"	S : Swivel R : Rigid	1 : Soft Rubber 2 : Polyurethane 3 : Nylon 4 : Rubber Plastic E : ESD	B : Brake DB : Double Brake S : Stainless BS : STS Brake

THREADED STEM TYPE (경량용)

Design

T302S-2



T302S-2B



T363S-1



T363S-3




T363S-4



Part No.			Wheel Dia (inch)	Wheel Material	Wheel Color	Width(mm)	Bearing	kg	<A>mm	Section	Threaded Specifcation
SWIVEL	BRAKE	ESD									
T302S-1	T302S-1B	T302S-E	2"	Soft Rubber	Black	20	P/B	40	72	Light	½" x12N-15L
T3625S-1	T3625S-1B	T3625-E	2.5"	Soft Rubber	Black	25	C/B	35	87		
T3625S-2	T3625S-2B	-		Polyurethane	Red/Black			45			
T3625S-4	T3625S-4B	-		Rubber Plastic	Gray			40			
T363S-1	T363S-1B	T363S-E	3"	Soft Rubber	Black		P/B	45	99		
T363S-3	T363S-3B	-		Nylon	White			65			
T363S-4	T363S-4B	-		Rubber Plastic	Gray		C/B	55			

Bearing



- ▷ S/B : Special Bearing (캐스터용 볼 베어링)
- ▷ P/B : Plain Nylon (나이론 베어링)
- ▷ C/B : Center Bearing (규격베어링 1개)
- ▷ B/B : Ball Bearing (규격베어링 2개)

Wheel

Soft Rubber 고무



Polyurethane 우레탄



Polyurethane 우레탄



Rubber Plastic 회색고무



Nylon 나이론



THREADED STEM TYPE (경량용)

Design

T503S-2




T503S-2B



Part No.			Wheel Dia (inch)	Wheel Material	Wheel Color	Width(mm)	Bearing	kg	<A>mm	Section	Threaded Specifcation
SWIVEL	BRAKE	ESD									
T503S-1	T503S-1B	T503S-E	3"	Soft Rubber	Black	32	S/B	56	104	Light	½" x12N-25L
T503S-2	T503S-2B	-		Polyurethane	Red/Gray/Black			100			
T504S-1	T504S-1B	T504S-E	4"	Soft Rubber	Black			75	129		
T504S-2	T504S-2B	-		Polyurethane	Red/Gray/Black			100			

Bearing



- ▷ S/B : Special Bearing (캐스터용 볼 베어링)
- ▷ P/B : Plain Nylon (나이론 베어링)
- ▷ C/B : Center Bearing (규격베어링 1개)
- ▷ B/B : Ball Bearing (규격베어링 2개)

Wheel

Soft Rubber 고무



Polyurethane 우레탄



GRIP RING TYPE (경량용)

Design

G813S-2



G813S-2B





G813R-2



Part No.			Wheel Dia (inch)	Wheel Material	Wheel Color	Width(mm)	Bearing	kg	<A>mm	Section	Threaded Specifcation
SWIVEL	BRAKE	RIGID									
G813S-2	G813S-2B	G813R-2	3"	Polyurethane	Gray	32	P/B	75	100	Light	Φ11 X 38mm

Assembly : Pipe + GAP-9 + Grip Ring Caster	GAP-9C	Coated Pipe (Φ28XT1.0)
	GAP-9S	STS/Eco Pipe (Φ28XT0.7)





FASTENING RUBBER TYPE (경량용)

Design

FC/ FS302S-1



FC/ FS302S-1B



FC/ FS302R-1



FC/ FS363S-4B



FC/ FS364S-4



FC/ FS364S-4B




FC/ FS364R-4



Pipe	Part No.			Wheel Dia (inch)	Wheel Material	Wheel Color	Width(mm)	Bearing	kg	<A>mm
	SWIVEL	BRAKE	RIGID							
Coated Pipe	FC302S-1	FC302S-1B	-	2"	Soft Rubber	Black	20	P/B	35	72
	FC303S-1	FC303S-1B	-	3"					45	97
	FC363S-1	FC363S-1B	-	3"	Soft Rubber	Black	25	P/B	45	99
	FC363S-4	FC363S-4B	FC363R-4		Rubber Plastic	Gray		C/B	50	99
	FC364S-1	FC364S-1B	FC364R-1	4"	Soft Rubber	Black		P/B	55	123
	FC364S-4	FC364S-4B	FC364R-4		Rubber Plastic	Gray		C/B	60	123
	FC503S-1	FC503S-1B	-	3"	Soft Rubber	Black	32	S/B	56	104
	FC504S-2	FC504S-2B	-	4"	Polyurethane	Red			85	129
STS/ ECO Pipe	FS302S-1	FS302S-1B	FS302R-1	2"	Soft Rubber	Black	20	P/B	35	72
	FS303S-1	FS303S-1B	FS303R-1	3"					45	97
	FS363S-1	FS363S-1B	-	3"	Soft Rubber	Black	25	P/B	45	99
	FS363S-4	FS363S-4B	FS363R-4		Soft Rubber	Gray		C/B	50	99
	FS364S-1	FS364S-1B	FS364R-1	4"	Soft Rubber	Black		P/B	55	123
	FS364S-4	FS364S-4B	FS364R-4		Rubber Plastic	Gray		C/B	60	123
	FS503S-1	FS503S-1B	-	3"	Soft Rubber	Black	32	S/B	56	104
			FS504R-2	4"	Polyurethane	Red			85	129

* FASTENING RUBBER TYPE : ESD 생산가능.

Bearing




- ▷ S/B : Special Bearing (캐스터용 볼 베어링)
- ▷ P/B : Plain Nylon (나이론 베어링)
- ▷ C/B : Center Bearing (규격베어링 1개)
- ▷ B/B : Ball Bearing (규격베어링 2개)


Remark	Wheel Material : Soft Rubber (Normal) / ESD Soft Rubber	FC : Fastening Rubber-Coated Pipe (ϕ28 x T0.7 / T1.0) FS : Fastening Rubber-STS/Eco Pipe (ϕ28 x T0.7 / T1.2)

조립도

SWIVEL



RIGID



TOP PLATE TYPE (경량용)

Design

P363S-3S



P504S-2



P504S-2B



P504R-2




P504S-2DB



Part No.				Wheel Dia (inch)	Wheel Material	Wheel Color	Width(mm)	Bearing	kg	<A>mm	Plate Dimension(mm)	
SWIVEL	BRAKE	DOUBLE BRAKE	RIGID								Overall <D×E>	Hole <B×C>
P363S-3S (All Stainless)	-	-	-	3"	Nylon	White	25	P/B	65	95	70X60	55X42
P363S-3 (Steel)	-	-	-									
P503S-1	P503S-1B	P503S-1DB	P503R-1	3"	Soft Rubber	Black	32	S/B	56	104	95X64	75X45
P503S-2	P503S-2B	P503S-2DB	P503R-2		Polyurethane	Red/Gray/Black			100			
P504S-1	P504S-1B	P504S-1DB	P504R-1	4"	Soft Rubber	Black			75	129		
P504S-2	P504S-2B	P504S-2DB	P504R-2		Polyurethane	Red/Gray/Black			105			
P505S-1	P505S-1B	P505S-1DB	P505R-1	5"	Soft Rubber	Black			80	156		
P505S-2	P505S-2B	P505S-2DB	P505R-2		Polyurethane	Red/Gray/Black			115			

※ P503 / P504 / P505 Series : ESD 생산가능

Bearing



- ▷ S/B : Special Bearing (캐스터용 볼 베어링)
- ▷ P/B : Plain Nylon (나이론 베어링)
- ▷ C/B : Center Bearing (규격베어링 1개)
- ▷ B/B : Ball Bearing (규격베어링 2개)

Wheel

Soft Rubber 고무



Polyurethane 우레탄




Nylon 나이론




Simple Drawing


SWIVEL



SWIVEL BRACK



RIGID



TOP PLATE TYPE (중량용)

Design

P625S-2



P625S-2B



P625R-2



P686S-2



P666S-2



P666S-2B



P666R-2




P688R-2



Part No.			Wheel Dia (inch)	Wheel Material	Wheel Color	Width(mm)	Bearing	kg	<A>mm	Plate Dimension(mm)	
SWIVEL	BRAKE	RIGID								Overall <D×E>	Hole <B×C>
P624S-2	P624S-2B	P624R-2	4"	Polyurethane	Red	38	B/B	220	136	114X101	80X76
P625S-2	P625S-2B	P625R-2	5"					250	161		
P626S-2	P626S-2B	P626R-2	6"					250	191		
P664S-2	P664S-2B	P664R-2	4"	Polyurethane	Red	50	B/B	320	143	114X101	80X76
P665S-2	P665S-2B	P665R-2	5"					360	165		
P666S-2	P666S-2B	P666R-2	6"					360	187		
P686S-2	P686S-2B	P686R-2	6"	Polyurethane	Red	50	B/B	360	200	159X114	125X62
P688S-2	P688S-2B	P688R-2	8"					400	248		

※ P686 Series : 완충용 Caster


Bearing




- ▷ S/B : Special Bearing (캐스터용 볼 베어링)
- ▷ P/B : Plain Nylon (나이론 베어링)
- ▷ C/B : Center Bearing (규격베어링 1개)
- ▷ B/B : Ball Bearing (규격베어링 2개)

간략도


SWIVEL



SWIVEL BRAKE



RIGID



AL CASTER

CASTERS NUMBERING SYSTEMS

FA 36 3 S 1 B

Stem Type	Series No.	Wheel Size	Type	Wheel Material	Brake
FA : Fastening Rubber PA : Top Plate Type	30 32 36 50	2-2" 3-3" 4-4" 5-5"	S : Swivel R : Rigid	1 : Soft Rubber 2 : Polyurethane 3 : Nylon 4 : Rubber Plastic E : ESD	B : Brake DB : Double Brake S : Stainless BS : STS Brake

AL RACK용 FASTENING RUBBER TYPE (경량용)

FA363S-1



FA363S-1B




FA363R-1



Pipe	Part No. SWIVEL	BRAKE	RIGID	Wheel Dia (inch)	Wheel Material	Wheel Color	Width(mm)	Bearing	kg	<A>mm
Aluminum Pipe	FA302S-1	FA302S-1B	-	2"	Soft Rubber	Black	20	P/B	35	72
	FA303S-1	FA303S-1B	-	3"					45	97
	FA363S-1	FA363S-1B	-	3"	Soft Rubber	Black	25	P/B	45	95
	FA363S-4	FA363S-4B	FA363R-4		Rubber Plastic	Gray		C/B	50	95
	FA364S-1	FA364S-1B	FA364R-1	4"	Soft Rubber	Black		P/B	55	123
	FA364S-4	FA364S-4B	FA364R-4		Rubber Plastic	Gray		C/B	60	123

* FASTENING RUBBER TYPE : ESD 생산가능.

Bearing




- ▷ S/B : Special Bearing (캐스터용 볼 베어링)
- ▷ P/B : Plain Nylon (나이론 베어링)
- ▷ C/B : Center Bearing (규격베어링 1개)
- ▷ B/B : Ball Bearing (규격베어링 2개)


Remark	Wheel Material : Soft Rubber (Nomal) / ESD Soft Rubber	FA : Fastening Rubber Aluminum Pipe

조립도

SWIVEL



RIGID



AL RACK용 TOP PLATE TYPE (경량용)

PA504S-2



PA504S-2B




PA504R-2



Part No.			Wheel Dia (inch)	Wheel Material	Wheel Color	Width(mm)	Bearing	kg	<A>mm	Plate Dimension(mm)	
SWIVEL	BRAKE	RIGID								Overall <D×E>	Hole <B×C>
PA503S-1	PA503S-1B	PA503R-1	3"	Soft Rubber	Black	32	S/B	56	104	95X79	75X45
PA503S-2	PA503S-2B	PA503R-2		Polyurethane	Red/Gray/Black			100			
PA504S-1	PA504S-1B	PA504R-1	4"	Soft Rubber	Black			75	129		
PA504S-2	PA504S-2B	PA504R-2		Polyurethane	Red/Gray/Black			105			
PA505S-1	PA505S-1B	PA505R-1	5"	Soft Rubber	Black			80	156		
PA505S-2	PA505S-2B	PA505R-2		Polyurethane	Red/Gray/Black			115			

※ PA503 / PA504 / PA505 Series : ESD 생산가능

Bearing



- ▷ S/B : Special Bearing (캐스터용 볼 베어링)
- ▷ P/B : Plain Nylon (나이론 베어링)
- ▷ C/B : Center Bearing (규격베어링 1개)
- ▷ B/B : Ball Bearing (규격베어링 2개)

Wheel

Soft Rubber 고무




Polyurethane 우레탄




간략도


SWIVEL



SWIVEL BRACK



RIGID




KH-200 (FLOOR LOCK)

Design

KH200-6



KH200-8




Item No. 품명	전체높이 H	스트로크 K	작동시 높이 H1	전장 L	밑판 P	볼트간 거리 S	볼트홀 B	사용캐스터 높이
KH-200-4	103	27	130~145	150	97X88	70 X 60	10	125~140
KH-200-5	120	27	147~172	150	97 X 88	70 X 60	10	145~165
KH-200-스텐	160	45	205~230	195	120X120	85 X 85	10	188~220
KH-200-6	160	45	205~230	195	120X120	85 X 85	11	188~220
KH-200-8	210	40	250	195	120X120	85 X 85	11	240~245


※ 사용캐스터 높이 : 사용 캐스터의 전체높이가 범위안에 있으면 해당되는 제품은 바퀴부착 하듯이 부착하면 됩니다.

간략도

SWIVEL




스템의 모양



금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

ACCESSORIES



- PIPE REST & PLUG
- CASTER MOUNT & MOUNT CORNER UNIT
- FORK GUIDE & ASS'Y HAUL
- METAL CLAMP
- HOOK & HANGER & HANDLE
- METAL JOINT COVER
- TOOL HOLDER
- ASS'Y PULLEY
- NAME PLATE & LABEL CASE
- LEVELING FOOT
- THREADED INSERT & CAP
- PLASTIC CHANNEL
- FRAME GUIDE
- FASTENERS
- HAND CUTTER
- LIFT TABLE
- OTHERS


* Surface Treatment - WZ


Unit : mm


GS-1250A End Snap Rest



Material	Steel
Weight	0.100kg
Q'ty/Box	90pcs









Tension

GS-1250B End Snap Rest



Material	Steel
Weight	0.100kg
Q'ty/Box	90pcs





Tension


* Surface Treatment - WZ


Unit : mm


HK28WA Pipe Rest



Material	Steel
Weight	0.094kg
Q'ty/Box	90 pcs










HK28WB Pipe Rest



Material	Steel
Weight	0.124kg
Q'ty/Box	70pcs








* Surface Treatment - WZ


Unit : mm

HK28WC Pipe Rest



Material	Steel
Weight	0.121kg
Q'ty/Box	90pcs







GS-2070C Pipe Plug



Material	Steel
Weight	0.120kg
Q'ty/Box	100pcs

Pipe	두께(T)	Part No.
Coated	0.7	GS-2070C-C07
	0.9	GS-2070C-C09
	1.0	GS-2070C-C10
	2.0	GS-2070C-C20
STS/ ECCO	0.7	GS-2070C-S07
	0.9	GS-2070C-S10
	1.2	GS-2070C-S12







GS-2070D Slide Pipe Plug



Material	Steel
Weight	0.200kg
Q'ty/Box	90pcs

Pipe	두께(T)	Part No.
Coated	0.7	GS-2070D-C07
	0.9	-
	1.0	-
	2.0	GS-2070D-C20
STS/ ECCO	0.7	GS-2070D-S07
	0.9	GS-2070D-S10
	1.2	GS-2070D-S12







GS-2070E Slide Pipe Plug



Material	Steel
Weight	0.069kg
Q'ty/Box	100pcs

Pipe	두께(T)	Part No.
Coated	0.7	-
	0.9	GS-2070E-C09
	1.0	-
	2.0	-
STS/ ECCO	0.7	-
	0.9	-
	1.2	-







* Surface Treatment - WZ


Unit : mm

CM-100 Caster Mount Strap



Material	Steel
Weight	0.102kg
Q'ty/Box	150pcs







CM-200 Caster Mount Strap



Material	Steel
Weight	0.107kg
Q'ty/Box	120pcs







CM-200K Caster Mount Strap




Material	Steel
Weight	0.107kg
Q'ty/Box	120pcs







CM-230 Caster Mount Strap




Material	Steel
Weight	0.111kg
Q'ty/Box	100pcs







CM-230K Caster Mount Strap



Material	Steel
Weight	0.150kg
Q'ty/Box	100pcs







* Surface Treatment - WZ


Unit : mm

CM-300 Caster Mount Strap




Material	Steel
Weight	0.078kg
Q'ty/Box	300pcs







CM-330 Caster Mount Strap




Material	Steel
Weight	0.113kg
Q'ty/Box	120pcs






ASC-2834 알미늄 스페이서 (GAP-8 대체용)








- Weight : 0.014kg
- Q'ty/Box : 200pcs


Caster Mount 적용 예




* Surface Treatment - WZ


Unit : mm

MCP-B3-L Mount Corner Plate-Left




Material	Steel
Weight	1.478kg
Q'ty/Box	12pcs







MCP-B3-R Mount Corner Plate-Right




Material	Steel
Weight	1.478kg
Q'ty/Box	12pcs




MCP-C3 Mount Center Plate



Material	Steel
Weight	1.28kg
Q'ty/Box	12pcs








CB-MCP Corner Bumper



Material	Rubber
Weight	0.034kg
Q'ty/Box	150pcs








* Surface Treatment - WZ


Unit : mm

MCP-E Mount Corner Plate



Material	Steel
Weight	1.110kg
Q'ty/Box	12pcs







MCP-F-A/B Metal Corner Plate



Material	Steel
Weight	0.326kg
Q'ty/Box	30pcs







MCP-G Metal Corner Plate




Material	Steel
Weight	0.260kg
Q'ty/Box	40pcs






MCP-G 적용 예




* Surface Treatment - WZ


Unit : mm


MCP-HN-L Mount Corner Plate-Left



Material	Steel
Weight	1.55kg
Q'ty/Box	12pcs









MCP-HN-R Mount Corner Plate-Right




Material	Steel
Weight	1.55kg
Q'ty/Box	12pcs





MCP-KN Mount Center Plate



Material	Steel
Weight	1.30kg
Q'ty/Box	12pcs








* Surface Treatment - WZ


Unit : mm

BC45-A Base Corner




Material	Steel
Weight	1.85kg
Q'ty/Box	8pcs







BC45-A2 Base Corner




Material	Steel
Weight	2.135kg
Q'ty/Box	8pcs







BC45-B Base Corner




Material	Steel
Weight	1.170kg
Q'ty/Box	16pcs







BC45-C Base Corner




Material	Steel
Weight	1.280kg
Q'ty/Box	4pcs





Base Corner 적용 예




* Surface Treatment - WZ


Unit : mm

CS28L Corner Support



Material	Steel
Weight	0.705kg
Q'ty/Box	24pcs








CS28R Corner Support



Material	Steel
Weight	0.750kg
Q'ty/Box	24pcs









* Surface Treatment - WZ


Unit : mm

CM-A Corner Metal



Material	Steel
Weight	0.100kg
Q'ty/Box	60pcs







CM-B Corner Metal



Material	Steel
Weight	0.071kg
Q'ty/Box	60pcs






* Surface Treatment - WZ


Unit : mm

FG-01 Fork Guide



Material	Steel
Weight	2.440kg
Q'ty/Box	2pcs







FG-03 Fork Guide



Material	Steel
Weight	1.770kg
Q'ty/Box	10pcs







* Surface Treatment - WZ

Unit : mm

FG-04 Fork Guide








Material	Steel
Weight	2.300kg
Q'ty/Box	2pcs

Fork Guide 적용 예




* Surface Treatment - WZ


Unit : mm

FS-A Front Haul Ass'y-Spring Type



Material	Steel
Weight	3.400kg
Q'ty/Box	4pcs








RS-A Rear Haul Ass'y-Spring Type



Material	Steel
Weight	1.500kg
Q'ty/Box	4 pcs








* Surface Treatment - WZ


Unit : mm

FQ-B Front Haul Ass'y-Quicking Type



Material	Steel
Weight	3.100kg
Q'ty/Box	4pcs







FQ-B2 Front Haul Ass'y-Long Type




Material	Steel
Weight	3.258kg
Q'ty/Box	4pcs







FQ-BL-1 Front Haul Ass'y




Material	Steel
Weight	2.143kg
Q'ty/Box	4pcs






RQ-B Rear Haul Ass'y-Quicking Type



Material	Steel
Weight	2.100kg
Q'ty/Box	4pcs




* Surface Treatment - WZ

Unit : mm

RQ-C Rear Haul Ass'y-Quicking Type




Material	Steel
Weight	3.380kg
Q'ty/Box	6pcs



FS-AN-1 Front Haul Ring Ass'y




Material	Steel
Weight	2.046kg
Q'ty/Box	6pcs




RS-AN-1 Rear Haul Ring Ass'y



Material	Steel
Weight	1.090kg
Q'ty/Box	24pcs






* Surface Treatment - WZ


Unit : mm

PC-A Base Lock Metal



Material	Steel
Weight	0.063kg
Q'ty/Box	150pcs







PC-BN Pipe Clamp (Single Mount)



Material	Steel
Weight	0.020kg
Q'ty/Box	300pcs







PC-CN Pipe Clamp (Double Mount)




Material	Steel
Weight	0.026kg
Q'ty/Box	400pcs






PC-A 적용 예




* Surface Treatment - WZ


Unit : mm

PC-D Pipe Lock Metal




Material	Steel
Weight	0.157kg
Q'ty/Box	50pcs







PC-E Pipe Clamp



Material	Steel
Weight	0.012kg
Q'ty/Box	400pcs







BL28YA-U Pipe Holder




Material	Steel
Weight	0.076kg
Q'ty/Box	150pcs






PC-D 접이식 작업대 사용 예




* Surface Treatment - WZ

Unit : mm


BH-A Band Hook




Material	Steel
Weight	0.002kg
Q'ty/Box	1000pcs



BH-B Band Hook




Material	Steel
Weight	0.001kg
Q'ty/Box	2000pcs



PH-A Hanger



Material	Steel
Weight	0.006kg
Q'ty/Box	500pcs




PH-B Hanger



Material	Steel
Weight	0.020kg
Q'ty/Box	250pcs

Pipe 방향과 동일한 방향




PH-B1 Hanger



Material	Steel
Weight	0.020kg
Q'ty/Box	250pcs

Pipe 방향과 직각 방향




* Surface Treatment - WZ


Unit : mm

PH-C Hanger



Material	Plastic+Steel
Weight	0.019kg
Q'ty/Box	90pcs







PH-D Hanger




Material	Plastic+Steel
Weight	0.017kg
Q'ty/Box	100pcs








GS-1014CH Sleeve Hanger (2 Hole)



Material	Steel
Weight	0.050kg
Q'ty/Box	70pcs








* Surface Treatment - WZ


Unit : mm

GS-1014AN Sleeve Hanger



Material	Steel
Weight	0.130kg
Q'ty/Box	70 pcs







GS-1014BN Sleeve Hanger



Material	Steel
Weight	0.130kg
Q'ty/Box	70pcs







GS-1024B Sleeve Hanger



Material	Steel
Weight	0.100kg
Q'ty/Box	56pcs







GS-1044B Sleeve Hanger



Material	Steel
Weight	0.155kg
Q'ty/Box	33pcs







GS-1014E Sleeve Hanger



Material	Steel
Weight	0.100kg
Q'ty/Box	70pcs







* Surface Treatment - WZ


Unit : mm

ECH-28A End Cap Hanger




Material	Steel
Weight	0.060kg
Q'ty/Box	70pcs







HM28YA Hanger Metal



Material	Steel
Weight	0.049kg
Q'ty/Box	100pcs







HM28YB Hanger Metal



Material	Steel
Weight	0.040kg
Q'ty/Box	100pcs







F-A Handle (Flat Type)



Material	Steel
Weight	0.020kg
Q'ty/Box	500pcs







R-A Handle (Round Type)



Material	Steel
Weight	0.020kg
Q'ty/Box	400pcs





* Surface Treatment - WZ

Unit : mm


MJC-G1 Metal Joint Cover


특허 출원



Material	Plastic
Weight	0.013kg
Q'ty/Box	150pcs

* Color : Natural






MJC-G2 Metal Joint Cover


특허 출원



Material	Plastic
Weight	0.012kg
Q'ty/Box	280pcs

* Color : Natural






MJC-G3 Metal Joint Cover

특허 출원



Material	Steel
Weight	0.020kg
Q'ty/Box	120pcs

* Color : Natural




MJC-G4 Metal Joint Cover


특허 출원



Material	Plastic
Weight	0.020kg
Q'ty/Box	120pcs

* Color : Natural






MJC-G6S Metal Joint Cover


특허 출원



Material	Plastic
Weight	0.010kg
Q'ty/Box	150pcs

* Color : Natural





* Surface Treatment - WZ


Unit : mm


MJC-G7A Metal Joint Cover



Material	Plastic
Weight	0.008kg
Q'ty/Box	300pcs

* Color : Natural






MJC-G7B Metal Joint Cover



Material	Plastic
Weight	0.008kg
Q'ty/Box	300pcs

* Color : Natural



* Surface Treatment - WZ


Unit : mm

TH40PA Tool Holder



Material	Plastic
Weight	0.087kg
Q'ty/Box	50pcs

*TH40PA : PP (Color : BK)
*TH40PNA : Nylon6
(Color : Dark Gray)




TH50PA Tool Holder



Material	Plastic
Weight	0.087kg
Q'ty/Box	50pcs

*TH50PA : PP (Color : BK)
*TH50PNA : Nylon6
(Color : Dark Gray)




TH50YA Tool Holder



Material	Steel
Weight	0.108kg
Q'ty/Box	25pcs

* Color : WZ




TH60PA/B Tool Holder



Material	Plastic
Weight	0.082kg
Q'ty/Box	50pcs

*TH60PA/B : PP (Color : BK)
*TH60PNA/B : Nylon6
(Color : Dark Gray)




TH65YA Tool Holder



Material	Steel
Weight	0.197kg
Q'ty/Box	25pcs

* Color : WZ




* Surface Treatment - WZ

Unit : mm

GRHA-15R Bearing Pulley Ass'y (Right)




Material	Steel
Weight	0.129kg
Q'ty/Box	-




GRH-15R Pulley Holder BKT (Right)




Material	Steel
Weight	0.055kg
Q'ty/Box	270pcs



GRHA-15L Bearing Pulley Ass'y (Left)




Material	Steel
Weight	0.129kg
Q'ty/Box	-



GRH-15L Pulley Holder BKT (Left)



Material	Steel
Weight	0.055kg
Q'ty/Box	270pcs




* Surface Treatment - WZ

Unit : mm

GRVA-15R Bearing Pulley Ass'y (Right)




Material	Steel
Weight	0.122kg
Q'ty/Box	-




GRV-15R Pulley Holder BKT (Right)




Material	Steel
Weight	0.055kg
Q'ty/Box	240pcs



GRVA-15L Bearing Pulley Ass'y (Left)




Material	Steel
Weight	0.122kg
Q'ty/Box	-



GRV-15L Pulley Holder BKT (Left)



Material	Steel
Weight	0.055kg
Q'ty/Box	240pcs




* Surface Treatment - WZ

Unit : mm


BRA-32 Bearing Pulley




Material	Steel
Weight	0.012kg
Q'ty/Box	1,000pcs



ABRA-32 Aluminum Bearing Pulley (고강도용)




Material	Aluminum
Weight	0.021 kg
Q'ty/Box	400 pcs



GB-02 Gap Bushing




Material	Steel
Weight	0.0061kg
Q'ty/Box	2,000pcs




CP-32 Wire Holder (Wire 이탈방지구)




Material	Steel
Weight	0.004kg
Q'ty/Box	1,500pcs



CPD-32 Cover Pulley Dual




Material	Steel
Weight	0.006kg
Q'ty/Box	500pcs





Unit : mm

NP-A Name Plate




Material	PVC
Weight	0.080kg
Q'ty/Box	180pcs







NP-B Name Plate



Material	PVC
Weight	0.047kg
Q'ty/Box	360pcs







NP-C Name Plate



Material	PVC
Weight	0.035kg
Q'ty/Box	190pcs







NP-D Name Plate



Material	PVC
Weight	0.032kg
Q'ty/Box	190pcs







NP-E Name Plate



Material	PVC
Weight	0.023kg
Q'ty/Box	330pcs







Unit : mm

NP-F Name Plate (GAP-58과 조립하여 사용)



Material	PVC
Weight	0.017kg
Q'ty/Box	1000pcs







NP-F40 Name Plate (GAP-58과 조립하여 사용)




Material	PVC
Weight	0.019kg
Q'ty/Box	1000pcs







NP-G Name Plate (GAP-58과 조립하여 사용)




Material	PVC
Weight	0.026kg
Q'ty/Box	360pcs







NP-H Name Plate (양면테이프 부착형)



Material	PVC
Weight	0.013kg
Q'ty/Box	1000pcs







NP-R Name Plate



Material	PVC
Weight	0.011kg
Q'ty/Box	1000pcs







Unit : mm

NP-K Name Plate



Material	PVC
Weight	0.013kg
Q'ty/Box	300pcs







NP-L Name Plate (양면테이프 부착형)




Material	PVC
Weight	0.020kg
Q'ty/Box	1000pcs







NP-M Name Plate








Material	PVC
Weight	0.016kg
Q'ty/Box	1000pcs





LABEL CASE

Unit : mm

Configuration		Hole	Part No	W	H	Weight (kg)	Q'ty/Box (pcs)
		4 Hole	LA 300*100	300	100	0.040	150
			LA-B 300*120	300	120	0.045	150
			LA-C 300*220 (Horizontal)	300	220	0.084	200
			LA-A3 430*320	430	320	0.177	100
			LC 250*80	250	80	0.024	250
			LC 250*100	250	100	0.030	300
		3 Hole	LC-B 210*80	210	80	0.021	300
			LA-D3 150*60	150	60	0.012	1500
			LA-G 230*95	230	95	0.027	1250
			LA-E 210*100	210	100	0.028	250
		2 Hole	LA2 300*100	300	100	0.040	150
			LA 215*160	215	160	0.045	200
			LA-C2 220*300 (Vertical)	220	300	0.080	200
		1 Hole	LA-D 150*60	150	60	0.012	1500
			LA-H 170*135	170	135	0.030	300
			LA-P 136*40	136	40	0.007	300
			LA-R 105*100	105	100	0.011	500
			LC 180*85	180	85	0.021	300


■ Small-Type

Unit : mm

AD30PA Leveling Foot




Material	Steel&Plastic
Weight	0.035kg
Q'ty/Box	150pcs



AD32WA Leveling Foot




Material	Steel&Plastic
Weight	0.053kg
Q'ty/Box	125pcs




■ Nomal-Type


AD32WB Leveling Foot




Part No.	Material	Threaded	"L"	ESD
AD32WB	Steel (WZ)	1/2"-12N	50	○
AD32WC			100	○
AD32WD			150	○
AD32WB-M		M12-P1.75	50	○
AD32WC-M			100	○



AD50WA Leveling Foot




Part No.	Material	Threaded	"L"	ESD
AD50WA	Steel (WZ)	1/2"-12N	50	○
AD50WB			100	○
AD50WD			150	○
AD50WE			200	○
AD50WA-M		M12-P1.75	50	○
AD50WB-M			100	○



AD50WA-AC Leveling Foot




Part No.	Material	Threaded	"L"	ESD
AD50WA-AC	Steel (WZ)	1/2"-12N	50	○
AD50WB-AC			100	○
AD50WD-AC			150	○
AD50WE-AC			200	○
AD50WA-ACM		M12-P1.75	50	○
AD50WB-ACM			100	○



AD50RAN-H Hexgon Leveling Foot




Part No.	Material	Threaded	"L"	ESD
AD50RAN-H	Steel (WZ)	1/2"-12N	50	X
AD50RAN-HM		M12-P1.75		X




■ STS-Type

Unit : mm


AD35SA Leveling Foot




Part No.	Material	Threaded	"L"	ESD
AD35SA	STS	1/2"-12N	50	○
AD35SB			100	○
AD35SA-M		M12-P1.75	50	○
AD35SB-M			100	○



AD40SPA Rubber Leveling Foot



Part No.	Material	Threaded	"L"	ESD
AD40SPA	STS	1/2"-12N	50	X
AD40SPA-E				○
AD40SPB			100	X
AD40SPB-E				○
AD40SPA-M		M12-P1.75	50	X
AD40SPA-EM			100	○
AD40SPB-M			50	X
AD40SPB-EM			100	○




■ Rubber Pad-Type

AD32RA Rubber Pad Leveling Foot

특허등록



Part No.	Material	Threaded	"L"	ESD
AD32RA	Steel (WZ)	1/2"-12N	50	X
AD32RA-E				○
AD32RB			100	X
AD32RB-E				○
AD32RA-M		M12-P1.75	50	X
AD32RA-EM				○
AD32RB-M			100	X
AD32RB-EM				○




AD50RAN Rubber Pad Leveling Foot


특허등록




Part No.	Material	Threaded	"L"	ESD
AD50RAN	Steel (WZ)	1/2"-12N	50	X
AD50RAN-E				○
AD50RBN			100	X
AD50RBN-E				○
AD50REN			200	X
AD50RAN-M		M12-P1.75	50	X
AD50RAN-EM				○
AD50RBN-M			100	X
AD50RBN-EM				○
AD50RDN-M			150	X



RB-AD37 Rubber Pad(For AD32W)




Material	Rubber
Weight	1,500pcs
Q'ty/Box	0.006kg



RB-AD45 Rubber Absorbent Pad(For AD32W)



Material	Rubber
Weight	2,500pcs
Q'ty/Box	0.011kg



■ Threaded Insert for Metal Rack

Unit : mm

Part No	Classifcation	Application	Colors	Threaded Spec	Material	A	Dimension
BC2807A	Coated Pipe	Ø28×T0.7	White	1/2"-12N	Steel	Ø24.1	
BC2807B				M12-P1.75			
BC2807D				M10-P1.5			
BC2809A		Ø28×T0.9	White	1/2"-12N	Steel	Ø23.6	
BC2809B				M12-P1.75			
BC2810A		Ø28×T1.0	White	1/2"-12N	Steel	Ø23.5	
BC2810B				M12-P1.75			
BC2810D				M10-P1.5			
BC2814A		Ø28×T1.4	White	1/2"-12N	Steel	Ø22.7	
BC2814B				M12-P1.75			
BC2820A		Ø28×T2.0	White	1/2"-12N	Steel	Ø21.9	
BC2820B				M12-P1.75			
BC2820D				M10-P1.5			
BS07A	STS Pipe ECCO Pipe	Ø28×T0.7	White	1/2"-12N	Steel	Ø26.8	
BS07B				M12-P1.75			
BS07D				M10-P1.5		Ø26.3	
BS10A		Ø28×T1.0	White	1/2"-12N	Steel	Ø26.1	
BS10B				M12-P1.75			
BS10D				M10-P1.5			
BS12A		Ø28×T1.2	White	1/2"-12N	Steel	Ø25.5	
BS12B				M12-P1.75			
BS12D				M10-P1.5		Ø25.4	
BS20A		Ø28 X T2.0	White	1/2"-12N	Steel	Ø24	
BS20B				M12-P1.75			
BS20D				M10-P1.5			
BC3210A	Coated Pipe	Ø32×T1.0	White	1/2"-12N	Steel	Ø27.5	
BC3210B				M12-P1.75			
AS2807A	STS Pipe ECCO Pipe	Ø28×T0.7	Gray	1/2"-12N	Aluminum	Ø26.5	
AS2807B				M12-P1.75			
AS2809A		Ø28 X T0.9		1/2"-12N		Ø25	
AS2809B				M12-P1.75			
AC2809A	Coated Pipe	Ø28×T0.9		1/2"-12N		Ø23.8	
AC2809B				M12-P1.75			
AC2814A		Ø28×T1.4		1/2"-12N		Ø22.8	
AC2814B				M12-P1.75			

■ Inner Cap for Metal Rack

Classification		Part No	Colors	Marking	Material	Dimension
Ø28	All Thickness Pipe (Coated & STS Pipe & ECCO Pipe 공용)	GAP-4P-i	Ivory	GAP-4P	Plastic	
		GAP-4P-B	Black			
		GAP-4P-G	Gray			
		GAP-4R-B	Black	GAP-4R		
	Coated Pipe	GAP-4C-i	Ivory	GAP-4C		
		GAP-4C-B	Black			
		GAP-4C-G	Gray			
	STS Pipe ECCO Pipe	GAP-4S-i	Ivory	GAP-4S		
		GAP-4S-B	Black			
		GAP-4S-G	Gray			
Ø32	Coated Pipe	GAP-4310-i	Ivory	GAP-4310		
		GAP-4310-B	Black			
		GAP-4310-G	Gray			


Unit : mm

GAS-07A Steel Cap



Part No.	Material	Pipe	Diameter	Remark
GAS-07A	Steel	Coated Pipe	Ø28 x t0.7	WZ
GAS-10A			Ø28 x t1.0	
GAS-07S		STS/ECCO Pipe	Ø28 x t0.7	
GAS-12S			Ø28 x t1.2	

Weight	0.009kg
Q'ty/Box	600pcs




GAM-07S Metal Cap



Part No.	Material	Pipe	Diameter	Remark
GAM-07S	Steel	STS/ ECCO Pipe	Ø28 x t0.7	WZ

Weight	0.037kg
Q'ty/Box	500pcs




AC2809N Aluminum Cap



Part No.	Material	Pipe	Diameter	Remark
AC2809N	Aluminum	Coated Pipe	Ø28 x t0.9	
AC2814N			Ø28 x t1.4	

Weight	0.024kg
Q'ty/Box	200pcs




OB28AN Threaded Insert



Part No.	Material	Pipe	Diameter	Remark
OB28AN	Steel (WZ)	All Pipe	Ø28	1/2"-12N
OB28BN				M12-P1.75

Weight	0.045kg
Q'ty/Box	200pcs




Unit : mm


RF-01 Rubber Foot



RF-01 : DG (Dark Gray)
RF-01E : ESD (Black)

Part No.	RF-01	RF-01E
Material	Rubber	
Weight	0.035kg	
Q'ty/Box	250pcs	
Remark	Dark Gray	ESD(BK)







RF-02 Rubber Foot









Part No.	RF-02	RF-02(Soft)	RF-02 (ESD)
Material	Rubber		
Weight	0.011kg		
Q'ty/Box	450pcs		
Remark	Black		








Threaded Insert for Aluminum Rack

Unit : mm

Image	Part No	"A" Detail	Application	Colors	Threaded Spec	Material	Configuration
	BA2800A	-	Ø28	Gray	1/2"-12N	Aluminum	
	BA2800B				M12-P1.75		
	BA280LA	○	Ø28	White	1/2"-12N	Steel	
	BA280LB	□			M12-P1.75		
	BA280LD	⬡			M10-P1.5		
	BA280LE	○			M8-P1.25		
	BP2800H	-	Ø28	Gray	Housing	Plastic	
	12각 Nut				M12-P1.75	Steel	
					1/2"-12N		
	BA3300A	○	Ø33	White	1/2"-12N	Steel	
	BA3300B	□			M12-P1.75		
	BA3300D	⬡			M10-P1.5		
	BA4300A	○	Ø43	Gray	1/2"-12N	Aluminum	
	BA4300B	□			M12-P1.75		
	BA4300D	⬡			M10-P1.5		
	BP4300H	-	Ø43	Gray	Housing	Plastic	
	12각 Nut				1/2"-12N	Steel	
					M12-P1.75		

Threaded Insert for AL Profile


Unit : mm

Image	Part No	"A" Detail	Application	Colors	Threaded Spec	Material	Configuration
	BA4040A	-	40x40	Gray	1/2"-12N	Aluminum	
	BA4040B				M12-P1.75		
	BA4040JA	-	40x40	Gray	1/2"-12N	Aluminum	
	BA4040JB				M12-P1.75		
	BA4040JE				M8-P1.2		
	BA4545A	-	45x45	Gray	1/2"-12N	Aluminum	
	BA4545B				M12-P1.75		


Material-PVC

L-Type


Unit : mm

Part No		Thickness	H	W	Weight (kg)	Configuration
Normal	ESD					
AL-1	EAL-1	3	30	50	0.370	
AL-2	EAL-2	4	30	60	0.525	
AL-9	EAL-9	4	30	75	0.618	
AL-5B	EAL-5B	4	50	50	0.544	
AL-6B	EAL-6B	4	50	75	0.656	
AL-8	EAL-8	4	50	100	0.886	
AL-7B	EAL-7B	4	50	150	1.116	
AL-10	EAL-10	4	50	200	1.512	
AL-4	EAL-4	4	80	90	0.978	
AL-5	EAL-5	5	50	50	0.590	
AL-6	EAL-6	5	50	75	0.884	
AL-7	EAL-7	5	50	150	1.510	


T-Type

Part No		Thickness	H	W	Weight (kg)	Configuration
Normal	ESD					
AT-1	EAT-1	4	50	100	0.904	
AT-2	EAT-2	4	100	60	0.906	
AT-3	EAT-3	4	150	60	1.145	


U-Type

Part No		Thickness	W1	W2	H1	H2	Weight (kg)	Configuration
Normal	ESD							
AU-1	EAU-1	3	36	-	36	36	0.454	
AU-2	EAU-2	3	55	-	30	40	0.572	

S-Type

Part No		Thickness	W1	W2	H1	H2	Weight (kg)	Configuration
Normal	ESD							
AS-1	EAS-1	4	32	70	34	25	0.772	
AS-2	EAS-2	5	22	60	30	30	0.580	
AS-3	EAS-3	4	17	50	30	30	0.800	

Pipe-Cover

Part No		Thickness	θ	-	-	-	Weight (kg)	Configuration
Normal	ESD							
PC-01	EPC-01	2.5	75°	-	-	-	0.320	
PC-02	EPC-02	2.5	135°	-	-	-	0.310	


Unit : mm


PFG-28A Panel Frame Guide




Material	TPU
Weight	0.022kg
Q'ty/Box	450pcs

* Color : Blue







PFG-28B Panel Frame Guide



Material	TPU
Weight	0.023kg
Q'ty/Box	450pcs

* Color : Yellow







PFG-28C Panel Frame Guide




Material	TPU
Weight	0.022kg
Q'ty/Box	450pcs

* Color : Blue







PFG-28D Panel Frame Guide




Material	TPU
Weight	0.030kg
Q'ty/Box	200pcs

* Color : Gray







PFG-28E Panel Frame Guide



Material	TPU
Weight	0.018kg
Q'ty/Box	450pcs


* Color : Yellow, Blue






Unit : mm


PFG-28F Panel Frame Guide




Material	TPU
Weight	0.077kg
Q'ty/Box	150pcs



PFG-28G Panel Frame Guide



Material	TPU
Weight	0.089kg
Q'ty/Box	90pcs




CFG-28A Chassis Frame Guide



Material	TPU
Weight	0.021kg
Q'ty/Box	450pcs

* Color : Gray



PFG-P20/40 Panel Frame Guide




〈PFG-P20〉


Material	TPU
Weight	0.044kg
Q'ty/Box	300pcs

〈PFG-P40〉


Material	TPU
Weight	0.036kg
Q'ty/Box	300pcs



PFG-P30 Panel Frame Guide



Material	TPU
Weight	0.041kg
Q'ty/Box	300pcs



ACCESSORIES FASTENERS


Unit : mm


Fastener Type	Part No	Item	Spec	Colors	Usage
	TN06W	T-Nut	M6	White	Metal Joint
	TN06B			Black	
	SW04W	Spring Washer	M4	White	Bolt
	SW05W		M5		
	SW06W		M6		
	SW08W		M8		
	SW10W		M10		
	SW13W		M12		
	PW04W	Flat Washer	M4	White	Bolt
	PW05W		M5		
	PW06W		M6		
	PW08W		M8		
	PW10W		M10		
	NN04W	Nylon Nut	M4	White	Bolt
	NN05W		M5		
	NN06W		M6		
	NN08W		M8		
	NN10W		M10		
	NN12W		M12		
	NN05W-i	Inch Nylon Nut	1/2"-12N		
	N04W	Nut	M4	White	Bolt
	N05W		M5		
	N06W-55		M6		
	N08W		M8		
	N10W		M10		
	N12W		M12		


Fastener Type	Part No	Item	Spec	Colors	Usage
	M0610W	M6x10	P1.0	White	Metal Joint
	M0610B			Black	
	M0612W	M6x12		White	
	M0615W	M6x15			
	M0625W	M6x25	P 1.0	White	Metal Joint
	M0625B			Black	
	M0630W	M6x30		White	
	M0630B			Black	
	M0830W	M8x30	P1.25	White	AL Joint
	M0840W	M8x40			
	M1020W	M10Bolt	P1.25	White	Caster
	M1225W	M12Bolt			
	GM835W	M8Bolt	P1.25	White	Caster
	GM840W				Base Lock Metal
	GM845W				
	GM850W				
	GM860W				
	GM870W				
	Gi0532W-12	inch Bolt 32mm	1/2"-12N	White	Caster
	Gi0575W-12	inch Bolt 75mm			Base Lock Metal
	HM0615	Knob Bolt	P1.0	Black	Metal Joint
	HM0620				
	HM0630				

Unit : mm

IN304/305/306 인서트 너트








Part No.	"A" Tap	Remark
IN304	M4	
IN305	M5	
IN306	M6	

- Weight : 0.005kg
- Q'ty/Box : 1000EA

SN304/305/306 스프링 너트








Part No.	"A" Tap	Remark
SN304	M4	
SN305	M5	
SN306	M6	

- Weight : 0.005kg
- Q'ty/Box : 1000EA

IN404/405/406/408 인서트 너트








Part No.	"A" Tap	Remark
IN404	M4	
IN405	M5	
IN406	M6	
IN408	M8	

- Weight : 0.008kg
- Q'ty/Box : 1000EA

IN416 인서트 너트








Part No.	"A" Tap	Remark
IN416	M6	

- Weight : 0.005kg
- Q'ty/Box : 1000EA

SN404/405/406/408 스프링 너트






Part No.	"A" Tap	Remark
SN404	M4	
SN405	M5	
SN406	M6	
SN408	M8	

- Weight : 0.010kg
- Q'ty/Box : 1000EA


* Surface Treatment - WZ

Unit : mm

HC-1 Pipe Hand Cutter



Knife(PK-1) 장착 포함




- Weight : 0.52 Kg
- Q'ty/Box : 21 pcs

PK-1 Pipe Cutter Knife




Bearing 포함



- Weight : 0.016 Kg
- Q'ty/Box : 90 pcs

절 단 범 위	외경 Ø 26~Ø30	비 고
절단 재질 및 두께 - STS Pipe - ECCO Pipe - Coated Pipe	 0.1t~1.4t 0.7t~2.0t 0.7t~2.0t	

* Pipe Hand Cutter용 Knife (HC-1 전용)



Unit : mm

LIFT TABLE

※ 특징

본 제품은 생산 제품의 크기와 작업자의 신체조건에 따라 작업대의 높이 조절이 가능하므로 편리하게 사용 할 수 있습니다.
제작 및 변경이 용이하고 스크류를 이용하여 상하 조절하는 구조이며, 누구나 쉽게 손으로 조정이 가능합니다.



※ 사양


Model	LT-500	LT-750
TABLE SIZE	800X600	1200x800
STROKE	MAX. 200mm	
OPERATION	MANUAL	
LOAD	10Kg	


※ B.O.M (LT-500기준)

PART NO.	PART NAME	UNIT	Q'TY	REMARK
L-500	RAIL	EA	2	
TM16-500	SCREW ASS'Y	EA	1	
GAP-21A	NUT BLOCK	EA	1	
GAP-22A	BEARING BLOCK	EA	1	
BB01	BALL BEARING	EA	4	
HD-80	HANDLE	SET	1	
S2807	PIPE	MT	-	Size에 따라 변동
GAP-4P	INNER CAP	EA	4	
GAP-12	SLEEVE	EA	10	
GA-1S	JOINTS	SET	10	
GA-12S	JOINTS	SET	10	
PS-A	JOINTS	SET	2	
BS07B	THREADED INSERT	EA	8	
M1225W	BOLT	EA	8	
SW13W	WASHER	EA	4	

※ LT-750 일때는 Rail만 변경합니다.

※ 간략도






Unit : mm

LIFT TABLE COMPONENTS

L-500 Rail






- Weight : 0.912kg
- Q'ty/BOX : 25pcs

L-750 Rail






- Weight : 1.37kg
- Q'ty/BOX : 40pcs

TM16-500 Screw ass'y






- Weight : 0.570kg
- Q'ty/BOX : 40pcs


BB01 Ball bearing






- Weight : 0.060kg
- Q'ty/BOX : 84pcs


GAP-21A Nut block






- Weight : 0.133kg
- Q'ty/BOX : 42pcs


GAP-22A Bearing block






- Weight : 0.115kg
- Q'ty/BOX : 42 pcs

HD-80 Handle





- 0.180kg
- Q'ty/Box: 30set

HANDLE 부품표


품명	규격	수량	비고
Wheel	Ø80 x M06	1	
Handle	M6,L=60	1	
Key	4 x 4 x 15	1	
Wrench Bolt	M4 x 10	2	
SNAP RING	SN12	1	

Unit : mm


MB-15 Monitor Bracket (VESA Hole 기준)



Material	Steel
Weight	0.350kg
Q'ty/Box	20pcs




Monitor Bracket 적용 예



WR-19/22 Caster용 Spanner



Material	Steel
Weight	0.091kg
Q'ty/Box	50pcs





Unit : mm

DL-15 Door Latch





Material	Steel
Weight	0.305kg
Q'ty/Box	40pcs






Door Latch 적용 예









Unit : mm

TC-28 Tool Cap




Material	Rubber
Weight	0.012kg
Q'ty/Box	450pcs







PS-A Rotating Cross Joint



Material	Steel
Weight	0.128kg
Q'ty/Box	96pcs







PS-B Rotating Cross Joint



Material	Steel
Weight	0.104kg
Q'ty/Box	96pcs







PS-C Rotating Cross Joint



Material	Steel
Weight	0.105kg
Q'ty/Box	70pcs







SC-2845 Shaft Cylinder



Material	Steel
Weight	0.190kg
Q'ty/Box	90pcs





* Surface Treatment - WZ


Unit : mm


RCP-32 Roller Conveyor Pulley Bearing



Material	Plastic
Weight	0.017kg
Q'ty/Box	100pcs

* Color : Blue







BUSH-12 Sleeve Bushing (Metal)




Material	Steel
Weight	0.035kg
Q'ty/Box	120pcs

조립 가능 조인트 :
G-12S, G-17S, G-18S,
G-24S, G-25C, G-22S







FB-28 Folding Bracket




Material	Steel
Weight	0.155kg
Q'ty/Box	50pcs







FB-28B Folding Bracket



Material	Steel
Weight	0.197kg
Q'ty/Box	34pcs







MCY-304A Metal Stopper



Material	Steel
Weight	0.038kg
Q'ty/Box	150pcs





* Surface Treatment - WZ


Unit : mm

AD-SM Stanchion Mount Single



* M6 BOLT포함


Material	Steel
Weight	0.198kg
Q'ty/Box	20pcs



AP-50 Anchor Plate (진동 및 충격에 의한 이동방지용)




Material	Steel
Weight	0.052kg
Q'ty/Box	220pcs



AP-60 Anchor Plate




Material	Steel
Weight	0.052kg
Q'ty/Box	220pcs



MCY-306A Pipe Anchor Bracket




Material	Steel
Weight	0.112kg
Q'ty/Box	24pcs



AP-50 활용 예








* Surface Treatment - WZ


Unit : mm

MCY-304B Name Plate Holder



Material	Steel
Weight	0.021kg
Q'ty/Box	250pcs







HC28A Hole Cup-A



Material	Steel
Weight	0.300kg
Q'ty/Box	20pcs







HC40 Hole Cup




Material	Steel
Weight	0.394kg
Q'ty/Box	-

원형 Pipe 또는 사각 Pipe를 용접하여
Trolley를 2단 적재 할 경우 사용





Hole Cup 적용 예




* Surface Treatment - WZ


Unit : mm

PHR-28 Hang Roller




Material	Steel
Weight	0.045kg
Q'ty/Box	50pcs






Hang Roller 적용 예




* Surface Treatment - WZ


Unit : mm

HG-D Hinge Metal



Material	Steel
Weight	0.052kg
Q'ty/Box	100pcs







HG-D-BR Hinge Metal



Material	Steel
Weight	0.052kg
Q'ty/Box	100pcs







MCY-N302 Corner Bumper




Material	TPU
Weight	0.323kg
Q'ty/Box	150pcs

* Color : Gray





적용 예



* Surface Treatment - WZ


Unit : mm


RB-2880A Ring Bumper



Material	Rubber
Weight	0.060kg
Q'ty/Box	150pcs

* Color : White







RB-3480A Ring Bumper




Material	Rubber
Weight	0.065kg
Q'ty/Box	150pcs

* Color : Yellow







Ring Bumper (RB-2880A) 적용 예



Ring Bumper (RB-3480A) 적용 예





* Surface Treatment - WZ


Unit : mm


HP-30L Holder Panel



Material	Plastic
Weight	0.030kg
Q'ty/Box	200pcs

* M4 Bolt/M4 Nut (별매)
* Color : Yellow






HP-30R Holder Panel



Material	Plastic
Weight	0.022kg
Q'ty/Box	400pcs

* M4 Bolt/M4 Nut (별매)
* Color : Yellow






RS-28 Safety Reflector




Material	Plastic
Weight	0.030kg
Q'ty/Box	100pcs

* Color : Yellow

Pipe 측면에 반사판을 부착 하여 야간 안전사고 방지







MG21JE-S Separator



Material	Steel
Weight	0.180kg
Q'ty/Box	100pcs







* Surface Treatment - WZ

Unit : mm


WR-200 Wire Rack






Part No	Pipe	"A"	Weight	Q'ty/Box
WR-200	Ø28	235	0.182kg	25pcs
WR-300		335	0.230kg	80pcs
WR-400		435	0.271kg	30pcs


Wire Rack 적용 예



WL-250 Wire Latch



Material	Steel (PVC 코팅)
Weight	0.139kg
Q'ty/Box	150pcs




* Surface Treatment - WZ

Unit : mm

LK28A Pipe Connector (Coated Pipe)




Material	Steel
Weight	0.046kg
Q'ty/Box	120pcs



LK28B Pipe Connector (Coated Pipe t0.7)




Material	Steel
Weight	0.085 kg
Q'ty/Box	80 pcs



LK28S Pipe Connector (STS/ECCO Pipe)




Material	Steel
Weight	0.046kg
Q'ty/Box	120pcs




금성에이스산업주식회사
G.S.ACE INDUSTRY CO., LTD.

TECHNICAL SPECIFICATIONS



- METAL RACKING SYSTEM
- ALUMINUM RACKING SYSTEM
- ROLLER TRACK SYSTEM

BENDING STRENGTH FOR PIPE




Test Condition 1. Test Speed : 5mm / min
2. Temperature : 23℃

Coated Pipe	L = 500mm		L = 1000mm	
	권장 하중 (2.5mm 변형)	탄성 한계 하중 (항복 하중)	권장 하중 (5mm 변형)	탄성 한계 하중 (항복 하중)
Φ28 x t0.7	85 kgf	195 kgf	30 kgf	120 kgf
Φ28 x t0.9	85 kgf	250 kgf	35 kgf	120 kgf
Φ28 x t1.4	105 kgf	385 kgf	55 kgf	185 kgf
Φ28 x t2.0	140 kgf	460 kgf	45 kgf	230 kgf

STS Pipe	L = 500mm		L = 1000mm	
	권장 하중 (2.5mm 변형)	탄성 한계 하중 (항복 하중)	권장 하중 (5mm 변형)	탄성 한계 하중 (항복 하중)
Φ28 x t0.7	100 kgf	190 kgf	45 kgf	110 kgf
Φ28 x t0.9	120 kgf	270 kgf	55 kgf	135 kgf
Φ28 x t1.2	145 kgf	390 kgf	65 kgf	185 kgf

ECCO Pipe	L = 500mm		L = 1000mm	
	권장 하중 (2.5mm 변형)	탄성 한계 하중 (항복 하중)	권장 하중 (5mm 변형)	탄성 한계 하중 (항복 하중)
Φ28 x t0.7	70 kgf	140 kgf	40 kgf	95 kgf
Φ28 x t0.9	110 kgf	200 kgf	40 kgf	120 kgf
Φ28 x t1.2	125 kgf	300 kgf	50 kgf	180 kgf
Φ28 x t2.0	195 kgf	465 kgf	60 kgf	240 kgf

HOLDING FORCE




Test Condition

1. Test Speed : 5mm / min
2. Temperature : 23℃

Classifcation	Coated Pipe		STS Pipe	
	Ø28 x t0.7	Ø28 x t0.9	Ø28 x t0.7	Ø28 x t1.2
Direction : X	More than 80 kgf	More than 80 kgf	More than 80 kgf	More than 80 kgf
Direction : Y	More than 80 kgf	More than 80 kgf	More than 80 kgf	More than 80 kgf

DETERMINING STANDARD PIPE LENGTH

Metal Joint




ℓ = 1000 - (70+2) = 928(mm)

Case of Ø28mm

1000mm	Center Measurement (L)
-70mm	Pipe Lenght Inside Joint (35mm x 2)
-2mm	Extra Measurement (2mm~5mm)
928mm	Pipe Length (ℓ)

Plastic Joint




ℓ = 1000 - (40+2) = 958(mm)

Case of Ø28mm

1000mm	Center Measurement (L)
-40mm	Pipe Lenght Inside Joint (20mm x 2)
-2mm	Extra Measurement (2mm~5mm)
958mm	Pipe Length (ℓ)


METAL JOINT HOLDING FORCE & MOMENT

GA-1S




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	25
	My	120

GA-2S




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	30
	My	120

GA-4S




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	30
	My	120

GA-6S




발거력 (kgf)	Fx	80
모멘트 (kgf) (L=110mm)	Mx	25
	My	40

GA-9S




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	40
	My	200

GA-13S




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	15
	My	60

GA-90S




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	10
	My	70

GA-103




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	30
	My	120

GA-104










발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	80
	My	120



PIPE BENDING STRENGTH






* 일자형 조인트 (Outer)로 체결하여 측정한 결과임.
* 일자형 조인트 (Outer)로 체결할 수 없는 파이프는 일자형 조인트 (Inner) 로 체결하여 측정함.




External Size	Part No.	TYPE	L = 500mm		L = 1,000mm		Weight (g/m)	Second Section Moment ($x10^4$ mm^4)	Applied Joint
			권장 하중 (2.5mm 변형)	탄성 한계 하중 (항복 하중)	권장 하중 (5mm 변형)	탄성 한계 하중 (항복 하중)			
Ø28	**AP2810B**		70	170	25	110	295	Ix : 0.74 Iy : 0.88	B-001H
	AP2812		115	300	40	170	380	Ix: 1.03 Iy: 1.03	A-001
	AP2812R		205	405	80	250	605	Ix : 7.22 Iy : 1.23	B-001H
	AP2820	X→	120	330	45	165	440	Ix: 1.32 Iy: 1.06	A-001
		Y↓	135	350	45	180			
	AP2829		140	395	50	230	495	Ix: 1.33 Iy: 1.33	A-001
	AP2812H		150	430	60	240	735	Ix: 1.54 Iy: 1.54	A-001
	AR2812		130	245	45	145	375	Ix: 1.13 Iy: 1.13	A-001C
	AR2820		130	275	45	150	445	Ix: 1.30 Iy: 1.30	A-001C
	AR2829		155	355	50	190	490	Ix: 1.46 Iy: 1.46	A-001C
	AL2812		100	200	45	110	335	Ix : 0.98 Iy : 0.87	A-001C
	AL2813		120	215	40	115	335	Ix: 1.05 Iy: 1.05	A-001C
	AL2818		145	295	45	165	395	Ix: 1.21 Iy: 1.21	A-001C
	ACF2812		55	195	20	100	355	Ix: 1.57 Iy: 1.34	GS-AN
	ALS2812		55	155	20	85	360	Ix: 1.82 Iy: 1.21	GS-AN

External Size	Part No.	TYPE		L = 500mm 권장 하중 (2.5mm 변형)	L = 500mm 탄성 한계 하중 (항복 하중)	L = 1,000mm 권장 하중 (5mm 변형)	L = 1,000mm 탄성 한계 하중 (항복 하중)	Weight (g/m)	Second Section Moment ($x10^4$ mm^4)	Applied Joint
Ø28	AFS2810			90	190	40	105	295	Ix: 1.89 Iy: 1.89	A-001C
	AFS2812			110	225	40	135	375	Ix: 1.06 Iy: 1.06	A-001C
	AQ2812			85	180	45	120	370	Ix: 1.09 Iy: 1.10	A-001C
	ALF2812			170	395	50	185	670	Ix: 3.46 Iy: 3.46	B-001H
	ALF2812B			170	380	50	170	630	Ix: 3.50 Iy: 2.95	B-001H
	ATF2812			175	425	50	180	700	Ix: 3.72 Iy: 3.10	B-001H
	ATF2812B			155	430	60	190	1,080	Ix : 7.05 Iy : 2.16	B-001H
	AD2812		X→	260	395	150	315	780	Ix: 2.04 Iy: 1.94	A-009
			Y↓	115	425	45	215			
	AD2829		X→	460	645	195	455	1,140	Ix: 3.09 Iy: 2.68	B-001H
			Y↓	170	495	55	260			
	AD2812H		X→	475	1095	230	955	1,365	Ix: 2.40 Iy: 3.28	A-009
			Y↓	205	535	65	305			
	AGP-28A			100	220	40	115	460	Ix: 0.97 Iy: 0.97	A-001C
	AGP-28B		X→	100	255	45	130	495	Ix: 1.05 Iy: 0.96	A-001C
			Y↓	115	270	45	135			
	AGP-28C		X→	55	140	35	100	375	Ix : 0.83 Iy : 0.83	A-001C
			Y↓	60	150	35	100			
	AT2829			80	320	30	155	580	Ix: 0.95 Iy: 1.63	A-001
	ASGP-08		X→	120	285	30	160	440	Ix: 1.78 Iy: 1.10	B-001H
			Y↓	95	275	40	150			
	ASJ2848A			175	425	45	190	700	Ix : 2.24 Iy : 5.57	B-001H
	ASJ2929A			135	425	40	200	625	Ix : 1.93 Iy : 1.91	B-001H


External Size	Part No.	TYPE		L = 500mm		L = 1,000mm		Weight (g/m)	Second Section Moment ($x10^4$ mm^4)	Applied Joint
				권장 하중 (2.5mm 변형)	탄성 한계 하중 (항복 하중)	권장 하중 (5mm 변형)	탄성 한계 하중 (항복 하중)			
Ø19	AP1914			40	110	15	55	200	Ix : 0.26 Iy : 0.26	A-1902
	AD1914		X→	153	260	60	160	429	Ix : 0.53 Iy : 2.86	B-1902
			Y↓	40	140	15	60			
	AT1914			20	70	5	20	246	Ix : 0.19 Iy : 0.34	A-1902
	ALF1914			45	130	15	80	334	Ix : 1.14 Iy : 0.83	B-1902
Ø33	AP3315			160	380	65	220	455	Ix : 1.76 Iy : 1.76	A-301
	AP3315H			205	595	80	305	895	Ix : 2.43 Iy : 2.43	A-301
Ø43	AP4319C			325	735	130	435	795	Ix : 5.07 Iy : 5.07	A-401
	AP4319H			360	840	160	550	1,280	Ix : 6.18 Iy : 6.17	A-401
	AR4312			145	300	90	225	695	Ix : 5.13 Iy : 5.13	B-401
	AQ4320			260	610	105	365	900	Ix : 6.16 Iy : 6.73	B-401
	AD4319		X→	630	1,050	355	918	1,885	Ix : 11.45 Iy : 6.16	B-401
			Y↓	315	1,470	135	735			

External Size	Part No.	TYPE	L = 500mm		L = 1,000mm		Weight (g/m)	Second Section Moment ($x10^4$ mm^4)	Applied Joint
			권장 하중 (2.5mm 변형)	탄성 한계 하중 (항복 하중)	권장 하중 (5mm 변형)	탄성 한계 하중 (항복 하중)			
28X28	ASQ2812A		130	400	45	185	565	Ix : 1.83 Iy : 1.83	C-001
	ASQ2812AN		105	305	35	140	450	Ix : 1.49 Iy : 1.49	C-001
	ASQ2812B		130	435	40	235	665	Ix: 1.79 Iy: 2.55	C-001
	ASQ2812C		130	425	45	185	590	Ix: 1.82 Iy: 2.20	C-001
	ASQ2812D		150	425	45	195	555	Ix: 1.95 Iy: 1.95	C-001
	ASQ2812E		135	360	40	165	520	Ix: 1.79 Iy: 1.41	C-001
	ASQ2812EN		105	280	35	145	430	Ix : 1.40 Iy : 1.25	C-001
	ASQ2812F		170	405	50	215	645	Ix: 2.11 Iy: 3.21	C-001
	AST2828D		145	445	50	155	870	Ix : 2.59 Iy : 2.59	C-001T




External Size	Part No.	TYPE		L = 500mm		L = 1,000mm		Weight (g/m)	Second Section Moment ($x10^4$ mm^4)	Applied Joint
				권장 하중 (2.5mm 변형)	탄성 한계 하중 (항복 하중)	권장 하중 (5mm 변형)	탄성 한계 하중 (항복 하중)			
40X40	ASJ4040A		X→	340	750	105	410	1,190	Ix: 6.85 Iy: 6.85	D-001
			Y↓	310	700	110	445			
	ASJ4040B		X→	300	625	115	405	1,210	Ix: 6.98 Iy: 6.89	D-001
			Y↓	345	625	115	380			
	ASJ4040C		X→	345	780	110	385	1,185	Ix: 7.73 Iy: 7.51	D-001
			Y↓	350	710	115	370			
	ASJ4040D			315	895	110	425	1,175	Ix: 7.72 Iy: 7.72	D-001
	ASJ4040E		X→	280	640	105	370	1,145	Ix: 6.08 Iy: 6.03	D-001
			Y↓	300	600	100	350			
	ASJ4040R		X→	270	590	100	350	1,125	Ix: 5.04 Iy: 6.90	D-001
			Y↓	290	700	105	390			
	ASM4040A		X→	330	840	110	400	1.224	Ix: 6.79 Iy: 6.79	D-001
			Y↓	330	780	115	380			
	ASM4040C		X→	330	920	120	465	1,290	Ix: 7.56 Iy: 7.70	D-001
			Y↓	370	945	125	440			
	ASM4040R		X→	260	680	105	335	1,165	Ix: 6.00 Iy: 6.99	D-001
			Y↓	345	860	115	415			
	AST4040A		X→	330	715	115	385	1,185	Ix: 7.13 Iy: 7.13	D-001
			Y↓	370	820	110	415			
	AST4040D			295	975	110	475	1,260	Ix: 7.67 Iy: 7.67	D-001

External Size	Part No.	TYPE		L = 500mm 권장 하중 (2.5mm 변형)	L = 500mm 탄성 한계 하중 (항복 하중)	L = 1,000mm 권장 하중 (5mm 변형)	L = 1,000mm 탄성 한계 하중 (항복 하중)	Weight (g/m)	Second Section Moment ($x10^4$ mm^4)	Applied Joint
45X45	ASJ4545A		X→	365	950	135	490	1,320	Ix: 9.10 Iy: 9.10	E-001
			Y↓	360	780	140	495			
	ASJ4545C		X→	425	1,005	140	510	1,410	Ix: 11.37 Iy: 10.59	E-001
			Y↓	350	985	160	525			
	ASJ4545D			480	1,120	165	565	1,495	Ix: 12.42 Iy: 12.42	E-001
	ASM4545C		X→	375	960	170	625	1,590	Ix: 12.35 Iy: 11.69	E-001
			Y↓	480	965	155	635			
	AST4545A		X→	425	1,020	165	590	1,510	Ix: 11.41 Iy: 11.41	E-001
			Y↓	480	1,195	170	590			
	AST4545D			450	1,030	165	660	1,605	Ix: 12.47 Iy: 12.47	E-001


PIPE BENDING STRENGTH



※ 모든 PROFILE은 Quick Joint (Q-490)을 체결하여 측정한 결과임.


External Size	Part No.	TYPE		L = 500mm		L = 1,000mm		Weight (g/m)	Second Section Moment ($x10^4$ mm^4)	Applied Joint
				권장 하중 (2.5mm 변형)	탄성 한계 하중 (항복 하중)	권장 하중 (5mm 변형)	탄성 한계 하중 (항복 하중)			
40X40	P4040A			360	1,650	160	560	1,670	Ix: 8.37 Iy: 8.37	Q-490
40X80	P4080A		X→	540	2,250	330	1,510	3,076	Ix: 16.74 Iy: 69.62	Q-490
			Y↓	580	2,480	245	1,250			
	P4080B		X→	330	2,160	350	1,260	2,443	Ix: 15.67 Iy: 58.34	Q-490
			Y↓	540	2,180	230	900			
45X45	P4040A			370	1,580	160	600	1,554	Ix: 11.18 Iy: 11.18	Q-490
	P4040B			360	1,630	160	700	1,497	Ix: 10.54 Iy: 10.54	Q-490
	P4040C			340	1,760	170	840	2,010	Ix: 14.01 Iy: 14.01	Q-490

DETERMINING STANDARD PIPE LENGTH




ALUMINUM PIPE

Unit : mm



Diameter 〈D〉		Item No.	중심 거리 기준 파이프 길이 (C = 1000)		외곽 거리 기준 파이프 길이 (W = 1000)		Remark
			〈A〉	〈L〉	〈B〉	〈L〉	
Ø28		A-1902	26.5	947 (-53)	40	920 (-80)	
		B-1902	26.5	947 (-53)	40	920 (-80)	
		A-001	29	942 (-58)	43	914 (-86)	
		B-001	29	942 (-58)	43	914 (-86)	
Ø19		A-1901	22	956 (-44)	31.5	937 (-63)	
		B-1901	22	956 (-44)	31.5	937 (-63)	
Ø33		A-1902	29	942 (-58)	45.5	909 (-91)	
		B-1902	29	942 (-58)	45.5	909 (-91)	
		A-001	32	936 (-64)	44	912 (-88)	
		B-001	32	936 (-64)	44	912 (-88)	
		A-301	33	934 (-66)	49.5	901 (-99)	
		B-301	33	934 (-66)	49.5	901 (-99)	
Ø43		A-1902	34	932(-68)	55.5	889 (-111)	
		B-1902	34	932(-68)	55.5	889 (-111)	
		A-001	37	926 (-74)	47.5	905 (-95)	
		B-001	37	926 (-74)	47.5	905 (-95)	
		A-301	38	924 (-76)	53	894 (-106)	
		B-301	38	924 (-76)	53	894 (-106)	
		A-401	41.5	917 (-83)	63	874 (-126)	
		B-401	41.5	917 (-83)	63	874 (-126)	

DETERMINING STANDARD PIPE LENGTH




ALUMINUM PIPE

Unit : mm

Diameter 〈D〉		Item No.	중심 거리 기준 파이프 길이 (C = 1000)		외곽 거리 기준 파이프 길이 (W = 1000)		Remark
			〈A〉	〈L〉	〈B〉	〈L〉	
28x28		A-1902	26.5	947 (-53)	40	920 (-80)	
		B-1902	26.5	947 (-53)	40	920 (-80)	
		A-001	29	942 (-58)	43	914 (-86)	
		B-001	29	942 (-58)	43	914 (-86)	
		C-001	29	942 (-58)	43	914 (-86)	
40x40		A-1902	34	932 (-68)	54	892 (-108)	
		B-1902	34	932 (-68)	54	892 (-108)	
		A-001	37	926 (-74)	57	886 (-114)	
		B-001	37	926 (-74)	57	886 (-114)	
		C-001	37	926 (-74)	57	886 (-114)	
		D-001	41.5	917 (-83)	61.5	877 (-123)	
45x45		A-1902	35	930 (-70)	58	884 (-116)	
		B-1902	35	930 (-70)	58	884 (-116)	
		A-001	37	926 (-74)	60.5	875 (-121)	
		B-001	37	926 (-74)	60.5	875 (-121)	
		C-001	37	926 (-74)	60.5	875 (-121)	
		E-001	41.5	917 (-83)	65	870 (-130)	

DETERMINING STANDARD PIPE LENGTH



Ø28 ALUMINUM ANGLE JOINT


Unit : mm

Diameter (D)	Item No.	조인트 수직 체결 기준		조인트 수평 체결 기준		Remark
		A1	L1	A2	L2	
Ø28	A-013L/R B-013L/R	100	95.7	100	65	
		200	237.1	200	206.4	
		300	378.5	300	347.8	
		400	519.9	400	489.2	
		500	661.3	500	630.6	
		600	802.7	600	772	

[Ø28 Aluminum Angle Joint 적용시 Pipe 조립 길이 계산]

※ L1 = 1.414 x A1 − 45.706
※ L2 = 1.414 x A2 − 76.414

DETERMINING STANDARD PIPE LENGTH



Ø19 ALUMINUM ANGLE JOINT


Unit : mm

Diameter 〈D〉	Item No.	조인트 수직 체결 기준		조인트 수평 체결 기준		Remark
		A1	L1	A2	L2	
Ø19	B-1913L/R	100	106.6	100	83.4	
		200	248	200	224.8	
		300	389.4	300	366.2	
		400	530.8	400	507.6	
		500	672.2	500	649	
		600	813.6	600	790.4	

[Ø19 Aluminum Angle Joint 적용시 Pipe 조립 길이 계산]

※ L1 = 1.414 x A1 − 34.760
※ L2 = 1.414 x A2 − 58.020

DETERMINING STANDARD PIPE LENGTH



∅43 ALUMINUM ANGLE JOINT


Unit : mm

Diameter 〈D〉	Item No.	조인트 수직 체결 기준		조인트 수평 체결 기준		Remark
		A1	L1	A2	L2	
∅43	A-413L/R	150	143.2	150	95	
		200	213.9	200	165.7	
		300	355.3	300	307.1	
		400	496.7	400	448.5	
		500	638.1	500	589.9	
		600	779.5	600	731.3	

[Ø43 Aluminum Angle Joint 적용시 Pipe 조립 길이 계산]

※ L1 = 1.414 x A1 − 68.946
※ L2 = 1.414 x A2 − 117.06

DETERMINING STANDARD PIPE LENGTH



∅28 ALUMINUM SWIVEL JOINT


Unit : mm

Diameter 〈D〉	Item No.	조인트 수직 체결 기준			조인트 수평 체결 기준			Remark
		A1	B1	L1	A2	B2	L2	
∅28	AA-007F AA-007R AA-027F AA-027M BA-007F BA-007R	200	200	176	200	200	176	
		300	300	314.1	300	300	314.1	
		400	400	454	400	400	454	
		500	500	594.6	500	500	594.6	
		600	600	735.5	600	600	735.5	
		700	700	876.5	700	700	876.5	

[Ø28 Aluminum Swivel Joint 적용시 Pipe 조립 길이 계산]

※ $L1 = \sqrt{(A-88.42)^2+B^2} - 53$

DETERMINING STANDARD PIPE LENGTH



Ø43 ALUMINUM SWIVEL JOINT

Unit : mm


Diameter 〈D〉	Item No.	조인트 수직 체결 기준			조인트 수평 체결 기준			Remark
		A1	B1	L1	A2	B2	L2	
Ø43	AA-407F BA-407F BA-427F	300	300	277.7	300	300	277.7	
		400	400	415.6	400	400	415.6	
		500	500	555	500	500	555	
		600	600	695.2	600	600	695.2	
		700	700	835.7	700	700	835.7	
		800	800	976.5	800	800	976.5	

[Ø43 Aluminum Swivel Joint 적용시 Pipe 조립 길이 계산]

※ L1 = $\sqrt{(A-129)^2+B^2}$ - 67.6


JOINT HOLDING FORCE & MOMENT

AA-001




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	60
	My	120

AA-001C




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	50
	My	100

AA-002




발거력 (kgf)	Fx	80
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	60
	My	120

AA-003




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	60
	My	120

AA-004




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	60
	My	120

AA-007F/AA-007R




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	50

AA-027F/AA-027M




발거력 (kgf)	Fx	80

AA-009



발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	250
	My	500


AA-013



발거력 (kgf)	Fx	80
	Fy	80


JOINT HOLDING FORCE & MOMENT

AA-021




발거력 (kgf)	Fx	80
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	60
	My	120

AA-023




발거력 (kgf)	Fy	80

AA-028




발거력 (kgf)	Fy	80

AA-090




발거력 (kgf)	Fx	80
모멘트 (kgf) (L=110mm)	Mx	50
	My	100

AA-101




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	50
	My	100

AA-201




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	60
	My	120

AA-204



발거력 (kgf)	Fx	100
	Fy	100
모멘트 (kgf) (L=1,000mm)	Mx	25
	My	30


AA-304



발거력 (kgf)	Fx	100
	Fy	100
모멘트 (kgf) (L=1,000mm)	Mx	12
	My	15


JOINT HOLDING FORCE & MOMENT

AA-1901




발거력 (kgf)	Fx	50
	Fy	100
모멘트 (kgf) (L=110mm)	Mx	15
	My	30

AA-1902




발거력 (kgf)	Fx	60
	Fy	120
모멘트 (kgf) (L=110mm)	Mx	30
	My	60

AA-1909




발거력 (kgf)	Fx	80
	Fy	120
모멘트 (kgf) (L=110mm)	Mx	20
	My	90

AA-1923




발거력 (kgf)	Fy	80

AA-301




발거력 (kgf)	Fx	80
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	60
	My	120

AA-401




발거력 (kgf)	Fx	100
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	80
	My	200

AA-401C




발거력 (kgf)	Fx	100
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	80
	My	200

AA-401W



발거력 (kgf)	Fx	150
	Fy	400
모멘트 (kgf) (L=110mm)	Mx	200
	My	600


AA-407F



발거력 (kgf)	Fx	100
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	80


JOINT HOLDING FORCE & MOMENT

AA-413




발거력 (kgf)	Fx	100
	Fy	200

AA-421




발거력 (kgf)	Fx	150
	Fy	400
모멘트 (kgf) (L=110mm)	Mx	200
	My	600

AA-490



발거력 (kgf)	Fx	100
모멘트 (kgf) (L=110mm)	Mx	200
	My	400


AA-104



발거력 (kgf)	Fx	100
	Fy	100
Moment (kgf) (L=110mm)	Mx	300
	My	500


JOINT HOLDING FORCE & MOMENT

BA-001H




발거력 (kgf)	Fx	100
	Fy	100
모멘트 (kgf) (L=110mm)	Mx	40
	My	80

BA-001C




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	40
	My	80

BA-001T




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	40
	My	80

BA-006




발거력 (kgf)	Fy	80
모멘트 (kgf) (L=110mm)	Mx	40
	My	60

BA-007F/BA-007R




발거력 (kgf)	Fx	50
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	50

BA-027F/BA-027M




발거력 (kgf)	Fx	50

BA-008




발거력 (kgf)	Fy	80

BA-011



발거력 (kgf)	Fy	80


BA-013



발거력 (kgf)	Fx	80
	Fy	80


JOINT HOLDING FORCE & MOMENT

BA-015




발거력 (kgf)	Fx	200
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	80
	My	120

BA-044B




발거력 (kgf)	Fx	80
모멘트 (kgf) (L=500mm)	Mx	50
	My	20
모멘트 (kgf) (L=1,000mm)	Mx	30
	My	10

BA-045




발거력 (kgf)	Fx	500
모멘트 (kgf) (L=110mm)	Mx	100
	My	200

BA-145




발거력 (kgf)	Fx	40
	Fy	40

BA-090




발거력 (kgf)	Fx	80
모멘트 (kgf) (L=110mm)	Mx	50
	My	100

BA-091




발거력 (kgf)	Fx	80
모멘트 (kgf) (L=110mm)	Mx	50
	My	100

BA-101




발거력 (kgf)	Fx	80
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	40
	My	80

BA-106



발거력 (kgf)	Fx	80
모멘트 (kgf) (L=110mm)	Mx	40
	My	60


BA-108



발거력 (kgf)	Fx	80


JOINT HOLDING FORCE & MOMENT

BA-206




발거력 (kgf)	Fy	80

BA-1901




발거력 (kgf)	Fx	40
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	10
	My	20

BA-1902




발거력 (kgf)	Fx	40
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	10
	My	20

BA-1906




발거력 (kgf)	Fx	80
모멘트 (kgf) (L=110mm)	Mx	10
	My	20

BA-1917M




발거력 (kgf)	Fx	60
	Fy	80
모멘트 (kgf) (L=110mm)	Mx	20

BA-1908




발거력 (kgf)	Fy	100

BA-1909




발거력 (kgf)	Fy	200

BA-1913



발거력 (kgf)	Fx	40
	Fy	80


BA-1916



발거력 (kgf)	Fx	80
모멘트 (kgf) (L=110mm)	Mx	35
	My	30


JOINT HOLDING FORCE & MOMENT

BA-1945




발거력 (kgf)	Fx	200
모멘트 (kgf) (L=110mm)	Mx	35
	My	100

BA-1945B




발거력 (kgf)	Fx	200
모멘트 (kgf) (L=110mm)	Mx	25
	My	50

BA-1990




발거력 (kgf)	Fx	40
모멘트 (kgf) (L=110mm)	Mx	10
	My	20

BA-301




발거력 (kgf)	Fx	100
	Fy	150
모멘트 (kgf) (L=110mm)	Mx	50
	My	120

BA-401




발거력 (kgf)	Fx	100
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	80
	My	150

BA-427F




발거력 (kgf)	Fx	100
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	80

BA-427F




발거력 (kgf)	Fy	100

BA-411



발거력 (kgf)	Fy	80


BA-444



발거력 (kgf)	Fx	100


JOINT HOLDING FORCE & MOMENT

BA-445




발거력 (kgf)	Fx	500
모멘트 (kgf) (L=110mm)	Mx	100
	My	200

BA-490




발거력 (kgf)	Fx	100
모멘트 (kgf) (L=110mm)	Mx	100
	My	200

CA-001




발거력 (kgf)	Fx	100
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	50
	My	100

CA-001T




발거력 (kgf)	Fx	100
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	40
	My	80

DA-001



발거력 (kgf)	Fx	100
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	100
	My	120


EA-001



발거력 (kgf)	Fx	100
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	100
	My	120


JOINT HOLDING FORCE & MOMENT

QA-413




발거력 (kgf)	Fx	80
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	50
	My	200

QA-445




발거력 (kgf)	Fx	200
	Fy	400
모멘트 (kgf) (L=110mm)	Mx	100
	My	300

QA-490



발거력 (kgf)	Fx	400
	Fy	400
모멘트 (kgf) (L=110mm)	Mx	100
	My	300


QA-513



발거력 (kgf)	Fx	150
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	60
	My	180


TECHNICAL SPECIFICATIONS

BA2800A/B




발거력 (kgf)	Fx	80
허용하중 (kgf)	Mx	1,000

BA280LA/B/D/E




발거력 (kgf)	Fx	80
허용하중 (kgf)	Mx	1,000

BP2800H




발거력 (kgf)	Fx	50
허용하중 (kgf)	Mx	300

BP1900H




발거력 (kgf)	Fx	20
허용하중 (kgf)	Mx	300

BA3300A/B/D



발거력 (kgf)	Fx	80
허용하중 (kgf)	Mx	1,000

BA4300A/B/D




발거력 (kgf)	Fx	80
허용하중 (kgf)	Mx	1,000

BP4300H




발거력 (kgf)	Fx	80
허용하중 (kgf)	Mx	700

BA4040A/B/JA/JB/JE



발거력 (kgf)	Fx	1,200
허용하중 (kgf)	Mx	1,000

BA4545A/B




발거력 (kgf)	Fx	1,200
허용하중 (kgf)	Mx	1,000

TECHNICAL SPECIFICATIONS


JOINT HOLDING FORCE & MOMENT

ABS-0530




발거력 (kgf)	Fy	50

ABS-4320A/C/D/E




발거력 (kgf)	Fy	50

ABS-620




발거력 (kgf)	Fy	50

ACHA-6040A




발거력 (kgf)	Fy	50

ACPA-H6026A




발거력 (kgf)	Fy	200

ACPA-V6026A




발거력 (kgf)	Fy	100

ACA-309A




발거력 (kgf)	Fy	1,000

ACBA-828A



발거력 (kgf)	Fx	80
	Fy	200
모멘트 (kgf) (L=110mm)	Mx	60
	My	120


ACY318A/B



발거력 (kgf)	Fy	40


JOINT HOLDING FORCE & MOMENT

SA052A/033A




발거력 (kgf)	Fy	80
모멘트 (kgf) (L=110mm)	Mx	60
	My	120

SA640A/628A




발거력 (kgf)	Fy	80
모멘트 (kgf) (L=110mm)	Mx	60
	My	120

SA845A




발거력 (kgf)	Fy	80
모멘트 (kgf) (L=110mm)	Mx	60
	My	120

SA845B




발거력 (kgf)	Fy	80
모멘트 (kgf) (L=110mm)	Mx	60
	My	100

SA830C




발거력 (kgf)	Fy	80
모멘트 (kgf) (L=110mm)	Mx	40
	My	50

SA822C



발거력 (kgf)	Fy	50
모멘트 (kgf) (L=110mm)	Mx	40
	My	100

SA622A/822A




발거력 (kgf)	Fy	50
모멘트 (kgf) (L=110mm)	Mx	40
	My	40

TECHNICAL SPECIFICATIONS


JOINT HOLDING FORCE & MOMENT

AFU-28A/C/S




발거력 (kgf)	Fx	40

APHA-3027




발거력 (kgf)	Fy	80

APHA-633N




발거력 (kgf)	Fy	30
허용하중 (kgf)	Mx	120

B-017A-08




발거력 (kgf)	Fy	30

LAD-A




발거력 (kgf)	Fy	200
허용하중 (kgf)	Mx	100


AOS-28A



발거력 (kgf)	Fy	80
허용하중 (kgf)	Mx	300

도전용 플레이트 (LP2800 활용법)







도전 영역

(Ω) 10^0 10^3 10^4 10^6

도전 플레이트 체결 후

* 도전을 필요로 하는 경우 도전용 플레이트를 AL Joint 모든 품목에 체결하여 사용함.
* 도전용 플레이트 : LP2800






대전 영역 (정전기 방지) **절연 영역**

(Ω) 10^9 10^{10} 10^{11} (Ω) 10^{12} ↑

표면처리 : Anodizing

표면처리 : PE Coating

BENDING STRENGTH FOR ROLLER TRACK




Test Condition

1. Test Speed : 5mm / min
2. Temperature : 23℃

Unit: Kgf

Model	Load
35 Serise	80
40 Serise	150
60 Serise	100
85 Serise	300

COMPRESSION STRENGTH OF WHEEL SUBASSEMBL




Test Condition

1. Test Speed : 5mm / min
2. Temperature : 23℃

Unit: Kgf

Model	Load
35 Serise	100
40 Serise	150
60 Serise	200
85 Serise	300

ANGLE RECOMMENDED FOR CONSISTENT




Test Condition


1. Box Weight : 1.6 kg
2. Temperature : 23℃

Model	Load
35 Serise	2.5 °
40 Serise	2.0 °
60 Serise	2.5 °
85 Serise	2.5 °


ROLLER TRACK MAXIMUM LOAD(GI-BODY)




■ 3 mm Deflection allowed condition (for 2 parallel Roller Track)



■ 5 mm Deflection allowed condition (for 2 parallel Roller Track)




■ 10 mm Deflection allowed condition (for 2 parallel Roller Track)




ROLLER TRACK MAXIMUM LOAD(AL-BODY)


■ 3 mm Deflection allowed condition (for 2 parallel Roller Track)



■ 5 mm Deflection allowed condition (for 2 parallel Roller Track)



■ 10 mm Deflection allowed condition (for 2 parallel Roller Track)



EXAMPLES 현장 개선 사례





EXAMPLES 현장 개선 사례





EXAMPLES 현장 개선 사례









EXAMPLES 현장 개선 사례








QUALITY
DELIVERY
WCP
2B

EXAMPLES 현장 개선 사례






EXAMPLES 현장 개선 사례





EXAMPLES 현장 개선 사례







EXAMPLES 창고 개선 사례





EXAMPLES 창고 개선 사례





EXAMPLES 창고 개선 사례








EXAMPLES 창고 개선 사례





EXAMPLES 창고 개선 사례





EXAMPLES 대차용으로 적용한 사례






EXAMPLES 대차용으로 적용한 사례





EXAMPLES 대차용으로 적용한 사례





EXAMPLES 대차용으로 적용한 사례







EXAMPLES 계단,난간 적용 사례





EXAMPLES 계단,난간 적용 사례







EXAMPLES 계단,난간 적용 사례





EXAMPLES 전시 홍보 적용 사례






EXAMPLES 전시 홍보 적용 사례








Supreme
Zoopreme
PALPAL

EXAMPLES 전시 홍보 적용 사례





EXAMPLES 전시 홍보 적용 사례







假設


국립현대미술관 과천관 | | 프로젝트
假設


EXAMPLES 농업 적용 사례







EXAMPLES 농업 적용 사례







EXAMPLES 기타 사례





EXAMPLES 기타 사례





EXAMPLES 기타 사례





EXAMPLES 기타 사례









EXAMPLES 기타 사례







EXAMPLES 기타 사례







EXAMPLES 기타 사례









EXAMPLES 기타 사례





EXAMPLES 기타 사례





EXAMPLES 기타 사례





EXAMPLES 기타 사례





EXAMPLES 기타 사례









EXAMPLES 기타 사례





INDEX

Part No.	Part Name (KR)	Page
	A	
A-001C	일자형 조인트 (원형 파이프 사용가능)	61
A-003	엘보 조인트 (구조물 강도보강용)	61
A-004	십자형 조인트 (구조물 강도보강용)	61
A-007B	가변형 조인트 (각도 조절 후 고정)	62
A-007C	가변형 조인트 (각도 조절 가능)	62
A-007D	가변형 조인트 (회전, 각도 조절 가능)	62
A-009	더블 조인트	63
A-013L	45 ° 각도 조인트	63
A-013R	45 ° 각도 조인트	63
A-021	일자형 조인트 (구조물 강도보강용)	63
A-023	멈춤 조인트	63
A-028	더블 조인트	64
A-090	90 ° 엘보 조인트	64
A-101	일자형 조인트	64
A-104	프로파일 조인트	123
A-120	120 ° 각도 조인트	65
A-135	135 ° 각도 조인트	65
A-150	150 ° 각도 조인트	65
A-1901	Φ19+Φ19 연결용 일자형 조인트	104
A-1902	Φ28+Φ19 연결용 일자형 조인트	104
A-1909	Φ19+Φ19 연결용 더블 조인트	104
A-1923	Φ19 멈춤 조인트	104
A19-N303	Φ19 보드 홀더	109
A-201	일자형 조인트	64
A-204	Φ28 기둥용 지지대	65
A28-301A	가스 스프링 브라켓	73
A28-301B	가스 스프링 브라켓	73
A28-304A	알루미늄 판넬 브라켓	132
A28-305A	알미늄 브라켓	73
A28-305B	알미늄 브라켓	73
A28-A301	가스 스프링 브라켓 Ass'y	73
A28-A305	알미늄 브라켓	73
A28-A306	AL Pipe Rest	73
A28-N302	보드 홀더	74
A28-N303	보드 홀더	74
A-301	일자형 조인트	113
A-304	기둥용 지지대 (원형 파이프 사용가능)	66
A-401	일자형 조인트	117
A-401C	일자형 조인트 (원형 파이프 사용가능)	117
A-401W	스트롱 조인트	117
A40-304A	보드 홀더	147
A40-305A	보드 홀더	147
A40-306A	Foundation Bracket	157
A40-309A	Aluminum Panel Bracket (40X40 전용)	157
A40-310A	Threaded Insert Bracket	145, 157
A40-310B	Threaded Insert Bracket	145, 157
A-407B	가변형 조인트	117
A40-N303	40각용 보드홀더	146
A-413L	45 ° 각도 조인트	118
A-413R	45 ° 각도 조인트	118
A-421	스트롱 조인트	118
A43-N301	Aluminum Stanchion Mount	124
A43-N302	Φ43용 보드 홀더	121
A43-N303	Φ43용 보드 홀더	121
A45-309A	Aluminum Panel Bracket (45X45 전용)	158
A45-310A	Threaded Insert Bracket	152, 158
A45-310B	Threaded Insert Bracket	152, 158
A45-A301	Aluminum Pivot Joint (45X45 전용)	158
A45-A302	Sliding Door Guide Ass'y (45X45 전용)	158
A-490	90 ° 엘보 조인트	118
AA-001	일자형 조인트 Ass'y	61
AA-001C	일자형 조인트 (원형 파이프 사용가능) Ass'y	61
AA-002	엘보 조인트 (구조물 강도보강용) Ass'y	61
AA-004	십자형 조인트 (구조물 강도보강용) Ass'y	61

Part No.	Part Name (KR)	Page
AA-007F	가변형 조인트 (회전, 각도 조절 후 고정) Ass'y	62
AA-007R	가변형 조인트 (회전, 각도 조절 가능) Ass'y	62
AA-009	더블 조인트 Ass'y	63
AA-013	45 ° 각도 조인트 Ass'y	63
AA-021	일자형 조인트 (구조물 강도보강용) Ass'y	63
AA-023	멈춤 조인트 Ass'y	63
AA-027F	가변형 조인트 (각도 조절 후 고정) Ass'y	62
AA-027M	가변형 조인트 (각도 조절 가능) Ass'y	62
AA-028	더블 조인트 Ass'y	64
AA-090	90 ° 엘보 조인트 Ass'y	64
AA-101	일자형 조인트 Ass'y	64
AA-104	프로파일 조인트 Ass'y	123
AA-120	120 ° 각도 조인트 Ass'y	65
AA-135	135 ° 각도 조인트 Ass'y	65
AA-150	150 ° 각도 조인트 Ass'y	65
AA-1901	Φ19+Φ19 연결용 일자형 조인트 Ass'y	104
AA-1902	Φ28+Φ19 연결용 일자형 조인트 Ass'y	104
AA-1909	Φ19+Φ19 연결용 더블 조인트 Ass'y	104
AA-1923	Φ19 멈춤 조인트 Ass'y	104
AA-201	일자형 조인트 Ass'y	64
AA-204	Φ28 기둥용 지지대 Ass'y	65
AA-301	일자형 조인트 Ass'y	113
AA-304	기둥용 지지대 A'ssy (원형 파이프 사용가능)	66
AA-401	일자형 조인트 Ass'y	117
AA-401C	일자형 조인트 A'ssy (원형 파이프 사용가능)	117
AA-401W	스트롱 조인트 Ass'y	117
AA-407F	가변형 조인트 Ass'y	117
AA-413	45 ° 각도 조인트 Ass'y	118
AA-421	스트롱 조인트 Ass'y	118
AA-490	90 ° 엘보 조인트 Ass'y	118
ABRA-32	Aluminum Bearing Pulley (고강도용)	271
ABS-0530	Φ43용 보드 홀더	121
ABS-4040A	40각용 플라스틱 보드 홀더	146
ABS-4320A	Φ43용 보드 홀더	122
ABS-4320C	Φ43용 보드 홀더	122
ABS-4320D	Φ43용 보드 홀더	122
ABS-4320E	Φ43용 보드 홀더	122
ABS-600SA	보드 홀더 4MT	74
ABS-620	보드 홀더	74
AC2809A	Thread Insert	278
AC2809B	Thread Insert	278
AC2809N	Aluminum Cap	279
AC2814A	Thread Insert	278
AC2814B	Thread Insert	278
AC2814N	Aluminum Cap	279
ACA-2060A	링크가이드 유닛	79
ACA-2080A	링크가이드 유닛	79
ACA-3060A	링크가이드 유닛	80
ACA-3060HA	링크가이드 유닛	80
ACA-3080A	링크가이드 유닛	80
ACA-3080HA	링크가이드 유닛	80
ACA-308A	감속장치	189
ACA-308B	감속장치	189
ACA-308C	감속장치	189
ACA-309A	One Way Clutch	77
ACA-315A	조인트 체결형 다용도 클램프	78
ACA-319A	힌지 유닛	88
ACA-321A	로터리 댐퍼	77
ACA-325A	28각용 행거	132
ACA-326A	28각용 케이블 클램프	132
ACA-4060A	링크가이드 유닛	79
ACA-4080A	링크가이드 유닛	79
ACBA-B28A	코너 베이스 Ass'y	82
ACBA-B28B	코너 베이스 Ass'y	82
ACB-B28A	코너 베이스	82

INDEX

Part No.	Part Name (KR)	Page
ACB-B28B	코너 베이스	82
ACB-G28A	코너 베이스	82
ACD-B	케이블 덕트	83
ACF2812	Φ28 평면형 파이프	56
ACH-6040A-L	부품 연결용 홀더	126
ACH-6040A-R	부품 연결용 홀더	126
ACHA-6040A	부품 연결용 홀더 Ass'y	126
ACM-400	AL 캐스터 마운트	81
ACM-500	AL 캐스터 마운트	82
ACM-500-S	AL 캐스터 마운트 (보조용)	82
ACM-510	AL 캐스터 마운트	82
ACM-600	AL 캐스터 마운트	126
ACPA-H6026A	부품 연결용 홀더 Ass'y	84
ACPA-V5020A	Φ19 부품 연결용 홀더 Ass'y	109
ACPA-V6026A	부품 연결용 홀더 Ass'y	84, 166
ACP-H6026A-L	부품 연결용 홀더	84
ACP-H6026A-R	부품 연결용 홀더	84
ACPS-H6026A	스프링 걸이 Ass'y	84
ACP-V5020A-L	Φ19 부품 연결용 홀더	109
ACP-V5020A-R	Φ19 부품 연결용 홀더	109
ACP-V6026A-L	부품 연결용 홀더	84
ACP-V6026A-R	부품 연결용 홀더	84
ACY-303A	롤러 가이드 브라켓	75
ACY-303B	롤러 가이드 보조 브라켓	75
ACY-311A	시트 커버 (코너 체결용)	87
ACY-312A	알미늄 시트 가이드 (커버 체결용)	87
ACY-313A	시트 커버 (파이프 측면 체결용)	87
ACY-313B	시트 커버 (파이프 중간 체결용)	87
ACY-314A	파이프 롤러 가이드용 커버	100
ACY-315C	Plastic Leveling Foot (M6 Bolt 조립형)	78
ACY-317A	Groove Cover	182
ACY-318A	파이프 연결용 어댑터	78
ACY-318B	파이프 연결용 어댑터	78
ACY-322A	가이드 레일	165
ACY-322B	가이드 레일 커버	165
ACY-322C	가이드 레일 연결 조인트	165
ACY-322D	스프로켓	166
ACY-322E	체인 연결 브라켓	166
ACY-322F	가이드 레일 안전 커버(좌)	167
ACY-322G	가이드 레일 안전 커버우)	167
ACY-322H	가이드 레일 안전 커버(윗면)	167
ACY-323A	평면형 슬롯 어댑터	76
ACY-324A	알루미늄 앵글	92
ACY-A306	롤러 가이드	76
ACY-N301	케이블 홀더	83
AD25PA	조절좌	110
AD1914	Φ19 더블 파이프	103
AD2812	Φ28 중하중용 더블 파이프	54
AD2812H	Φ28 고하중용 더블 파이프	54
AD2829	Φ28 고하중용 더블 파이프	54
AD30PA	Leveling Foot	276
AD32RA	Rubber Pad Leveling Foot	277
AD32RA-E	Rubber Pad Leveling Foot	277
AD32RA-EM	Rubber Pad Leveling Foot	277
AD32RA-M	Rubber Pad Leveling Foot	277
AD32RB	Rubber Pad Leveling Foot	277
AD32RB-E	Rubber Pad Leveling Foot	277
AD32RB-EM	Rubber Pad Leveling Foot	277
AD32WA	Leveling Foot	276
AD32WB	Leveling Foot	276
AD32WB-M	Leveling Foot	276
AD32WC	Leveling Foot	276
AD32WC-M	Leveling Foot	276
AD32WD	Leveling Foot	276

Part No.	Part Name (KR)	Page
AD35SA	Leveling Foot	277
AD35SB	Leveling Foot	277
AD40SPA	Rubber Leveling Foot	277
AD40SPA-E	Rubber Leveling Foot	277
AD40SPB	Rubber Leveling Foot	277
AD40SPB-E	Rubber Leveling Foot	277
AD4319	Φ43 고하중용 더블 파이프	115
AD50RAN	Rubber Pad Leveling Foot	277
AD50RAN-E	Rubber Pad Leveling Foot	277
AD50RAN-EM	Rubber Pad Leveling Foot	277
AD50RAN-H	Hexagon Leveling Foot	276
AD50RAN-M	Rubber Pad Leveling Foot	277
AD50RBN	Rubber Pad Leveling Foot	277
AD50RBN-E	Rubber Pad Leveling Foot	277
AD50RDN-M	Rubber Pad Leveling Foot	277
AD50REN	Rubber Pad Leveling Foot	277
AD50WA	Leveling Foot	276
AD50WA-AC	Leveling Foot	276
AD50WB	Leveling Foot	276
AD50WB-AC	Leveling Foot	276
AD50WB-M	Leveling Foot	276
AD50WD	Leveling Foot	276
AD50WD-AC	Leveling Foot	276
AD50WE	Leveling Foot	276
AD50WE-AC	Leveling Foot	276
ADA-SM43A	Stanchion Mount Single Ass'y	123
ADA-SM43L	Stanchion Mount Single-Left Ass'y	123
ADA-SM43R	Stanchion Mount Single-Right Ass'y	123
ADR-05	도어 레일	96
AD-SM	Stanchion Mount Single	295
AD-SM43A	Stanchion Mount Single	123
AD-SM43L	Stanchion Mount Single-Left	123
AD-SM43R	Stanchion Mount Single-Right	123
AFS2810	Φ28 슬라이드 파이프 (경량형)	55
AFS2812	Φ28 슬라이드 파이프 (표준형)	55
AFU-28A	파이프 연결용 힌지	88
AFU-28C	파이프 연결용 힌지	88
AFU-28S	파이프 연결용 힌지	88
AGP-28A	Φ28 Panel Frame Guide AL Pipe	57
AGP-28B	Φ28 Panel Frame Guide AL Pipe (Joint Type)	57
AGP-28C	Φ28 Panel Frame Guide AL Pipe (이물질 유입 방지용)	57
AGR-001	Aluminum Guide Rail	171
AGR-002	Infeed Cap	171
AGR-003	Connecting Joint	171
AGR-004	Anchor Bracket	171
AGR-005	Connection Plate (사용자 가공품)	172
AGR-006	End Stop	172
AH-1637	직선운동 슬리브	108
AH-1650	직선운동 슬리브	108
AH-1937	회전, 직선운동 슬리브	108
AH-1937E	회전, 직선운동 슬리브 (ESD)	108
AH-1950	회전, 직선운동 슬리브	108
AH-1950E	회전, 직선운동 슬리브 (ESD)	108
AH-540	회전, 직선운동 슬리브	89
AH-540E	회전, 직선운동 슬리브 (ESD)	89
AH-540L	회전, 직선운동 슬리브 (Link 연결형)	89
AH-555	회전, 직선운동 슬리브	89
AH-555E	회전, 직선운동 슬리브 (ESD)	89
AH-640	직선운동 슬리브	90
AH-655	직선운동 슬리브	90
AH-755	직선운동 슬리브	91
AH-755E	직선운동 슬리브 (ESD)	91
AH-770	직선운동 슬리브	91
AH-770E	직선운동 슬리브 (ESD)	91

INDEX

Part No.	Part Name (KR)	Page
AH-800	직선운동 슬리브	90
AH-900	회전, 직선운동 슬리브	89
AHRG-35B	Box Guide-ESD (고하중용)	224
AHRG-40B	Box Guide-ESD (고하중용)	224
AHRG-60B	Box Guide-ESD (고하중용)	224
AL-1	L-Type Plastic Channel	283
AL-10	L-Type Plastic Channel	283
AL-2	L-Type Plastic Channel	283
AL2812	Φ28 원형 파이프 (메탈 조인트 체결용)	52
AL2813	Φ28 원형 파이프 (메탈 조인트 체결용)	52
AL2818	Φ28 원형 파이프 (메탈 조인트 체결용)	52
AL-4	L-Type Plastic Channel	283
AL-5	L-Type Plastic Channel	283
AL-5B	L-Type Plastic Channel	283
AL-6	L-Type Plastic Channel	283
AL-6B	L-Type Plastic Channel	283
AL-7	L-Type Plastic Channel	283
AL-7B	L-Type Plastic Channel	283
AL-8	L-Type Plastic Channel	283
AL-9	L-Type Plastic Channel	283
ALF1914	Φ19 L형 평면 파이프	103
ALF2812	Φ28 L형 평면 파이프	60
ALF2812B	Φ28 L형 평면 파이프 (Safety Cap 체결형)	60
ALS2812	Φ28 L형 슬라이드 파이프	55
AMB-0654	프로파일용 마운트	126
AMB-0684	프로파일용 마운트	126
ANP-01	알루미늄 명판 4MT	92
ANP-01-150	알루미늄 명판	92
AOS-28A	백 스토퍼	93
AP1914	Φ19 표준형 파이프	103
AP2810B	Φ28 판넬 가이드 파이프	51
AP2812	Φ28 표준형 파이프	51
AP2812H	Φ28 고하중 파이프	51
AP2812R	Φ28 롤러 레일 파이프	52
AP2820	Φ28 중경량용 파이프	51
AP2829	Φ28 중량용 파이프	51
AP3315	Φ33 표준형 파이프	112
AP3315H	Φ33 고하중용 파이프	112
AP4319C	Φ43 표준형 파이프	115
AP4319H	Φ43 고하중용 파이프	115
AP-50	Anchor Plate (진동 및 충격에 의한 이동방지용)	295
AP-60	Anchor Plate (진동 및 충격에 의한 이동방지용)	295
APC-01	파이프 커버	93
APC-02	파이프 커버	93
APC-03	파이프 커버	93
APC-40A	40각용 홈 커버	146
APC-45A	45각용 홈 커버	152, 159
APC-50A	Groove Cover (10mm T-Slot 전용)	159
APH-3027A	파이프 연결 조인트	94
APH-3027B	파이프 연결 조인트	94
APHA-3027	파이프 연결 조인트 Ass'y	94
APHA-633N	파이프 연결 조인트	94
AQ2812	Φ28 핸드 레일 파이프	52
AQ4320	Φ43 핸드 레일 파이프	115
AR2812	Φ28 원형 파이프 (표준형), 알루미늄,메탈 조인트 체결용	53
AR2820	Φ28 원형 파이프 (중경량용), 알루미늄,메탈 조인트 체결용	53
AR2829	Φ28 원형 파이프 (중량용), 알루미늄,메탈 조인트 체결용	53
AR4312	Φ43 원형 파이프	116
ARG-35B	Box Guide-ESD	224
ARG-35BN	Box Guide-ESD	224
ARG-35C	Box Guide-ESD	225
ARG-4030BL	Box Guide-ESD	225
ARG-4032AN	Box Guide-ESD	225
ARG-4032BN	Box Guide-ESD	225

Part No.	Part Name (KR)	Page
ARG-4035BS	Box Guide-ESD (GP-4035BS 전용)	226
ARG-4045B	Box Guide-ESD	226
ARG-40A	Box Guide-ESD	225
ARG-40C	Box Guide-ESD	226
ARG-40D	Box Guide-ESD	226
ARG-40F	Box Guide-ESD	226
ARG-60C	Box Guide-ESD	227
ARU-28A	로타리 유닛	77
AS-1	S-Type Plastic Channel	283
AS-2	S-Type Plastic Channel	283
AS2807A	Thread Insert	278
AS2807B	Thread Insert	278
AS2809A	Thread Insert	278
AS2809B	Thread Insert	278
AS-3	S-Type Plastic Channel	283
ASC-2834	알미늄 스페이서 (GAP-8 대체용)	248
ASC-H42L	Horizontal Safety Cap	228
ASC-H42R	Horizontal Safety Cap	228
ASC-V30	Vertical Safety Cap	228
ASC-V45	Vertical Safety Cap	228
ASG-01B	시트 홀더	95
ASG-02	시트 홀더	95
ASG-02B	시트 홀더 (측면용)	95
ASG-03	시트 홀더	96
ASG-05	시트 홀더	96
ASG-05B	시트 홀더	96
ASG-1903	시트 홀더	109
ASG-2830A	Box Guide-ESD	227
ASG-28A	Box Guide-ESD	227
ASG-28B	Box Guide-ESD (고하중용)	227
ASG-28C	Box Guide-ESD (고하중용)	227
ASG-4305	Φ43용 시트 홀더	121
ASGP-08	Φ28 판넬가이드형 파이프	56
ASJ28100	Φ28 판넬 가이드 파이프 (캐스터 체결용)	59
ASJ2848A	Φ28 판넬 가이드 파이프	59
ASJ2929A	Φ28 판넬 가이드 파이프	59
ASJ4040A	40X40 90° 2방향 체결형 사각 파이프	138
ASJ4040B	40X40 180° 2방향 체결형 사각 파이프	138
ASJ4040C	40X40 1방향 조인트 체결형 사각 파이프	138
ASJ4040D	40X40 이물질 유입 방지용 사각 파이프	138
ASJ4040E	40X40 3방향 체결형 사각 파이프	139
ASJ4040R	40X40 90° 코너 라운드, 2방향 체결형 사각 파이프	139
ASJ4545A	45X45 90° 2방향 체결형 사각 파이프	149
ASJ4545C	45X45 1방향 조인트 체결형 사각 파이프	149
ASJ4545D	45X45 이물질 유입 방지용 사각 파이프	149
ASM4040A	40X40 2방향 T홈, 2방향 조인트 체결 복합형 사각 파이프	141
ASM4040C	40X40 3방향 T홈, 1방향 조인트 체결 복합형 사각 파이프	141
ASM4040R	40X40 코너 라운드, T홈, 조인트 체결 복합형 사각 파이프	141
ASM4080A	40X80 4방향 T홈, 2방향 조인트 체결 복합형 사각 파이프	142
ASM4545C	45X45 3방향 T홈, 1방향 조인트 체결 복합형 사각 파이프	150
ASQ2812A	28X28 90° 2방향 체결형 사각 파이프	129
ASQ2812AN	28X28 90° 2방향 체결형 사각 파이프 (경량형)	129
ASQ2812B	28X28 180° 2방향 체결형 사각 파이프	129
ASQ2812C	28X28 1방향 체결형 사각 파이프	129
ASQ2812D	28X28 이물질 유입 방지용 사각 파이프	129
ASQ2812E	28X28 3방향 체결형 사각 파이프	130
ASQ2812EN	28X28 3방향 체결형 사각 파이프 (경량형)	130
ASQ2812F	28X28 이물질 유입 방지용 L형 사각 파이프	130
ASR-52	슬롯 롤러	76, 165
AST2828D	28X28 4방향 T홈 체결형 파이프	130
AST4040A	40X40 2방향 T홈 체결형 사각 파이프 (기둥용)	140
AST4040D	40X40 4방향 T홈 체결형 사각 파이프	140
AST4545A	45X45 2방향 T홈 체결형 사각 파이프 (기둥용)	150
AST4545D	45X45 4방향 T홈 체결형 사각 파이프	150

INDEX

Part No.	Part Name (KR)	Page
AT-1	T-Type Plastic Channel	283
AT-2	T-Type Plastic Channel	283
AT1914	Φ19 T-Slot형 파이프	103
AT2829	Φ28 T-Slot형 파이프	56, 165
AT-3	T-Type Plastic Channel	283
ATF2812	Φ28 T형 평면 파이프	60
ATF2812B	Φ28 T형 평면 파이프	60
AU-1	U-Type Plastic Channel	283
AU-2	U-Type Plastic Channel	283
	B	
B-001C	일자형 조인트 (파이프 방향 조절 가능)	67
B-001H	고강도 일자형 조인트	67
B-001T	T-Slot Pipe 조립용 조인트	67
B-001TA	T-Slot Pipe 조립용 조인트	67
B-001TB	T-Slot Pipe 조립용 조인트	67
B-006	교차형 조인트	67
B-007A	가변형 조인트 (회전, 각도 조절 후 고정)	62, 68
B-007B	가변형 조인트 (각도 조절 후 고정)	68
B-007C	가변형 조인트 (각도 조절 가능)	68
B-007D	가변형 조인트 (회전, 각도 조절 가능)	68
B-008	더블 조인트	69
B-011	브릿지 조인트	69
B-013L	45° 각도 조인트	69
B-013R	45° 각도 조인트	69
B-015	교차형 조인트 (구조물 강도보강용)	69
B-015L	교차형 조인트 (구조물 강도보강용)	69
B-015R	교차형 조인트 (구조물 강도보강용)	69
B-017A-08	판넬 조인트	74
B-040A	28각용 코너 브라켓 (M6용)	132
B-040B	28각용 코너 브라켓	132
B-044B	직선 연결 조인트	70
B-045	코너 조인트	70
B-050A	40각 프로파일 T홈 체결용 소형 코너 브라켓 (M6용)	144
B-060A	40각 프로파일 T홈 체결용 코너 브라켓 (M6용)	144
B-070A	40각 프로파일 T홈 체결용 코너 브라켓 (M6용)	144
B-080A	45각 프로파일 T홈 체결용 코너 브라켓 (M8용)	151
B-090	90° 엘보 조인트	70
B-091	90° 엘보 조인트	71
B-101	일자형 조인트	71
B-106	교차형 조인트	71
B-108	더블 조인트	71
B-145	코너 조인트	70
B-1901	Φ19+Φ19 연결용 일자형 조인트	105
B-1902	Φ28+Φ19 연결용 일자형 조인트	105
B-1906	Φ19+Φ19 연결용 교차형 조인트	105
B-1907B	가변형 조인트 (Φ19 연결, 자유 회전)	105
B-1908A	Φ19+Φ19 연결용 더블 조인트	106
B-1908B	Φ19+Φ19 연결용 더블 조인트	106
B-1909A	Φ28+Φ19 연결용 더블 조인트	106
B-1909B	Φ28+Φ19 연결용 더블 조인트	106
B-1913L	Φ19+Φ19 연결용 45° 각도 조인트	106
B-1913R	Φ19+Φ19 연결용 45° 각도 조인트	106
B-1916	Φ28+Φ19 연결용 교차형 조인트	106
B-1917A	가변형 조인트 (Φ28 연결, 자유 회전)	105
B-1945	Φ19+Φ19 연결용 코너 조인트	107
B-1945B	Φ19+Φ19 연결용 코너 조인트 (경량용)	107
B-1990	Φ19+Φ19 연결용 90° 엘보 조인트	107
B-206A	교차형 조인트 (각도 조절)	72
B-206B	교차형 조인트 (각도 조절)	72
B-206C	교차형 조인트 (각도 조절)	72
B-206D	교차형 조인트 (각도 조절)	72
B-301	일자형 조인트	113
B-401	일자형 조인트	119
B-407A	가변형 조인트 (회전, 각도조절 후 고정)	119
B-407B	가변형 조인트 (회전, 각도조절 후 고정)	119
B-407C	가변형 조인트 (회전, 각도조절 후 고정)	119
B-411	브릿지 조인트	120
B-444	직선 연결 조인트	120
B-445	코너 조인트	120
B-490	90° 엘보 조인트	120
BA-001C	일자형 조인트 (파이프 방향 조절 가능) Ass'y	67
BA-001H	고강도 일자형 조인트 Ass'y	67
BA-001T	T-Slot Pipe 조립용 조인트 Ass'y	67
BA-006	교차형 조인트 Ass'y	67
BA-007F	가변형 조인트 (회전, 각도 조절 후 고정) Ass'y	68
BA-007R	가변형 조인트 (회전, 각도 조절 가능) Ass'y	68
BA-008	더블 조인트 Ass'y	69
BA-011	브릿지 조인트 Ass'y	69
BA-013	45° 각도 조인트 Ass'y	69
BA-015	교차형 조인트 Ass'y (구조물 강도보강용)	69
BA-027F	가변형 조인트 (각도 조절 후 고정) Ass'y	68
BA-027M	가변형 조인트 (각도 조절 가능) Ass'y	68
BA-044B	직선 연결 조인트 Ass'y	70
BA-045	코너 조인트 Ass'y	70
BA-090	90° 엘보 조인트 Ass'y	70
BA-091	90° 엘보 조인트 Ass'y	71
BA-101	일자형 조인트 Ass'y	71
BA-106	교차형 조인트 Ass'y	71
BA-108	더블 조인트 Ass'y	71
BA-145	코너 조인트 Ass'y	70
BA-1901	Φ19+Φ19 연결용 일자형 조인트 Ass'y	105
BA-1902	Φ28+Φ19 연결용 일자형 조인트 Ass'y	105
BA-1906	Φ19+Φ19 연결용 교차형 조인트 Ass'y	105
BA-1908	Φ19+Φ19 연결용 더블 조인트 Ass'y	106
BA-1909	Φ28+Φ19 연결용 더블 조인트 Ass'y	106
BA-1913	Φ19+Φ19 연결용 45° 각도 조인트 Ass'y	106
BA-1916	Φ28+Φ19 연결용 교차형 조인트 Ass'y	106
BA-1917M	가변형 조인트 (Φ28+Φ19 연결, 자유 회전) Ass'y	105
BA-1945	Φ19+Φ19 연결용 코너 조인트 Ass'y	107
BA-1945B	Φ19+Φ19 연결용 코너 조인트 (경량용) Ass'y	107
BA-1990	Φ19+Φ19 연결용 90° 엘보 조인트 Ass'y	107
BA-206	교차형 조인트 (각도 조절) Ass'y	72
BA2800A	알루미늄 부싱 (조절좌 용)	97, 281
BA2800B	알루미늄 부싱 (조절좌 용)	97, 281
BA280LA	메탈 부싱 : L형 (캐스터 용)	97, 281
BA280LAN	40각용 메탈 부싱	145
BA280LB	메탈 부싱 : L형 (캐스터 용)	97, 281
BA280LBN	40각용 메탈 부싱	145
BA280LD	메탈 부싱 : L형 (캐스터 용)	97, 281
BA280LE	메탈 부싱 : L형 (캐스터 용)	97, 281
BA2828A	Threaded Insert Bracket	134
BA2828B	Threaded Insert Bracket	134
BA-301	일자형 조인트 Ass'y	113
BA3300A	메탈 부싱	113, 281
BA3300B	메탈 부싱	113, 281
BA3300D	메탈 부싱	113, 281
BA-401	일자형 조인트 Ass'y	119
BA4040A	40각 알루미늄 부싱 (조절좌 용)	145, 281
BA4040B	40각 알루미늄 부싱 (조절좌 용)	145, 281
BA4040JA	40각 알루미늄 부싱 (조절좌 용)	145, 281
BA4040JB	40각 알루미늄 부싱 (조절좌 용)	145, 281
BA4040JE	40각 알루미늄 부싱 (조절좌 용)	145, 281
BA-407F	가변형 조인트 (회전, 각도 조절 후 고정) Ass'y	119
BA-411	브릿지 조인트 Ass'y	120
BA-427F	가변형 조인트 (회전, 각도 조절 후 고정) Ass'y	119
BA4300A	알루미늄 부싱 (조절좌 용)	124, 281
BA4300B	알루미늄 부싱 (조절좌 용)	124, 281
BA4300D	알루미늄 부싱 (조절좌 용)	124, 281

INDEX

Part No.	Part Name (KR)	Page
BA4300N	알루미늄 캡	125
BA-444	직선 연결 조인트 Ass'y	120
BA-445	코너 조인트 Ass'y	120
BA4545A	45각 알루미늄 부싱 (조절좌 용)	152, 282
BA4545B	45각 알루미늄 부싱 (조절좌 용)	152, 282
BA-490	90 ° 엘보 조인트 Ass'y	120
BB01	Ball Bearing	290
BC2807A	Thread Insert	278
BC2807B	Thread Insert	278
BC2807D	Thread Insert	278
BC2809A	Thread Insert	278
BC2809B	Thread Insert	278
BC2810A	Thread Insert	278
BC2810B	Thread Insert	278
BC2810D	Thread Insert	278
BC2814A	Thread Insert	278
BC2814B	Thread Insert	278
BC2820A	Thread Insert	278
BC2820B	Thread Insert	278
BC2820D	Thread Insert	278
BC3210A	Thread Insert	278
BC3210B	Thread Insert	278
BC45-A	Base Corner	252
BC45-A2	Base Corner	252
BC45-B	Base Corner	252
BC45-C	Base Corner	252
BH-A	Band Hook	262
BH-B	Band Hook	262
BL28YA-U	Pipe Holder	261
BP1900H	플라스틱 부싱 (부식 방지용)	110
BP2800H	플라스틱 부싱 (부식 방지용)	97, 281
BP2828A	28각용 부싱캡	134
BP4300H	플라스틱 부싱 (부식 방지용)	124, 281
BRA-32	Bearing Pulley	271
BS-01	Box Stopper	230
BS07A	Thread Insert	278
BS07B	Thread Insert	278
BS07D	Thread Insert	278
BS10A	Thread Insert	278
BS10B	Thread Insert	278
BS10D	Thread Insert	278
BS12A	Thread Insert	278
BS12B	Thread Insert	278
BS12D	Thread Insert	278
BS-15	Back Stopper Bracket	230
BS20A	Thread Insert	278
BS20B	Thread Insert	278
BS20D	Thread Insert	278
BUSH-12	Sleeve Bushing (Metal)	294
C		
C-001	28각용 사각 조인트	131
C-001T	28각용 사각 조인트	131
C-045	90 ° Quick Joint (6mm Slot용)	131
CA-001	28각용 사각 조인트 Ass'y	131
CA-001T	28각용 사각 조인트 Ass'y	131
CA-045	90 ° Quick Joint (6mm Slot용) Ass'y	131
CB-MCP	Corner Bumper	249
CD-28C	Cable Duct	223
CD-28D	Cable Duct	223
CF2807	Flat Pipe	6
CF2809	Flat Pipe	6
CF2810	Flat Pipe	6
CFG-28A	Chassis Frame Guide	285
CL2807	Black Stripe Pipe (ESD)	6
CL2810	Black Stripe Pipe (ESD)	6
CM-100	Caster Mount Strap	247
CM-200	Caster Mount Strap	247
CM-200K	Caster Mount Strap	247
CM-230	Caster Mount Strap	247
CM-230K	Caster Mount Strap	247
CM-300	Caster Mount Strap	248
CM-330	Caster Mount Strap	248
CM-A	Corner Metal	254
CM-B	Corner Metal	254
CP-32	Wire Holder (Wire 이탈방지구)	271
CPD-32	Cover Pulley Dual	271
CS2807	Slide Pipe	6
CS2809	Slide Pipe	6
CS2810	Slide Pipe	6
CS2820	Slide Pipe	6
CS28L	Corner Support	253
CS28R	Corner Support	253
D		
D-001	40각용 사각 조인트	143
D-045	40각용 코너 조인트	143
DA-001	40각용 사각 조인트 Ass'y	143
DA-045	40각용 코너 조인트 Ass'y	143
DL-15	Door Latch	292
DP2807	D-Coated Pipe	6
DP2809	D-Coated Pipe	6
DP2810	D-Coated Pipe	6
DP2814	D-Coated Pipe	6
DP2820	D-Coated Pipe	6
DP3210	D-Coated Pipe	6
DP-A	Dust Plate	223
DR-40R	Decelerating Roller	189
E		
E-001	45각용 사각 조인트	151
EA-001	45각용 사각 조인트 Ass'y	151
EAL-1	L-Type Plastic Channel (ESD)	283
EAL-10	L-Type Plastic Channel (ESD)	283
EAL-2	L-Type Plastic Channel (ESD)	283
EAL-4	L-Type Plastic Channel (ESD)	283
EAL-5	L-Type Plastic Channel (ESD)	283
EAL-5B	L-Type Plastic Channel (ESD)	283
EAL-6	L-Type Plastic Channel (ESD)	283
EAL-6B	L-Type Plastic Channel (ESD)	283
EAL-7	L-Type Plastic Channel (ESD)	283
EAL-7B	L-Type Plastic Channel (ESD)	283
EAL-8	L-Type Plastic Channel (ESD)	283
EAL-9	L-Type Plastic Channel (ESD)	283
EAS-1	S-Type Plastic Channel (ESD)	283
EAS-2	S-Type Plastic Channel (ESD)	283
EAS-3	S-Type Plastic Channel (ESD)	283
EAT-1	T-Type Plastic Channel (ESD)	283
EAT-2	T-Type Plastic Channel (ESD)	283
EAT-3	T-Type Plastic Channel (ESD)	283
EAU-1	U-Type Plastic Channel (ESD)	283
EAU-2	U-Type Plastic Channel (ESD)	283
ECH-28A	End Cap Hanger	265
EF2807	ESD Flat Pipe	6
EF2809	ESD Flat Pipe	6
EF2810	ESD Flat Pipe	6
EG2807	ESD Powder Pipe	6
EG2809	ESD Powder Pipe	6
EG2812	ESD Powder Pipe	6
EG2820	ESD Powder Pipe	6
EP2807	ESD D-Coated Pipe	6

INDEX

Part No.	Part Name (KR)	Page
EP2809	ESD D-Coated Pipe	6
EP2810	ESD D-Coated Pipe	6
EP2814	ESD D-Coated Pipe	6
EP2820	ESD D-Coated Pipe	6
EPC-01	Pipe-Cover Plastic Channel (ESD)	283
EPC-02	Pipe-Cover Plastic Channel (ESD)	283
ES2807	ESD Slide Pipe	6
ES2809	ESD Slide Pipe	6
ES2810	ESD Slide Pipe	6
ES2820	ESD Slide Pipe	6
EWS-A	Work Stopper	229
EWS-AN	Work Stopper	229
EWS-B	Work Stopper	229
EWS-D	Work Stopper	229
EWS-E	Work Stopper	229
EWS-F	Work Stopper	229
EWS-F2	Work Stopper	229
EWS-GN2	Work Stopper	229
EWS-J	Work Stopper	229
EWS-J2	Work Stopper	229
EWS-K	Work Stopper	229
EWS-MN	Work Stopper	229
EWS-PN	Work Stopper	229
EWSR4040	Work Stopper	229
EWSR6016	Work Stopper	229
EWSR6033	Work Stopper	229
EWSR8523	Work Stopper	229
EWSR8545	Work Stopper	229
F		
F-A	Handle (Flat Type)	265
FA302S-1	Fastening Rubber Type Caster for AL Rack	240
FA302S-1B	Fastening Rubber Type Caster for AL Rack	240
FA303S-1	Fastening Rubber Type Caster for AL Rack	240
FA303S-1B	Fastening Rubber Type Caster for AL Rack	240
FA363R-4	Fastening Rubber Type Caster for AL Rack	240
FA363S-1	Fastening Rubber Type Caster for AL Rack	240
FA363S-1B	Fastening Rubber Type Caster for AL Rack	240
FA363S-4	Fastening Rubber Type Caster for AL Rack	240
FA363S-4B	Fastening Rubber Type Caster for AL Rack	240
FA364R-1	Fastening Rubber Type Caster for AL Rack	240
FA364R-4	Fastening Rubber Type Caster for AL Rack	240
FA364S-1	Fastening Rubber Type Caster for AL Rack	240
FA364S-1B	Fastening Rubber Type Caster for AL Rack	240
FA364S-4	Fastening Rubber Type Caster for AL Rack	240
FA364S-4B	Fastening Rubber Type Caster for AL Rack	240
FB-28	Folding Bracket	294
FB-28B	Folding Bracket	294
FC302S-1	Fastening Rubber Type Caster	237
FC302S-1B	Fastening Rubber Type Caster	237
FC303S-1	Fastening Rubber Type Caster	237
FC303S-1B	Fastening Rubber Type Caster	237
FC363R-4	Fastening Rubber Type Caster	237
FC363S-1	Fastening Rubber Type Caster	237
FC363S-1B	Fastening Rubber Type Caster	237
FC363S-4	Fastening Rubber Type Caster	237
FC363S-4B	Fastening Rubber Type Caster	237
FC364R-1	Fastening Rubber Type Caster	237
FC364R-4	Fastening Rubber Type Caster	237
FC364S-1	Fastening Rubber Type Caster	237
FC364S-1B	Fastening Rubber Type Caster	237
FC364S-4	Fastening Rubber Type Caster	237
FC364S-4B	Fastening Rubber Type Caster	237
FC503S-1	Fastening Rubber Type Caster	237
FC503S-1B	Fastening Rubber Type Caster	237
FC504S-2	Fastening Rubber Type Caster	237
FC504S-2B	Fastening Rubber Type Caster	237
FG-01	Fork Guide	255
FG-03	Fork Guide	255
FG-04	Fork Guide	256
FQ-B	Front Haul Ass'y-Quicking Type	258
FQ-B2	Front Haul Ass'y-Long Type	258
FQ-BL-1	Front Haul Ass'y	258
FS2807	Full Slide Pipe	6
FS2807-E	ESD Full Slide Pipe	6
FS2809	Full Slide Pipe	6
FS2809-E	ESD Full Slide Pipe	6
FS302R-1	Fastening Rubber Type Caster	237
FS302S-1	Fastening Rubber Type Caster	237
FS302S-1B	Fastening Rubber Type Caster	237
FS303R-1	Fastening Rubber Type Caster	237
FS303S-1	Fastening Rubber Type Caster	237
FS303S-1B	Fastening Rubber Type Caster	237
FS363R-4	Fastening Rubber Type Caster	237
FS363S-1	Fastening Rubber Type Caster	237
FS363S-1B	Fastening Rubber Type Caster	237
FS363S-4	Fastening Rubber Type Caster	237
FS363S-4B	Fastening Rubber Type Caster	237
FS364R-1	Fastening Rubber Type Caster	237
FS364R-4	Fastening Rubber Type Caster	237
FS364S-1	Fastening Rubber Type Caster	237
FS364S-1B	Fastening Rubber Type Caster	237
FS364S-4	Fastening Rubber Type Caster	237
FS364S-4B	Fastening Rubber Type Caster	237
FS503S-1	Fastening Rubber Type Caster	237
FS503S-1B	Fastening Rubber Type Caster	237
FS504R-2	Fastening Rubber Type Caster	237
FS-A	Front Haul Ass'y-Spring Type	257
FS-AN-1	Front Haul Ring Ass'y	259
G		
G-101	Metal Joint	16
G-102	Metal Joint	16
G-103	Metal Joint	16
G-104	Metal Joint	16
G-105	Metal Joint	16
G-106	Metal Joint	16
G-110S	Metal Joint	17
G-12S	Metal Joint	12
G-135S	Metal Joint	17
G-13AS	Metal Joint	12
G-13BS	Metal Joint	12
G-14S	Metal Joint	12
G-15AH	Metal Joint	12
G-15AS	Metal Joint	12
G-15BL	Metal Joint	13
G-15BS	Metal Joint	12
G-15D	Metal Joint	13
G-15DL	Metal Joint	13
G-15G	Metal Joint	13
G-160S	Metal Joint	17
G-16D	Metal Joint	13
G-16E	Metal Joint	13
G-16S	Metal Joint	13
G-16WP	Metal Joint	17
G-17BS	Metal Joint	13
G-17S	Metal Joint	13
G-18S	Metal Joint	13
G-1BS	Metal Joint	11
G-1S	Metal Joint	11

INDEX

Part No.	Part Name (KR)	Page
G-20S	Metal Joint	14
G-22S	Metal Joint	14
G-23S	Metal Joint	14
G-24S	Metal Joint	14
G-25AS	Metal Joint	14
G-25BS	Metal Joint	14
G-25C	Metal Joint	14
G-28	Metal Joint	14
G2807	Powder Pipe	6
G2809	Powder Pipe	6
G2812	Powder Pipe	6
G2820	Powder Pipe	6
G-2S	Metal Joint	11
G-301	Metal Joint	17
G-30S	Metal Joint	14
G-34S	Metal Joint	14
G-35AS	Metal Joint	15
G-35BS	Metal Joint	15
G-38S	Metal Joint	15
G-3S	Metal Joint	11
G-44	Metal Joint	15
G-45S	Metal Joint	15
G-4S	Metal Joint	11
G-54S	Metal Joint	15
G-60S	Metal Joint	15
G-65S	Metal Joint	15
G-65S-10	Metal Joint	15
G-66	Metal Joint	15
G-66BS	Metal Joint	16
G-6B-33	Metal Joint	11
G-6BS	Metal Joint	11
G-6S	Metal Joint	11
G-75A	Metal Joint	16
G-75B	Metal Joint	16
G-7AS	Metal Joint	11
G-7BS	Metal Joint	11
G-7CS	Metal Joint	12
G813R-2	Grip Ring Type Caster	236
G813S-2	Grip Ring Type Caster	236
G813S-2B	Grip Ring Type Caster	236
G-8S	Metal Joint	12
G-90S	Metal Joint	16
G-9S	Metal Joint	12
GA-101	Metal Joint Assembly	27
GA-102	Metal Joint Assembly	27
GA-103	Metal Joint Assembly	28
GA-104	Metal Joint Assembly	28
GA-105	Metal Joint Assembly	28
GA-106	Metal Joint Assembly	28
GA-110S	Metal Joint Assembly	28
GA-12S	Metal Joint Assembly	20
GA-135S	Metal Joint Assembly	29
GA-13S	Metal Joint Assembly	20
GA-14S	Metal Joint Assembly	20
GA-15D	Metal Joint Assembly	21
GA-15G	Metal Joint Assembly	21
GA-15H	Metal Joint Assembly	21
GA-15L	Metal Joint Assembly	21
GA-15S	Metal Joint Assembly	21
GA-160S	Metal Joint Assembly	29
GA-16D	Metal Joint Assembly	22
GA-16E	Metal Joint Assembly	22
GA-16S	Metal Joint Assembly	22
GA-17BS	Metal Joint Assembly	22

Part No.	Part Name (KR)	Page
GA-17S	Metal Joint Assembly	22
GA-18S	Metal Joint Assembly	23
GA-1BS	Metal Joint Assembly	18
GA-1S	Metal Joint Assembly	18
GA-20S	Metal Joint Assembly	23
GA-23S	Metal Joint Assembly	23
GA-24S	Metal Joint Assembly	23
GA-25C	Metal Joint Assembly	24
GA-25S	Metal Joint Assembly	23
GA-27S	Metal Joint Assembly	24
GA-28	Metal Joint Assembly	24
GA-2S	Metal Joint Assembly	18
GA-301	Metal Joint Assembly	29
GA-30S	Metal Joint Assembly	24
GA-34S	Metal Joint Assembly	24
GA-35S	Metal Joint Assembly	25
GA-38S	Metal Joint Assembly	25
GA-3S	Metal Joint Assembly	18
GA-44	Metal Joint Assembly	25
GA-45S	Metal Joint Assembly	25
GA-4S	Metal Joint Assembly	18
GA-54S	Metal Joint Assembly	25
GA-55S	Metal Joint Assembly	26
GA-5S	Metal Joint Assembly	19
GA-60S	Metal Joint Assembly	26
GA-65S	Metal Joint Assembly	26
GA-65S-10	Metal Joint Assembly	26
GA-66	Metal Joint Assembly	26
GA-66BS	Metal Joint Assembly	27
GA-6B-33	Metal Joint Assembly	19
GA-6BS	Metal Joint Assembly	19
GA-6S	Metal Joint Assembly	19
GA-75	Metal Joint Assembly	27
GA-7S	Metal Joint Assembly	19
GA-8S	Metal Joint Assembly	20
GA-90S	Metal Joint Assembly	27
GA-9S	Metal Joint Assembly	20
GAM-07S	Metal Cap	279
GAP-1	Plastic Joint	30
GAP-10L	Plastic Joint (손잡이 좌측)	33
GAP-10R	Plastic Joint (손잡이 우측)	33
GAP-11	Taper Edge	33
GAP-11L	Taper Edge Long	33
GAP-12	Sleeve (For GA-12S/17S/18S/24S/25S)	34
GAP-13	Plastic Joint Corner	34
GAP-14	Plastic Joint Corner Cushion Type	34
GAP-15	Sheet Holder	34
GAP-16	Plastic Joint	34
GAP-17	Plastic Joint	35
GAP-18A	Plastic Joint (한쪽 막힘)	35
GAP-18B	Plastic Joint	35
GAP-19	Plastic Joint	35
GAP-19A	내경캡	110
GAP-19AT	내경캡	110
GAP-19E	내경캡 (ESD)	110
GAP-20	Name Plate Holder	35
GAP-20C	Name Plate Holder	36
GAP-20D	Name Plate Holder	36
GAP-21A	Nut Block	290
GAP-22A	Bearing Block	290
GAP-23	Plastic Joint	36
GAP-24A	Plastic Joint	36
GAP-24B	Plastic Joint (관통형)	36
GAP-25A	Plastic Joint	37

INDEX

Part No.	Part Name (KR)	Page
GAP-25B	Plastic Joint (관통형)	37
GAP-26A	Plastic Joint	37
GAP-26B	Plastic Joint (관통형)	37
GAP-27A	Plastic Joint	37
GAP-27B	Plastic Joint (관통형)	38
GAP-2828A	28각용 내경캡	133
GAP-2828D	28각용 내경캡	133
GAP-2828E	28각용 내경캡	133
GAP-2828T	28각용 내경캡	133
GAP-28A	Plastic Joint	38
GAP-28B	Plastic Joint (관통형)	38
GAP-29A	Plastic Joint	38
GAP-29B	Plastic Joint (관통형)	38
GAP-2A	Plastic Joint	30
GAP-2B	Plastic Joint (관통형)	30
GAP-2C	Plastic Joint (관통형)	30
GAP-3	Outer Cap	30
GAP-30A	Plastic Joint	39
GAP-30B	Plastic Joint	39
GAP-31	Plastic Joint	39
GAP-33A	내경 캡	113
GAP-34	Plastic Joint	39
GAP-35	Plastic Joint	39
GAP-37A	Plastic Joint	40
GAP-37B	Plastic Joint	40
GAP-39	Plastic Joint	40
GAP-3A	외경 캡	98
GAP-40	Plastic Joint	40
GAP-4040A	40각용 내경캡	147
GAP-4040D	40각용 내경캡	147
GAP-4040R	40각용 내경캡	147
GAP-41	Plastic Joint	40
GAP-42	Plastic Joint	41
GAP-43	Plastic Joint	41
GAP-4310	Inner Cap	278
GAP-4310-B	Inner Cap	278
GAP-4310-G	Inner Cap	278
GAP-4310-i	Inner Cap	278
GAP-43A	내경캡	125
GAP-43B	내경 원형캡	125
GAP-44	Sleeve (For GA-12S/17S/18S/24S/25S)	41
GAP-4545D	45각용 내경캡	152
GAP-4545P	Inner Cap (45X45 전용)	159
GAP-45A	Plastic Joint	41
GAP-45B	Plastic Joint (관통형)	41
GAP-46	Plastic Joint	42
GAP-47	Plastic Joint (길이 조정)	42
GAP-48	Roller Conveyor Holder (Single)	42
GAP-49	Roller Conveyor Holder (Double)	42
GAP-4A	내경 캡	98
GAP-4AF	내경 캡 (ATF2812, ALF2812용)	98
GAP-4AH	내경 캡 (AT2812H용)	98
GAP-4AT	내경 캡 (AT2829용)	98
GAP-4C	Inner Cap	31, 278
GAP-4C-B	Inner Cap	278
GAP-4C-G	Inner Cap	278
GAP-4C-i	Inner Cap	278
GAP-4E	내경 캡 (ESD)	98
GAP-4P	Inner Cap	31, 278
GAP-4P-B	Inner Cap	278
GAP-4P-G	Inner Cap	278
GAP-4P-i	Inner Cap	278
GAP-4R	Rubber Cap	31, 278
GAP-4R-B	Inner Cap	278

Part No.	Part Name (KR)	Page
GAP-4S	Inner Cap	31, 278
GAP-4S-B	Inner Cap	278
GAP-4S-G	Inner Cap	278
GAP-4S-i	Inner Cap	278
GAP-5	Plastic Joint Corner	31
GAP-50	Roller Conveyor Cap (Without Bearing)	42
GAP-51	Roller Conveyor Support	43
GAP-52A	Roller Conveyor Cap (With Bearing)	43
GAP-53	Plastic Joint	43
GAP-54	Plastic Joint	43
GAP-55	Name Plate Holder (NP-B 및 NP-M과 조립하여 사용)	43
GAP-56	Sleeve (For GA-35S)	44
GAP-58	Name Plate Holder (NP-F와 조립하여 사용)	44
GAP-6	Label Holder	31
GAP-61	Plastic Joint	44
GAP-64	Corner Support Joint	44
GAP-65	Corner Support Cap	44
GAP-66	Plastic Joint	45
GAP-6B	Label Holder	32
GAP-7	Plastic Joint	32
GAP-71	Plastic Joint	45
GAP-72	Plastic Joint	45
GAP-73	Plastic Latch	46
GAP-74A	Plastic Latch	46
GAP-74B	Plastic Latch	46
GAP-75	Plastic Latch	46
GAP-79	Plastic Latch	47
GAP-8	Horizontal Holder	32
GAP-80A	Plastic Latch	47
GAP-80B	Plastic Latch	47
GAP-81	Plastic Latch	47
GAP-82	Plastic Latch	47
GAP-83	Plastic Joint	48
GAP-84	Plastic Joint	48
GAP-85	Plastic Joint	48
GAP-8FN	Horizontal Holder (Flat Type)	32
GAP-9C-07	Grip Bushing (Coating Pipe:Φ28xT0.7)	32
GAP-9C-09	Grip Bushing (Coating Pipe:Φ28xT0.9)	33
GAP-9S-07	Grip Bushing (STS Pipe:Φ28xT0.9)	33
GAPA-76A	Swivel Plastic Joint Ass'y	46
GAS-07A	Steel Cap	279
GAS-07S	Steel Cap	279
GAS-10A	Steel Cap	279
GAS-12S	Steel Cap	279
GB-02	Gap Bushing	271
GB-03	알루미늄 갭 부쉬	166
GP-11	Adjustable Roller Union	206
GP-12	Adjustable Roller Union	206
GP-13	Adjustable Roller Union	207
GP-14	Adjustable Roller Union	207
GP3533B	일반 Roller Track 35 Series (Pitch: 33)	176
GP4025M	일반 Roller Track 40 Series (Pitch: 25)	177
GP4036A	일반 Roller Track 40 Series (Pitch: 36)	176
GP4036B	일반 Roller Track 40 Series (Pitch: 36)	176
GP4050C	일반 Roller Track 40 Series (Pitch: 50)	176
GP4050D	일반 Roller Track 40 Series (Pitch: 50)	176
GP6016S	일반 Roller Track 60 Series (Pitch: 16)	177
GP6033B	일반 Roller Track 60 Series (Pitch: 33)	177
GP6033HA	일반 Roller Track 60 Series (Pitch: 33)	177
GP8525M	일반 Roller Track 85 Series (Pitch: 25)	177
GP8543B	일반 Roller Track 85 Series (Pitch: 43)	178
GP8550SR-GI	STS Covered Roller Track 85 Series (Pitch: 50)	185
GP-A	Roller Mounting Bracket	197
GP-A25	Roller Mounting Bracket	193

INDEX

Part No.	Part Name (KR)	Page
GP-A33	Roller Mounting Bracket	197
GP-A35	Roller Mounting Bracket	194
GP-A60	Roller Mounting Bracket	208
GP-A60-33	Roller Mounting Bracket	208
GP-A85	Roller Mounting Bracket	213
GP-A85-33	Roller Mounting Bracket	213
GP-AN85	Roller Mounting Bracket / Drop Stop	213
GP-APF	Roller Mounting Bracket	197
GP-APF60	Roller Mounting Bracket	208
GP-B	Roller Mounting Bracket / Tab Stop	197
GP-B-1	Roller Mounting Bracket / Tab Stop	198
GP-B-1-33	Roller Mounting Bracket / Tab Stop	198
GP-B25	Roller Mounting Bracket / Tab Stop	193
GP-B33	Roller Mounting Bracket / Tab Stop	197
GP-B35	Roller Mounting Bracket / Tab Stop	194
GP-B35-1	Roller Mounting Bracket / Tab Stop	194
GP-B35-1-33	Roller Mounting Bracket / Tab Stop	194
GP-B35-33	Roller Mounting Bracket / Tab Stop	194
GP-B60	Roller Mounting Bracket / Tab Stop	208
GP-B60-1	Roller Mounting Bracket / Tab Stop	209
GP-B60-33	Roller Mounting Bracket / Tab Stop	208
GP-B85	Roller Mounting Bracket / Tab Stop	213
GP-B85-1	Roller Mounting Bracket / Tab Stop	214
GP-B85-1-33	Roller Mounting Bracket / Tab Stop	214
GP-B85-2	Roller Mounting Bracket / Tab Stop	214
GP-B85-33	Roller Mounting Bracket / Tab Stop	214
GP-B85-N	Roller Mounting Bracket / Tab Stop	213
GP-C	Roller Track Union	198
GP-C-1	Roller Track Union / Center Support	198
GP-C-1-33	Roller Track Union / Center Support	198
GP-C35	Roller Track Union	195
GP-C85	Roller Track Union	214
GP-C85-1	Roller Track Union / Center Support	215
GP-CN	Roller Track Union	199
GP-CN60	Roller Track Union	209
GP-D35	Roller Mounting Bracket / Drop Stop	195
GP-D60	Roller Mounting Bracket / Drop Stop	209
GP-D60-33	Roller Mounting Bracket / Drop Stop	209
GP-D85	Roller Mounting Bracket / Drop Stop	215
GP-DF	Roller Mounting Bracket / Drop Stop	199
GP-DF-40	Roller Mounting Bracket / Drop Stop	199
GP-DF60J	Roller Mounting Bracket	209
GP-DFJ	Roller Mounting Bracket	199
GP-DN	Roller Mounting Bracket / Drop Stop	199
GP-DN33	Roller Mounting Bracket / Drop Stop	200
GP-E	Roller Mounting Bracket / Center Support	200
GP-E25	Roller Mounting Bracket / Center Support	193
GP-E-33	Roller Mounting Bracket / Center Support	200
GP-E35	Roller Mounting Bracket / Center Support	195
GP-E35-A12	Roller Mounting Bracket / Center Support	195
GP-E-45	Roller Mounting Bracket	200
GP-E60	Roller Mounting Bracket / Center Support	210
GP-E60-33	Roller Mounting Bracket / Center Support	210
GP-E85	Roller Mounting Bracket / Center Support	215
GP-E85-33	Roller Mounting Bracket / Center Support	215
GP-EH60	Roller Mounting Bracket / Center Support	210
GP-EN	Roller Mounting Bracket / Center Support	200
GP-EN60	Roller Track Union / Center Support	210
GP-EN85	Roller Track Union / Center Support	215
GP-EW	Roller Mounting Bracket	201
GP-EW-33	Roller Mounting Bracket	201
GP-F	Roller Mounting Bracket	201
GP-F-33	Roller Mounting Bracket	201
GP-F-40	Roller Mounting Bracket	201

Part No.	Part Name (KR)	Page
GP-FA	Roller Mounting Bracket	202
GP-FC	Roller Mounting Bracket / Tab Stop	202
GP-FC60	Roller Mounting Bracket	210
GP-G	Roller Mounting Bracket / Tab Stop	202
GP-G-33	Roller Mounting Bracket	202
GP-HF	Roller Track Union	202
GP-HN	Roller Track Union	203
GP-HN-33	Roller Mounting Bracket	203
GP-HN35	Roller Track Union	195
GP-HN60	Roller Track Union	211
GP-HP	Roller Mounting Bracket	203
GP-HR	Roller Mounting Bracket	203
GP-HS	Adjustable Roller to Slide Pipe Union	203
GP-HU	Roller Mounting Bracket	205
GP-J60	Roller Mounting Bracket	211
GP-K	Roller Mounting Bracket	204
GP-L	Roller Mounting Bracket	204
GP-L-33	Roller Mounting Bracket	204
GP-L60	Roller Mounting Bracket	211
GP-L60W	Roller Mounting Bracket	211
GP-L60W-33	Roller Mounting Bracket	211
GP-L60WB	Roller Mounting Bracket / Tab Stop	212
GP-L85W	Roller Mounting Bracket	216
GP-L85W-33	Roller Mounting Bracket	216
GP-LN85	Roller Mounting Bracket	216
GP-LW	Roller Mounting Bracket	204
GP-LW-33	Roller Mounting Bracket	205
GP-LWB	Roller Mounting Bracket / Tab Stop	205
GP-LWB-33	Roller Mounting Bracket / Tab Stop	205
GP-M	Roller Mounting Bracket	205
GP-M35	Roller Mounting Bracket	196
GP-M60	Roller Mounting Bracket	212
GP-M85	Roller Mounting Bracket	216
GP-M85-33	Roller Mounting Bracket	216
GP-NA	Roller Mounting Bracket	205
GP-NB	Roller Mounting Bracket / Tab Stop	206
GPR1021BFS-AL	저소음 Roller Track 100 Series (Pitch: 21)	184
GPR2528A-AL	저소음 Roller Track 25 Series (Pitch: 28.6)	181
GPR4040A-AL	저소음 Roller Track 40 Series (Pitch: 40)	181
GPR4040A-GI	저소음 Roller Track 40 Series (Pitch: 40)	179
GPR4040B-AL	저소음 Roller Track 40 Series (Pitch: 40)	181
GPR4040B-GI	저소음 Roller Track 40 Series (Pitch: 40)	179
GPR4040SR-AL	STS Covered Roller Track 40 Series (Pitch: 40)	186
GPR4040SR-GI	STS Covered Roller Track 40 Series (Pitch: 40)	185
GPR4055C-AL	저소음 Roller Track 40 Series (Pitch: 55)	181
GPR4055C-GI	저소음 Roller Track 40 Series (Pitch: 55)	179
GPR6016S-AL	저소음 Roller Track 60 Series (Pitch: 16)	183
GPR6016S-GI	저소음 Roller Track 60 Series (Pitch: 16)	179
GPR6033B-AL	저소음 Roller Track 60 Series (Pitch: 33)	183
GPR6033B-GI	저소음 Roller Track 60 Series (Pitch: 33)	179
GPR6033HA-AL	저소음 Roller Track 60 Series (Pitch: 33)	183
GPR6033HA-GI	저소음 Roller Track 60 Series (Pitch: 33)	179
GPR8523S-AL	저소음 Roller Track 85 Series (Pitch: 23)	184
GPR8523S-GI	저소음 Roller Track 85 Series (Pitch: 23)	180
GPR8523SR-AL	STS Covered Roller Track 85 Series (Pitch: 23)	186
GPR8523SR-GI	STS Covered Roller Track 85 Series (Pitch: 23)	185
GPR8545B-AL	저소음 Roller Track 85 Series (Pitch: 45)	184
GPR8545B-GI	저소음 Roller Track 85 Series (Pitch: 45)	180
GPR8545HA-AL	저소음 Roller Track 85 Series (Pitch: 45)	184
GPR8545HA-GI	저소음 Roller Track 85 Series (Pitch: 45)	180
GPR8545SR-AL	STS Covered Roller Track 85 Series (Pitch: 45)	186
GPR8545SR-GI	STS Covered Roller Track 85 Series (Pitch: 45)	185
GPRG4040B	Guide Type Roller Track 40 Series (Pitch:40)	182
GPRJ4040A-AL	Joint Type Roller Track 40 Series (Pitch: 40)	181

INDEX

Part No.	Part Name (KR)	Page
GPRJ4040B-AL	Joint Type Roller Track 40 Series (Pitch: 40)	181
GPRS4040A-AL	Screw Type Roller Track 40 Series (Pitch: 40)	181
GPRS4040B-AL	Screw Type Roller Track 40 Series (Pitch: 40)	181
GP-SB	Absorber Mounting Bracket	206
GP-VA35	Roller Mounting Bracket	196
GP-VA40	Roller Mounting Bracket	206
GRH-15L	Pulley Holder Bracket (Left)	269
GRH-15R	Pulley Holder Bracket (Right)	269
GRHA-15L	Bearing Pulley Ass'y (Left)	269
GRHA-15R	Bearing Pulley Ass'y (Right)	269
GRV-15L	Pulley Holder Bracket (Left)	270
GRV-15R	Pulley Holder Bracket (Right)	270
GRVA-15L	Bearing Pulley Ass'y (Left)	270
GRVA-15R	Bearing Pulley Ass'y (Right)	270
GS-1014AN	Sleeve Hanger	264
GS-1014BN	Sleeve Hanger	264
GS-1014CH	Sleeve Hanger (2 Hole)	263
GS-1014E	Sleeve Hanger	264
GS-1024B	Sleeve Hanger	264
GS-1044B	Sleeve Hanger	264
GS-11	Adjustable Slide Pipe Union	220
GS-1250A	End Snap Rest	244
GS-1250B	End Snap Rest	244
GS-2070C	Pipe Plug	246
GS-2070C-C07	Pipe Plug	246
GS-2070C-C09	Pipe Plug	246
GS-2070C-C10	Pipe Plug	246
GS-2070C-C20	Pipe Plug	246
GS-2070C-S07	Pipe Plug	246
GS-2070C-S10	Pipe Plug	246
GS-2070C-S12	Pipe Plug	246
GS-2070D	Slide Pipe Plug	246
GS-2070D-C07	Slide Pipe Plug	246
GS-2070D-C20	Slide Pipe Plug	246
GS-2070D-S07	Slide Pipe Plug	246
GS-2070D-S10	Slide Pipe Plug	246
GS-2070D-S12	Slide Pipe Plug	246
GS-2070E	Slide Pipe Plug	246
GS-2070E-C09	Slide Pipe Plug	246
GS-A33	Slide Pipe Mount	217
GS-AN	Slide Pipe Mount	217
GS-B-1	Slide Pipe Mount / Tap top	217
GS-B33	Slide Pipe Mount / Tap top	217
GS-B33-1	Slide Pipe Mount / Tap top	218
GS-BN	Slide Pipe Mount / Tap top	217
GS-C	Slide Pipe Mount Guide Bracket	218
GS-D	Slide Pipe Mount / Drop top	218
GS-D33	Slide Pipe Mount / Drop top	218
GS-E	Slide Pipe Mount Guide Bracket	218
GS-F	Box Guide Mount Bracket	219
GS-F40	Box Guide Mount Bracket	219
GS-G1	Box Guide Mount Bracket	219
GS-G2	Box Guide Mount Bracket	219
GS-HN	Slide Pipe Mount	220
GS-HP	Slide Pipe Mount	220
	H	
HC-1	Pipe Hand Cutter	288
HC28A	Hole Cup-A	296
HC40	Hole Cup	296
HD-80	Handle	290
HG-143 BK	핸드 그립	99
HG-143 PG	핸드 그립	99
HG-144	플라스틱 핸드 그립	99
HG-D	Hinge Metal	298
HG-D-BR	Hinge Metal	298
HK28WA	Pipe Rest	245
HK28WB	Pipe Rest	245
HK28WC	Pipe Rest	246
HM28YA	Hanger Metal	265
HM28YB	Hanger Metal	265
HP-30L	Holder Panel	300
HP-30R	Holder Panel	300
	I	
IN304	인서트 너트	287
IN305	인서트 너트	287
IN306	인서트 너트	287
IN404	인서트 너트	287
IN405	인서트 너트	287
IN406	인서트 너트	287
IN408	인서트 너트	287
IN416	인서트 너트	287
	K	
KH-200-4	Floor Lock	242
KH-200-5	Floor Lock	242
KH-200-6	Floor Lock	242
KH-200-8	Floor Lock	242
KH-200-스텐	Floor Lock	242
	L	
L-500	Lift Table Rail	290
L-750	Lift Table Rail	290
LA 215*160	2 Hole Label Case	275
LA 300*100	4 Hole Label Case	275
LA2 300*100	2 Hole Label Case	275
LA-A3 430*320	4 Hole Label Case	275
LA-B 300*120	4 Hole Label Case	275
LA-C 300*220	4 Hole Label Case	275
LA-C2 220*300	2 Hole Label Case	275
LA-D 150*60	1 Hole Label Case	275
LA-D3 150*60	3 Hole Label Case	275
LAD-A	승강 동작 잠금 장치	99
LA-E 210*100	3 Hole Label Case	275
LA-G 230*95	3 Hole Label Case	275
LA-H 170*135	1 Hole Label Case	275
LA-P 136*40	1 Hole Label Case	275
LA-R 105*100	1 Hole Label Case	275
LC 180*85	1 Hole Label Case	275
LC 250*100	4 Hole Label Case	275
LC 250*80	4 Hole Label Case	275
LC-B 210*80	3 Hole Label Case	275
LK28A	Pipe Connector (Coated Pipe)	302
LK28B	Pipe Connector (Coated Pipe t0.7)	302
LK28S	Pipe Connector (STS/ECCO Pipe)	302
LP2800	도전용 플레이트	94
LRA-19	파이프 롤러 가이드용 롤러	100
LS2809	L-Slide Pipe	6
LS2809-E	ESD L-Slide Pipe	6
LS2810	L-Slide Pipe	6
LS2810-E	ESD L-Slide Pipe	6
LT-500	Lift Table	289
LT-750	Lift Table	289
	M	
MB-15	Monitor Bracket (VESA Hole 기준)	291
MCA-305A	Back Stopper Bracket	232
MCA-308A	Manual Box Stopper	232
MCA-308B	Manual Box Stopper	232
MCP-B3-L	Mount Corner Plate-Left	249
MCP-B3-R	Mount Corner Plate-Right	249
MCP-C3	Mount Center Plate	249

INDEX

Part No.	Part Name (KR)	Page
MCP-E	Mount Corner Plate	250
MCP-F-A	Metal Corner Plate	250
MCP-F-B	Metal Corner Plate	250
MCP-G	Metal Corner Plate	250
MCP-HN-L	Mount Corner Plate-Left	251
MCP-HN-R	Mount Corner Plate-Right	251
MCP-KN	Mount Center Plate	251
MCY-304A	Metal Stopper	294
MCY-304B	Name Plate Holder	296
MCY-306A	Pipe Anchor Bracket	295
MCY-A301	One Touch Stopper-Right	231
MCY-E301	One Touch Stopper-Left	231
MCY-N302	Corner Bumper	298
MG21JE-S	Separator	300
MJC-G1	Metal Joint Cover	266
MJC-G2	Metal Joint Cover	266
MJC-G3	Metal Joint Cover	266
MJC-G4	Metal Joint Cover	266
MJC-G6S	Metal Joint Cover	266
MJC-G7A	Metal Joint Cover	267
MJC-G7B	Metal Joint Cover	267
N		
NP-A	Name Plate	272
NP-B	Name Plate	272
NP-C	Name Plate	272
NP-D	Name Plate	272
NP-E	Name Plate	272
NP-F	Name Plate (GAP-58과 조립하여 사용)	273
NP-F40	Name Plate (GAP-58과 조립하여 사용)	273
NP-G	Name Plate (GAP-58과 조립하여 사용)	273
NP-H	Name Plate (양면테이프 부착형)	273
NP-K	Name Plate	274
NP-L	Name Plate (양면테이프 부착형)	274
NP-M	Name Plate	274
NP-R	Name Plate	273
O		
OB28AN	Thread Insert	279
OB28BN	Thread Insert	279
P		
P363S-3	Top Plate Type Caster	238
P363S-3S	Top Plate Type Caster	238
P4040A	40X40 Aluminum Profile	160
P4080A	40X80 Aluminum Profile	160
P4080B	40X80 Aluminum Profile	160
P4545A	45X45 Aluminum Profile	161
P4545B	45X45 Aluminum Profile	161
P4545C	45X45 Aluminum Profile	161
P503R-1	Top Plate Type Caster	238
P503R-2	Top Plate Type Caster	238
P503S-1	Top Plate Type Caster	238
P503S-1B	Top Plate Type Caster	238
P503S-1DB	Top Plate Type Caster	238
P503S-2	Top Plate Type Caster	238
P503S-2B	Top Plate Type Caster	238
P503S-2DB	Top Plate Type Caster	238
P504R-1	Top Plate Type Caster	238
P504R-2	Top Plate Type Caster	238
P504S-1	Top Plate Type Caster	238
P504S-1B	Top Plate Type Caster	238
P504S-1DB	Top Plate Type Caster	238
P504S-2	Top Plate Type Caster	238
P504S-2B	Top Plate Type Caster	238
P504S-2DB	Top Plate Type Caster	238
P505R-1	Top Plate Type Caster	238

Part No.	Part Name (KR)	Page
P505R-2	Top Plate Type Caster	238
P505S-1	Top Plate Type Caster	238
P505S-1B	Top Plate Type Caster	238
P505S-1DB	Top Plate Type Caster	238
P505S-2	Top Plate Type Caster	238
P505S-2B	Top Plate Type Caster	238
P505S-2DB	Top Plate Type Caster	238
P624R-2	Top Plate Type Caster	239
P624S-2	Top Plate Type Caster	239
P624S-2B	Top Plate Type Caster	239
P625R-2	Top Plate Type Caster	239
P625S-2	Top Plate Type Caster	239
P625S-2B	Top Plate Type Caster	239
P626R-2	Top Plate Type Caster	239
P626S-2	Top Plate Type Caster	239
P626S-2B	Top Plate Type Caster	239
P664R-2	Top Plate Type Caster	239
P664S-2	Top Plate Type Caster	239
P664S-2B	Top Plate Type Caster	239
P665R-2	Top Plate Type Caster	239
P665S-2	Top Plate Type Caster	239
P665S-2B	Top Plate Type Caster	239
P666R-2	Top Plate Type Caster	239
P666S-2	Top Plate Type Caster	239
P666S-2B	Top Plate Type Caster	239
P686R-2	Top Plate Type Caster	239
P686S-2	Top Plate Type Caster	239
P686S-2B	Top Plate Type Caster	239
P688R-2	Top Plate Type Caster	239
P688S-2	Top Plate Type Caster	239
P688S-2B	Top Plate Type Caster	239
PA503R-1	Top Plate Type Cater for AL Rack	241
PA503R-2	Top Plate Type Cater for AL Rack	241
PA503S-1	Top Plate Type Cater for AL Rack	241
PA503S-1B	Top Plate Type Cater for AL Rack	241
PA503S-2	Top Plate Type Cater for AL Rack	241
PA503S-2B	Top Plate Type Cater for AL Rack	241
PA504R-1	Top Plate Type Cater for AL Rack	241
PA504R-2	Top Plate Type Cater for AL Rack	241
PA504S-1	Top Plate Type Cater for AL Rack	241
PA504S-1B	Top Plate Type Cater for AL Rack	241
PA504S-2	Top Plate Type Cater for AL Rack	241
PA504S-2B	Top Plate Type Cater for AL Rack	241
PA505R-1	Top Plate Type Cater for AL Rack	241
PA505R-2	Top Plate Type Cater for AL Rack	241
PA505S-1	Top Plate Type Cater for AL Rack	241
PA505S-1B	Top Plate Type Cater for AL Rack	241
PA505S-2	Top Plate Type Cater for AL Rack	241
PA505S-2B	Top Plate Type Cater for AL Rack	241
PC-01	Pipe-Cover Plastic Channel	283
PC-02	Pipe-Cover Plastic Channel	283
PC-A	Base Lock Metal	260
PC-BN	Pipe Clamp (Single Mount)	260
PC-CN	Pipe Clamp (Double Mount)	260
PC-D	Pipe Lock Metal	261
PC-E	Pipe Clamp	261
PFG-28A	Panel Frame Guide	284
PFG-28B	Panel Frame Guide	284
PFG-28C	Panel Frame Guide	284
PFG-28D	Panel Frame Guide	284
PFG-28E	Panel Frame Guide	284
PFG-28F	Panel Frame Guide	285
PFG-28G	Panel Frame Guide	285
PFG-P20	Panel Frame Guide	285

INDEX

Part No.	Part Name (KR)	Page
PFG-P30	Panel Frame Guide	285
PFG-P40	Panel Frame Guide	285
PGC-28A	Groove Cover(AGP-28A/B용)	58
PGC-28B	Groove Cover(AGP-28A/B용)	58
PGT-28B	Groove Cover(AGP-28A/B용)	58
PH-A	Hanger	262
PH-B	Hanger	262
PH-B1	Hanger	262
PH-C	Hanger	263
PH-D	Hanger	263
PHR-28	Hang Roller	297
PK-1	Pipe Cutter Knife	288
PR-01	Pipe Roller - L	188
PR-02	Pipe Roller - S	188
PRC-100A	Roller Track Cap	192
PRC-25A	Roller Track Cap	190
PRC-35	Roller Track Cap	190
PRC-40	Roller Track Cap	190
PRC-40G	Roller Track Cap	190
PRC-40J	Roller Track Cap	190
PRC-40R	Roller Track Cap	191
PRC-60	Roller Track Cap	191
PRC-60A	Roller Track Cap	191
PRC-60B	Roller Track Cap	191
PRC-60G	Roller Track Cap	191
PRC-85A	Roller Track Cap	192
PRC-85G	Roller Track Cap	192
PRG-2805B	파이프 롤러 가이드 (커버 체결형)	100
PRG-2810B	파이프 롤러 가이드 (커버 체결형)	100
PRG-2820B	파이프 롤러 가이드 (커버 체결형)	100
PRG-2830B	파이프 롤러 가이드 (커버 체결형)	100
PS-A	Rotating Cross Joint	293
PS-B	Rotating Cross Joint	293
PS-C	Rotating Cross Joint	293
PSG-02B	플라스틱 시트 홀더 (측면용)	95
Q		
Q-413L	45° Quick Joint (40X40 전용)	156
Q-413R	45° Quick Joint (40X40 전용)	156
Q-445	45° Quick Joint (8mm & 10mm Slot용)	156
Q-490	90° Quick Joint (8mm & 10mm Slot용)	155
Q-513L	45° Quick Joint (45X45 전용)	156
Q-513R	45° Quick Joint (45X45 전용)	156
QA-413	45° Quick Joint (40X40 전용) Ass'y	156
QA-445	45° Quick Joint (8mm & 10mm Slot용) Ass'y	156
QA-490	90° Quick Joint (8mm & 10mm Slot용) Ass'y	155
QA-513	45° Quick Joint (45X45 전용) Ass'y	156
QS-28	Quick Stopper	233
R		
R-A	Handle (Round Type)	265
RB-2880A	Ring Bumper	299
RB-3480A	Ring Bumper	299
RB-AD37	Rubber Pad (For AD32W)	277
RB-AD45	Rubber Absorbent Pad (For AD32W)	277
RC2809	W-Pipe (Roller Conveyor)	6
RCP-32	Roller Conveyor Pulley Bearing	294
RF-01	Rubber Foot	280
RF-01E	Rubber Foot	280
RF-02	Rubber Foot	280
RF-02 ESD	Rubber Foot	280
RF-02(Soft)	Rubber Foot	280
RF-2828A	28각용 Rubber Foot	134
RG-35B	Box Guide	221
RG-40A	Box Guide	221
RG-40B	Box Guide	221
RG-40B40	Box Guide	222
RG-40C	Box Guide	222
RG-40D	Box Guide	222
RG-40E	Box Guide	222
RQ-B	Rear Haul Ass'y-Quicking Type	258
RQ-C	Rear Haul Ass'y-Quicking Type	259
RS-28	Safety Reflector	300
RS-A	Real Haul Ass'y-Spring Type	257
RS-AN-1	Rear Haul Ring Ass'y	259
S		
S2807A	Polished Pipe	6
S2809A	Polished Pipe	6
S2812A	Polished Pipe	6
SA033A	마운트 브라켓 (범용형)	85
SA052A	마운트 브라켓 (범용형)	85
SA619D	슬롯 어댑터 (ø19 조인트 연결용)	109
SA622A	슬롯 어댑터 (T-Slot Pipe용)	86
SA628A	슬롯 어댑터 (40각 프로파일용)	85
SA640A	슬롯 어댑터 (40각 프로파일용)	85
SA822A	슬롯 어댑터 (T-Slot Pipe용)	86
SA822C	슬롯 어댑터 (T-Slot Pipe용)	86
SA830C	슬롯 어댑터 (T-Slot Pipe용)	86
SA832A	슬롯 어댑터 (45각 프로파일용)	85
SA845A	슬롯 어댑터 (45각 프로파일용)	85
SA845B	슬롯 어댑터 (45각 프로파일용)	85
SC-2845	Shaft Cylinder	293
SD2805	STS D-Coated Pipe	6
SG-01	Sheet Guide	222
SG-02	Sheet Guide	223
SG-03	Sheet Guide	223
SG-2860A	Box Guide	221
SG-28A	Box Guide	221
SN205	스프링 너트	166
SN304	스프링 너트	287
SN305	스프링 너트	287
SN306	스프링 너트	287
SN404	스프링 너트	287
SN405	스프링 너트	287
SN406	스프링 너트	287
SN408	스프링 너트	287
SP2809	Spiral Pipe	6
SPS-0635	스프링 걸이	84
SR-40	Stop Roller	188
SR-60A	Stop Roller	188
SR-85A	Stop Roller	188
T		
T302S-1	Threaded Stem Type Caster	235
T302S-1B	Threaded Stem Type Caster	235
T302S-E	Threaded Stem Type Caster	235
T3625S-1	Threaded Stem Type Caster	235
T3625S-1B	Threaded Stem Type Caster	235
T3625S-2	Threaded Stem Type Caster	235
T3625S-2B	Threaded Stem Type Caster	235
T3625S-4	Threaded Stem Type Caster	235
T3625S-4B	Threaded Stem Type Caster	235
T3625S-E	Threaded Stem Type Caster	235
T363S-1	Threaded Stem Type Caster	235
T363S-1B	Threaded Stem Type Caster	235
T363S-3	Threaded Stem Type Caster	235
T363S-3B	Threaded Stem Type Caster	235
T363S-4	Threaded Stem Type Caster	235
T363S-4B	Threaded Stem Type Caster	235
T363S-E	Threaded Stem Type Caster	235
T503S-1	Threaded Stem Type Caster	236

T503S-1B	Threaded Stem Type Caster	236
T503S-2	Threaded Stem Type Caster	236
T503S-2B	Threaded Stem Type Caster	236
T503S-E	Threaded Stem Type Caster	236
T504S-1	Threaded Stem Type Caster	236
T504S-1B	Threaded Stem Type Caster	236
T504S-2	Threaded Stem Type Caster	236
T504S-2B	Threaded Stem Type Caster	236
T504S-E	Threaded Stem Type Caster	236
TC-28	Tool Cap	293
TH40PA	Tool Holder	268
TH50PA	Tool Holder	268
TH50YA	Tool Holder	268
TH60PA	Tool Holder	268
TH60PB	Tool Holder	268
TH65YA	Tool Holder	268
TM16-500	Lift Table Screw Ass'y	290
	U	
UR4050-AL	Universal Roller Track 40 Series (Pitch: 50)	187
UR6067-AL	Universal Roller Track 60 Series (Pitch: 67)	187
	W	
WEIGHT	간이 자동화용 무게추	101
WL-250	Wire Latch	301
WR-19/22	Caster용 Spanner	291
WR-200	Wire Rack	301
WR-300	Wire Rack	301
WR-400	Wire Rack	301
WT-2802	간이 자동화용 무게추	101
WT-2802B	간이 자동화용 무게추	101
WT-4305	간이 자동화용 무게추	101
WT-4305B	간이 자동화용 무게추	101
WT-4310	간이 자동화용 무게추	101
WT-4310B	간이 자동화용 무게추	101
WT-4320	간이 자동화용 무게추	101
WT-4320B	간이 자동화용 무게추	101
	Z	
Z2808	Powder Pipe	6



G.S.ACE

금성에이스산업주식회사

G.S.ACE INDUSTRY CO., LTD.

http://www.gsace.com
E-mail : gsace@gsace.com

KOREA

본사 및 공장
경기도 화성시 향남읍 갈천웃말길 13-7(송곡리 404-1)
TEL : 031-350-3000 FAX : 031-350-3010

창원공장
경상남도 창원시 성산구 공단로166번길 13-38(신촌동)
TEL : 055-267-8844~5 FAX : 055-267-7704

VIETNAM

호치민공장
Lot No.504, Road 13, Long Binh Industrial Park (Amata),
Long Binh Ward, Bien Hoa City, Dong Nai Province, Vietnam.
TEL : +84-2513-891-315 FAX : +84-2513-891-327